



SAFETY DATA SHEET

According to JIS Z 7253:2019

Revision date 05-Mar-2024

Revision Number 2.06

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Lithium Carbonate
Product Code	122-01132,126-01135,124-01131

Supplier FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571

Recommended uses For research use only

Restrictions on useSeek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification

Classification of the substance or mixture

Acute toxicity - OralCategory 4Serious eye damage/eye irritationCategory 2B

Reproductive Toxicity
Specific target organ toxicity (single exposure)

Category 1A (additional)
Category 1, Category 3

Category 1 nervous system

Category 3 Respiratory irritation

Specific target organ toxicity (repeated exposure) Category 1

Category 1 nervous system, kidneys

Acute aquatic toxicity

Category 2

Category 2

Chronic aquatic toxicity

Category 2

Category 2

Pictograms



Hazard statements

H320 - Causes eye irritation

H302 - Harmful if swallowed

H360 - May damage fertility or the unborn child

H362 - May cause harm to breast-fed children

H335 - May cause respiratory irritation

H411 - Toxic to aquatic life with long lasting effects

H401 - Toxic to aquatic life

H370 - Causes damage to the following organs: nervous system

H372 - Causes damage to the following organs through prolonged or repeated exposure: nervous system, kidneys

Precautionary statements-(Prevention)

- · Obtain special instructions before use
- · Do not handle until all safety precautions have been read and understood

- Use personal protective equipment as required
- · Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product
- Do not breathe dust/fume/gas/mist/vapors/spray
- · Use only outdoors or in a well-ventilated area
- Avoid release to the environment

Precautionary statements-(Response)

- IF exposed: Call a POISON CENTER or doctor/physician
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- Call a POISON CENTER or doctor/physician if you feel unwell
- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
- · Rinse mouth
- Collect spillage

Precautionary statements-(Storage)

- Store locked up
- Store in a well-ventilated place. Keep container tightly closed

Precautionary statements-(Disposal)

· Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula Li2CO3

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Lithium carbonate	99.0	73.89	(1)-154	*	554-13-2
	(after drying)				

Note on ISHL No.:

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

^{*} in the table means announced chemical substances.

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Sweep up and gather scattered particles, and collect it in an empty airtight container.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Storage

Safe storage conditions

Storage conditions Store away from sunlight in well-ventilated place at room temperature (preferably cool).

Keep container tightly closed.

Safe packaging material

Polyethylene

Incompatible substances

No information available

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

This product, as supplied, does not contain any hazardous materials with occupational **Exposure limits**

exposure limits established by the region specific regulatory bodies.

Personal protective equipment

Respiratory protection Dust mask (JIS T 8151) **Hand protection** chemical protective gloves (JIS T 8116)

Eye protection protective eyeglasses or chemical safety goggles (JIS T 8147)

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to

them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

Color white
Appearance powder
Odor Odorless
Melting point/freezing point 618 °C

Boiling point, initial boiling point and boiling range
Flammability
Evaporation rate:
Flammability (solid, gas):

no data available
no data available
no data available

Upper/lower flammability or explosive limits

Upper:
Lower:
no data available
pecomposition temperature:
no data available
ph
basic (aq.)
Viscosity (coefficient of viscosity)
no data available

Dynamic viscosity (coefficient of viscosity) no data available no data available

Solubilities Cold water : Sparingly soluble . Hot water : slightly soluble .

Ethanol and acetone: practically insoluble, or insoluble.

n-Octanol/water partition coefficient:(log Pow) no data available

Vapour pressure no data available

Specific Gravity / Relative density 2.11

Vapour densityno data availableParticle characteristicsno data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available

Chemical stability Stable under recommended storage conditions.

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight

Incompatible materials

No information available

Hazardous decomposition products

Carbon monooxide (CO), Carbon dioxide (CO2), Metal oxides

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Lithium carbonate	553 mg/kg (Rat)	> 3000 mg/kg (Rabbit)	> 2.17 mg/L (Rat) 4 h

Aspiration Hazard source information

Based on the NITE GHS classification results.

	information	information	source information	
Lithium carbonate	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS	
	classification results.	classification results.	classification results.	
Chemical Name	Acute toxicity -inhalation	Acute toxicity -inhalation dust-	Acute toxicity -inhalation	
Giloinioai Hailio	vapor- source information	source information	source information	
Lithium carbonate	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS	
	classification results.	classification results.	classification results.	
kin irritation/corrosion				
Chem	ical Name	Skin corrosion/irritat	tion source information	
	carbonate	Based on the NITE GHS classif	fication results.	
erious eye damage/ irritation				
	ical Name		eye damage/irritation source information	
=11.11011	carbonate	Based on the NITE GHS classification results.		
espiratory or skin sensitizati				
Chem	ical Name	Respiratory or Skin sensitization source information		
Lithium	carbonate	Based on the NITE GHS classification results.		
eproductive cell mutagenicit				
Chem	ical Name	germ cell mutagencity source information		
Lithium	carbonate	Based on the NITE GHS classification results.		
arcinogenicity				
Chem	ical Name	Carcinogenicity	source information	
Lithium	Lithium carbonate		fication results.	
eproductive toxicity				
Chemical Name		Reproductive toxic	ity source information	
Lithium	Lithium carbonate		Based on the NITE GHS classification results.	
OT-single exposure				
	Chemical Name		STOT -single exposure- source information	
Lithium	carbonate	Based on the NITE GHS classification results.		
OT-repeated exposure				
Chem	ical Name	STOT -repeated expos	sure- source information	

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

Aspiration hazard

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Lithium carbonate	N/A	LC50 : Fundulus heteroclitus	N/A
		8.1 mg/L 96 h	

Other data

Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the	
a	aquatic environment source information	aquatic environment source information	
Lithium carbonate	Based on the NITE GHS classification	Based on the NITE GHS classification	
ļr	results.	results.	

Persistence and degradability
Bioaccumulative potential
Mobility in soil
Hazard to the ozone layer

No information available
No information available
No information available

Chemical Name

Lithium carbonate

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID

UN number UN3077

Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (Lithium carbonate)

UN classfication 9

Subsidiary hazard class

Packing group III
Marine pollutant Yes

IMDG

UN number UN3077

Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (Lithium carbonate)

UN classfication 9

Subsidiary hazard class

Packing group III
Marine pollutant (Sea) Yes

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

IATA

UN number UN3077

Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (Lithium carbonate)

UN classfication

Subsidiary hazard class

Packing group III
Environmentally Hazardous Yes

Substance

Section 15: REGULATORY INFORMATION

Japanese regulations

Fire Service Act
Poisonous and Deleterious
Substances Control Law
Not applicable
Not applicable

Substances Control Law

Industrial Safety and Health Act Not applicable

Industrial Safety and Health Act (2024.4.1~] Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)

2024.4.1~ Notifiable Substances (Law Art.57-2)

Regulations for the carriage and storage of dangerous

Noxious Substances (Ordinance Art.3, Ministry of Transportation Ordinance Regarding

Transport by Ship and Storage, Attached Table 1)

goods in ship Civil Aeronautics Law

Misellaneous Dangerous Substances and Articles (Ordinance Art.194, MITL Nortification

for Air Transportation of Explosives etc., Attached Table 1)

Pollutant Release and Transfer Class 1

Register Law (2023.4.1-)

Class 1 - No. 668

Export Trade Control Order Not applicable

Industrial Safety and Health Law

Law Name	Chemical Name in Regulation	Weight %	
Notifiable Substances (Law Art.57-2)	lithium carbonate	99.0	2024/4/1

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
Lithium carbonate 554-13-2 (99.0 (after drying))	-	-	Applicable

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS

 $\label{eq:continuous} \mbox{Dictionary of Synthetic Oraganic Chemistry} \ , \mbox{SSOCJ}, \mbox{Koudansha Scientific Co.Ltd}.$

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

Record of SDS revisions Disclaimer

The following contents were revised. Regulatory information.

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet