



# SAFETY DATA SHEET

According to JIS Z 7253:2019

Revision date 11-Sep-2024

Revision Number 5.08

# Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	1-Dodecanethiol
Product Code	126-02752,120-02755

**Supplier** FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571

**Recommended uses** For research use only

**Restrictions on use**Seek expert judgment when using for purposes other than those recommended.

# **Section 2: HAZARDS IDENTIFICATION**

**GHS** classification

Classification of the substance or mixture

Skin corrosion/irritationCategory 1Serious eye damage/eye irritationCategory 1Skin sensitizationCategory 1Specific target organ toxicity (repeated exposure)Category 1

Category 1 respiratory system





Signal word

Danger

#### **Hazard statements**

- H314 Causes severe skin burns and eye damage
- H318 Causes serious eye damage
- H317 May cause an allergic skin reaction
- H372 Causes damage to the following organs through prolonged or repeated exposure: respiratory system

#### **Precautionary statements-(Prevention)**

- Wear protective gloves/protective clothing/eye protection/face protection
- · Contaminated work clothing should not be allowed out of the workplace
- Do not breathe dust/fume/gas/mist/vapors/spray
- · Wash face, hands and any exposed skin thoroughly after handling
- · Do not eat, drink or smoke when using this product

#### Precautionary statements-(Response)

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- Immediately call a POISON CENTER or doctor/physician
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- If skin irritation or rash occurs: Get medical advice/attention
- · Wash contaminated clothing before reuse

• IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

• IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

# Precautionary statements-(Storage)

Store locked up

#### **Precautionary statements-(Disposal)**

· Dispose of contents/container to an approved waste disposal plant

**Others** 

Other hazards Not available

# Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula CH3(CH2)11SH

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
1-Dodecanethiol	98.0	202.40	(2)-464	*	112-55-0

Note on ISHL No.: \* in the table means announced chemical substances.

# **Section 4: FIRST AID MEASURES**

#### Inhalation

Remove to fresh air. If symptoms persist, call a physician.

#### Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

#### Eve contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

#### Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

### Protection of first-aiders

Use personal protective equipment as required.

# **Section 5: FIRE FIGHTING MEASURES**

### Suitable extinguishing media

Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

#### Unsuitable extinguishing media

No information available

# Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

# Special extinguishing method

No information available

### Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

#### Section 6: ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective

equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

#### **Environmental precautions**

To be careful not discharged to the environment without being properly handled waste water contaminated.

### Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

#### Recoverly, neutralization

No information available

#### Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

# Section 7: HANDLING AND STORAGE

# Handling

#### **Technical measures**

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Use with local exhaust ventilation.

#### **Precautions**

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

### Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

#### **Storage**

#### Safe storage conditions

Storage conditions Keep container protect from light, store

in well-ventilated place at room temperature (preferably cool). Keep container tightly

closed.

Safe packaging material

Glass

**Incompatible substances** Strong oxidizing agents

# Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Engineering controls**

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

#### **Exposure limits**

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
1-Dodecanethiol	N/A	N/A	TWA: 0.1 ppm
112-55-0			

### Personal protective equipment

Respiratory protection Protective mask

Hand protection chemical protective gloves (JIS T 8116)

Eye protection protective eyeglasses or chemical safety goggles (JIS T 8147)

Skin and body protection Long-sleeved work clothes

# General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

### Section 9: PHYSICAL AND CHEMICAL PROPERTIES

**Form** 

Color
Turbidity
Appearance
Odor
Melting point/freezing point
Boiling point, initial boiling point and boiling range

colorless
clear
liquid
unpleasant
-7 °C
280 °C

Flammability no data available
Evaporation rate: no data available
Flammability (solid, gas): no data available

Upper/lower flammability or explosive limits

Upper:
Lower:
no data available
no data available
128 °C / 262 °F
Auto-ignition temperature:
no data available

Viscosity (coefficient of viscosity)no data availableDynamic viscosityno data available

Solubilities Ethanol , acetone : Very soluble. water : practically insoluble,or

insoluble.

n-Octanol/water partition coefficient:(log Pow) no data available

Vapour pressure 0.33 kPa

Specific Gravity / Relative density0.841 - 0.847 g/mLVapour density7.0 (air = 1)Particle characteristicsno data available

# **Section 10: STABILITY AND REACTIVITY**

#### Stability

Reactivity no data available
Chemical stability May be altered by light.

**Hazardous reactions** 

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

Incompatible materials

Strong oxidizing agents

# Hazardous decomposition products

Carbon monooxide (CO), Carbon dioxide (CO2), Sulfur oxides (SOx)

### Section 11: TOXICOLOGICAL INFORMATION

\*NITE: National Institute of Technology and Evaluation (JAPAN)

https://www.chem-info.nite.go.jp/en/chem/chrip/chrip\_search/srhInput

**Acute toxicity** 

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
1-Dodecanethiol	4,225 mg/kg ( Rat )	>2,000 mg/kg ( Rat )	N/A

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
. = 0 0 0 0			Based on the NITE GHS
	classification results.	classification results.	classification results.

Chemical Name	Acute toxicity -inhalation	Acute toxicity -inhalation dust-	Acute toxicity -inhalation mist-
	vapor- source information	source information	source information
1-Dodecanethiol	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.

## Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information	
	Based on the NITE GHS classification results.	
1-Dodecanethiol	Based on the NITE GHS classification results.	
Serious eye damage/ irritation		
Chemical Name	Serious eye damage/irritation source information	
1-Dodecanethiol	Based on the NITE GHS classification results.	
Respiratory or skin sensitization		
Chemical Name	Respiratory or Skin sensitization source information	
1-Dodecanethiol	Based on the NITE GHS classification results.	
Reproductive cell mutagenicity	·	
Chemical Name	germ cell mutagencity source information	
1-Dodecanethiol	Based on the NITE GHS classification results.	
Carcinogenicity		
Chemical Name	Carcinogenicity source information	
1-Dodecanethiol	Based on the NITE GHS classification results.	
	<u> </u>	
Reproductive toxicity		
Chemical Name	Reproductive toxicity source information	
1-Dodecanethiol	Based on the NITE GHS classification results.	
STOT-single exposure	<u>'</u>	
Chemical Name	STOT -single exposure- source information	
1-Dodecanethiol	Based on the NITE GHS classification results.	
STOT-repeated exposure	<u>'</u>	
Chemical Name	STOT -repeated exposure- source information	
1-Dodecanethiol	Based on the NITE GHS classification results.	
Aspiration hazard		
Chemical Name	Aspiration Hazard source information	

# **Section 12: ECOLOGICAL INFORMATION**

Based on the NITE GHS classification results.

\*NITE: National Institute of Technology and Evaluation (JAPAN) https://www.chem-info.nite.go.jp/en/chem/chrip/chrip\_search/srhInput

1-Dodecanethiol

**Ecotoxicity** no data available

### Other data

Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the
a	quatic environment source information	aquatic environment source information
1-Dodecanethiol B	Based on the NITE GHS classification	Based on the NITE GHS classification
lre lre	esults.	results.

Persistence and degradability
Bioaccumulative potential
Mobility in soil
Hazard to the ozone layer

No information available
No information available
No information available

# **Section 13: DISPOSAL CONSIDERATIONS**

### Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

# Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

# **Section 14: TRANSPORT INFORMATION**

#### ADR/RID

**UN** number UN1760

Corrosive liquid, n.o.s. (1-Dodecanethiol) Proper shipping name:

**UN classfication** 

Subsidiary hazard class

Packing group

Marine pollutant Not applicable

**IMDG** 

UN1760 **UN** number

Proper shipping name: Corrosive liquid, n.o.s. (1-Dodecanethiol)

**UN classfication** 

Subsidiary hazard class

Packing group Ш

Marine pollutant (Sea) Not applicable

No information available Transport in bulk according to

Annex II of MARPOL 73/78 and

the IBC Code

**IATA** 

**UN** number UN1760

Proper shipping name: Corrosive liquid, n.o.s. (1-Dodecanethiol)

**UN classfication** 

Subsidiary hazard class

Packing group

**Environmentally Hazardous** Not applicable

Substance

# **Section 15: REGULATORY INFORMATION**

Japanese regulations

Fire Service Act Category IV, Class III petroleums, dangerous grade 3

**Poisonous and Deleterious** Not applicable

**Substances Control Law** 

Industrial Safety and Health Act Not applicable

Industrial Safety and Health Act ( 2024.4.1~ Lending Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1) 2024~)

Industrial Safety and Health Act ( 【2025.4.1~】 Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)

2025~) 【2025.4.1~】Notifiable Substances (Law Art.57-2)

Regulations for the carriage

and storage of dangerous

goods in ship

Corrosive Substances (Ordinance Art.3, Ministry of Transportation Ordinance Regarding

Transport by Ship and Storage, Attached Table 1)

Corrosive Substances (Ordinance Art.194, MITL Nortification for Air Transportation of **Civil Aeronautics Law** 

Explosives etc., Attached Table 1)

Pollutant Release and Transfer Class 1

Register Law

(2023.4.1-)

680 Class 1 - No.

**Export Trade Control Order** Not applicable

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
1-Dodecanethiol 112-55-0 ( 98.0 )	-	-	Applicable

# **Section 16: OTHER INFORMATION**

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN) https://www.chem-info.nite.go.jp/en/chem/chrip/chrip\_search/srhInput IATA dangerous Goods Regulations RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd. Chemical Dictionary, Kyouritsu Publishing Co., Ltd. etc

# Record of SDS revisions Disclaimer

The following contents were revised. Regulatory information.

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. \*JIS: Japanese Industrial Standards

**End of Safety Data Sheet**