



# SAFETY DATA SHEET

According to JIS Z 7253:2019 Revision date 28-Feb-2024 Revision Number 2.06

### Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Lithium Triethylhydroborate Tetrahydrofuran Solution		
Product Code	120-05631		
Supplier	FUJIFILM Wako Pure Chemical Corporation		
	1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan		
	Phone: +81-6-6203-3741		
	Fax: +81-6-6203-2029		
Emergency telephone number	+81-6-6203-3741 / +81-3-3270-8571		
Recommended uses	For research use only		
Restrictions on use	Seek expert judgment when using for purposes other than those recommended.		

Section 2: HAZARDS IDENTIFICATION

**GHS** classification

Classification of the substance or mixture

Flammable liquids Substances and mixtures which, in contact with water, emit	Category 2
flammable gases	
Acute toxicity - Inhalation (Vapors)	Category 4
Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 2A
Carcinogenicity	Category 2
Reproductive Toxicity	Category 2
Specific target organ toxicity (single exposure)	Category 1, Category 3
Category 1 central nervous system	
Category 3 Respiratory irritation, Narcotic effects	
Specific target organ toxicity (repeated exposure)	Category 1
Category 1 central nervous system, respiratory system, liver	
Pictograms	



### Hazard statements

- H225 Highly flammable liquid and vapor
- H261 In contact with water releases flammable gases
- H314 Causes severe skin burns and eye damage
- H319 Causes serious eye irritation
- H332 Harmful if inhaled
- H351 Suspected of causing cancer
- H361 Suspected of damaging fertility or the unborn child
- H335 May cause respiratory irritation
- H336 May cause drowsiness or dizziness
- H370 Causes damage to the following organs: central nervous system
- H372 Causes damage to the following organs through prolonged or repeated exposure: central nervous system,

#### respiratory system, liver

### **Precautionary statements-(Prevention)**

- Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood
- Use personal protective equipment as required
- Do not breathe dust/fume/gas/mist/vapors/spray
- · Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product
- Use only outdoors or in a well-ventilated area
- · Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- Keep container tightly closed
- Ground/bond container and receiving equipment
- · Use explosion-proof electrical/ ventilating / lighting / equipment
- · Use only non-sparking tools
- Take precautionary measures against static discharge
- · Keep away from any possible contact with water, because of violent reaction and possible flash fire
- · Handle under inert gas. Protect from moisture
- Keep cool

### Precautionary statements-(Response)

- Immediately call a POISON CENTER or doctor/physician
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- · Wash contaminated clothing before reuse
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- · Brush off loose particles from skin. Immerse in cool water/wrap in wet bandages
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- Call a POISON CENTER or doctor/physician if you feel unwell
- IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

• In case of fire: Use suitable extinguishing media for extinction

### Precautionary statements-(Storage)

- Store in a well-ventilated place. Keep container tightly closed
- Store locked up
- Store in a dry place
- **Precautionary statements-(Disposal)**

· Dispose of contents/container to an approved waste disposal plant

Others Other hazards

Not available

### Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Mixture

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Tetrahydrofuran	80	72.11	(5)-53	*	109-99-9
Lithium triethylhydroborate	20	105.94	N/A	N/A	22560-16-3

Note on ISHL No .:

\* in the table means announced chemical substances.

### Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

#### **Protection of first-aiders**

Use personal protective equipment as required.

### Section 5: FIRE FIGHTING MEASURES

#### Suitable extinguishing media

Carbon dioxide (CO2), Extinguishing powder, DRY sand

Unsuitable extinguishing media

Water

#### Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Vapors may form explosive mixtures with air

#### Special extinguishing method

No information available

#### Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

### Section 6: ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

### **Environmental precautions**

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

#### Recoverly, neutralization No information available

### Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

### Section 7: HANDLING AND STORAGE

#### Handling

#### **Technical measures**

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Avoid contact with air. Could form a flammable gas by contact with water and moisture. Use with local exhaust ventilation.

#### Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

### Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

#### **Storage**

#### Safe storage conditions Storage conditions

Keep container protect from light tightly closed. Store in a cool (2-10 °C) place. Packed with an inert gas.

Safe packaging material Glass Incompatible substances Water

### Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Engineering controls**

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

#### **Exposure limits**

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Tetrahydrofuran 109-99-9	TWA: 50 ppm OEL TWA: 148 mg/m <sup>3</sup> OEL Skin ISHL/ACL: 50 ppm	ISHL/ACL: 50 ppm	STEL: 100 ppm TWA: 50 ppm Skin

#### Personal protective equipment

Eye protection

**Respiratory protection** gas mask for organic gas (JIS T 8152) Hand protection chemical protective gloves (JIS T 8116) protective eyeglasses or chemical safety goggles (JIS T 8147) Long-sleeved work clothes Skin and body protection

### **General hygiene considerations**

Handle in accordance with good industrial hygiene and safety practice. If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

### Section 9: PHYSICAL AND CHEMICAL PROPERTIES

### Form

Color	
Turbidity	
Appearance	
Odor	
Melting point/freezing point	
Boiling point, initial boiling point and boiling range	
Flammability	
Evaporation rate:	
Flammability (solid, gas):	
Upper/lower flammability or explosive limits	
Upper:	
Lower:	
Flash point	
Auto-ignition temperature:	
Decomposition temperature:	
рН	
Viscosity (coefficient of viscosity)	
Dynamic viscosity	
Solubilities	
n-Octanol/water partition coefficient:(log Pow)	
Vapour pressure	
Specific Gravity / Relative density	
Vapour density	
Particle characteristics	

Colorless - yellowish green clear ~ slightly muddy liquid no data available no data available no data available Highly flammable liquid and vapor no data available no data available

no data available no data available no data available no data available no data available no data available no data available no data available water : decomposes. no data available no data available no data available no data available no data available

### Section 10: STABILITY AND REACTIVITY

### Stability

Reactivityno data availableChemical stabilityMay be altered by light.Hazardous reactions

### Reacts violently with water

Conditions to avoid

Extremes of temperature and direct sunlight, Moisture

### Incompatible materials

### Water

### Hazardous decomposition products

Carbon monooxide (CO), Carbon dioxide (CO2), Boron oxide, Metal oxides

### Section 11: TOXICOLOGICAL INFORMATION

### Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Tetrahydrofuran	2000 mg/kg(Rat)	N/A	18187 ppm ( Rat ) 4 h

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
i ettati jai ettati			Based on the NITE GHS classification results.

nation source information
HS Based on the NITE GHS classification results.
iŀ

#### Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information	
Tetrahydrofuran	Based on the NITE GHS classification results.	
Serious eye damage/ irritation		
Chemical Name	Serious eye damage/irritation source information	
Tetrahydrofuran	Based on the NITE GHS classification results.	
Respiratory or skin sensitization		
Chemical Name	Respiratory or Skin sensitization source information	
Tetrahydrofuran	Based on the NITE GHS classification results.	
Reproductive cell mutagenicity		
Chemical Name	germ cell mutagencity source information	
Tetrahydrofuran	Based on the NITE GHS classification results.	
Carcinogenicity		
Chemical Name	Carcinogenicity source information	
Tetrahydrofuran	Based on the NITE GHS classification results.	

Chemical Name	NTP	IARC	ACGIH	JSOH (Japan)	
Tetrahydrofuran -		Group 2B	A3	-	
109-99-9					
Reproductive toxicity					
Chemical Name		Reproductive toxicity source information			
Tetrahydrofuran		Based on the NITE GHS classification results.			
STOT-single exposure					
Chemical Name		STOT -single exposure- source information			
Tetrahydrofuran		Based on the NITE GHS classification results.			
STOT-repeated exposure					
Chemical Name		STOT -repeate	ed exposure- source	e information	
Tetrahydrofuran		Based on the NITE GHS classification results.			
Aspiration hazard					
Chemical Name		Aspiration Hazard source information		ormation	
Tetrahydrofuran	E	Based on the NITE GHS classification results.		ts.	

### Section 12: ECOLOGICAL INFORMATION

### Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Tetrahydrofuran	LC50 : Pimephales Promelas	LC50 : Fathead minnow	EC50 : Daphnia magna
	2160 mg/L 96 h	2160 mg/L 96 h	5930 mg/L 48 h

### Other data

Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the
	aquatic environment source information	aquatic environment source information
Tetrahydrofuran	Based on the NITE GHS classification	Based on the NITE GHS classification
	results.	results.

Persistence and degradability	No information available
Bioaccumulative potential	No information available
Mobility in soil	No information available
Hazard to the ozone layer	No information available

### Section 13: DISPOSAL CONSIDERATIONS

### Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations. Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

### Section 14: TRANSPORT INFORMATION

ADR/RID UN number Proper shipping name: UN classfication Subsidiary hazard class Packing group Marine pollutant	UN3399 ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE, FLAMMABLE (Lithium Triethylhydroborate Tetrahydrofuran Solution) 4.3 3 II Not applicable
IMDG	
UN number	UN3399
Proper shipping name:	ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE, FLAMMABLE (Lithium Triethylhydroborate Tetrahydrofuran Solution)
UN classfication	4.3
Subsidiary hazard class	3
Packing group	П
Marine pollutant (Sea)	Not applicable
Transport in bulk according to	No information available
Annex II of MARPOL 73/78 and the IBC Code	
ΙΑΤΑ	
UN number	UN3399
Proper shipping name:	ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE, FLAMMABLE (Lithium Triethylhydroborate Tetrahydrofuran Solution)
UN classfication	4.3
Subsidiary hazard class	3
Packing group	П

Environmentally Hazardous Not applicable Substance

Section 15: REGULATORY INFORMATION			
Japanese regulations			
Fire Service Act	Category III, containing alkyl lithium s, dangerous grade 1		
Poisonous and Deleterious	Not applicable		
Substances Control Law			
Industrial Safety and Health Act Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)			
······································	Notifiable Substances (Law Art.57-2)		
	Class 2 Organic Solvents (Enforcement Order Attached Table No.6-2, Ordinance on		
	Prevention of Organic Solvent Poisoning Art.1, Para.1, Item 5)		
	Dangerous Substances - Flammable Substance (Enforcement Order Attached Table 1		
	Item 4)		
	Working Environment Evaluation Standards, Administrative Control Levels (Law Art.65-2.		
	Para.1)		
Industrial Safety and Health Act (	[2024.4.1~] Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1		
<u>2024~)</u>			
Act on the Evaluation of	Priority Assessment Chemical Substances (Law Article 2, Para.5)		
Chemical Substances and			
Regulation of Their			
Manufacture, etc			
Regulations for the carriage	Flammable Solids - Dangerous When Wet (Ordinance Art.3, Ministry of Transportation		
and storage of dangerous	Ordinance Regarding Transport by Ship and Storage, Attached Table 1)		
goods in ship			
Civil Aeronautics Law	Flammable Solids - Dangerous When Wet (Ordinance Art.194, MITL Nortification for Air		
	Transportation of Explosives etc., Attached Table 1)		
Marine Pollution Prevention	Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Z		
Law			
Pollutant Release and Transfer	Class 1		
Register Law			
(2023.4.1-)	405 674		
Class 1 - No. Water Pollution Control Act	405,674		
water Pollution Control ACt	Harmful Substances (Law Art.2, Enforcement Order Art.2, Ordinace Designating Wastewater Standards Art.1)		
Export Trado Control Order	Not applicable		
Export Trade Control Order			
Soil Contamination Control LawDesignated Hazardous Substances			

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
Tetrahydrofuran 109-99-9 ( 80 )	-	Applicable	Applicable
Lithium triethylhydroborate 22560-16-3 (20)	-	-	Applicable

## Section 16: OTHER INFORMATION

Key literature references and sources for data etc.	NITE: National Institute of Technology and Evaluation (JAPAN) http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS Dictionary of Synthetic Oraganic Chemistry, SSOCJ, Koudansha Scientific Co.Ltd. Chemical Dictionary, Kyouritsu Publishing Co., Ltd. etc
---	--

### Record of SDS revisions Disclaimer

The following contents were revised. Regulatory information.

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. \*JIS: Japanese Industrial Standards

End of Safety Data Sheet