



SAFETY DATA SHEET

According to JIS Z 7253:2019

Revision date 05-Mar-2024

Revision Number 2.07

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Linuron Reference Material[CRM]		
Product Code	124-06131		
Supplier	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan		

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571

Recommended uses For research use only

Restrictions on useSeek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification

Classification of the substance or mixture

Acute toxicity - OralCategory 4CarcinogenicityCategory 2Reproductive ToxicityCategory 1BSpecific target organ toxicity (single exposure)Category 3

Category 3 Respiratory irritation

Specific target organ toxicity (repeated exposure)

Category 2

Category 2 blood system

Acute aquatic toxicity Category 1
Chronic aquatic toxicity Category 1

Pictograms

Signal word



Hazard statements

H302 - Harmful if swallowed

H351 - Suspected of causing cancer

H360 - May damage fertility or the unborn child

H335 - May cause respiratory irritation

H410 - Very toxic to aquatic life with long lasting effects

H400 - Very toxic to aquatic life

H373 - May cause damage to the following organs through prolonged or repeated exposure: blood system

Precautionary statements-(Prevention)

- · Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood

Danger

- Use personal protective equipment as required
- · Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product

- Do not breathe dust/fume/gas/mist/vapors/spray
- · Use only outdoors or in a well-ventilated area
- · Avoid release to the environment

Precautionary statements-(Response)

- IF exposed or concerned: Get medical advice/attention
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
- · Rinse mouth
- · Collect spillage

Precautionary statements-(Storage)

- Store in a well-ventilated place. Keep container tightly closed
- · Store locked up

Precautionary statements-(Disposal)

· Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula C9H10Cl2N2O2

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Linuron	99.0	249.09	(3)-2193	4-(13)-44	330-55-2

Note on ISHL No.:

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full

^{*} in the table means announced chemical substances.

firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Sweep up and gather scattered particles, and collect it in an empty airtight container.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Avoid contact with strong oxidizing agents. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Storage

Safe storage conditions

Storage conditions Keep container protect from light tightly closed. Store in a cool (2-10 °C) place.

Safe packaging material Glass

Incompatible substances Strong oxidizing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

Personal protective equipment

Respiratory protection Dust mask (JIS T 8151)

Hand protection chemical protective gloves (JIS T 8116)

Eye protection protective eyeglasses or chemical safety goggles (JIS T 8147)

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

Color white

Appearance crystals - powder
Odor no data available
Melting point/freezing point 92 - 94 °C
Boiling point, initial boiling point and boiling range no data available
Flammability no data available
Evaporation rate: no data available
Flammability (solid, gas): no data available

Upper/lower flammability or explosive limits

Upper:
Lower:
no data available
no data available
Flash point
no data available
Auto-ignition temperature:
no data available
Decomposition temperature:
no data available
pH
no data available
Viscosity (coefficient of viscosity)
no data available

Dynamic viscosity no data available

Solubilities Ethanol and acetone: freely soluble. water: practically

insoluble, or insoluble.

n-Octanol/water partition coefficient:(log Pow) 3.2

Vapour pressureno data availableSpecific Gravity / Relative density1.5 g/cm3Vapour densityno data availableParticle characteristicsno data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available
Chemical stability May be altered by light.

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Carbon monooxide (CO), Carbon dioxide (CO2), Nitrogen oxides (NOx), Halides

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50			
Linuron	1146 mg/kg (Rat)	>2500 mg/kg (Rat)	48 mg/m³ (Rat) 4 h			

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
Linuron	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.

Chemical Name	Acute toxicity -inhalation	•	Acute toxicity -inhalation mist-
	vapor- source information	source information	source information
Linuron	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.

Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information
Linuron	Based on the NITE GHS classification results.
Serious eye damage/ irritation	
Chemical Name	Serious eye damage/irritation source information
Linuron	Based on the NITE GHS classification results.
Respiratory or skin sensitization	
Chemical Name	Respiratory or Skin sensitization source informatio
Linuron	Based on the NITE GHS classification results.
Reproductive cell mutagenicity	
Chemical Name	germ cell mutagencity source information
Linuron	Based on the NITE GHS classification results.
Carcinogenicity	•
Chemical Name	Carcinogenicity source information
Linuron	Based on the NITE GHS classification results.

Reproductive toxicity

Chemical Name	Reproductive toxicity source information
Linuron	Based on the NITE GHS classification results.
 -	

STOT-single exposure

Chemical Name	STOT -single exposure- source information	
Linuron	Based on the NITE GHS classification results.	

STOT-repeated exposure

Chemical Name	STOT -repeated exposure- source information	
Linuron	Based on the NITE GHS classification results.	

Ası	oira	ıtion	hazar	d

Aophation nazara				
Chemical Name	Aspiration Hazard source information			
Linuron	Based on the NITE GHS classification results.			

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Linuron	N/A	LC50 : 3.15 mg/L 96 h	EC50 : Daphnia magna
		-	0.12 mg/L 48 h

Other data

Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the	
	aquatic environment source information	aquatic environment source information	
Linuron	Based on the NITE GHS classification	Based on the NITE GHS classification	
	results.	results.	

Persistence and degradability Bioaccumulative potential

Degree of decomposition: 0 % by BOD (METI Existing chemical safety inspections) No information available

Mobility in soil
Hazard to the ozone layer

No information available No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID

UN number UN3077

Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (Linuron)

UN classfication 9
Subsidiary hazard class

Packing group III
Marine pollutant Yes

IMDG

UN number UN3077

Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (Linuron)

UN classfication 9

Subsidiary hazard class

Packing group III
Marine pollutant (Sea) Yes

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

IATA

UN number UN3077

Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (Linuron)

UN classfication 9

Subsidiary hazard class

Packing group III
Environmentally Hazardous Yes

Substance

Section 15: REGULATORY INFORMATION

Japanese regulations

Fire Service Act
Poisonous and Deleterious
Not applicable
Not applicable

Substances Control Law

Industrial Safety and Health Act Not applicable

Industrial Safety and Health Act ([2024.4.1~] Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)

2024~)

Regulations for the carriage

and storage of dangerous

goods in ship

Transport by Ship and Storage, Attached Table 1)

dangerous Transport by Onlp and Otorage, Attached Table 1)

Civil Aeronautics Law Misellaneous Dangerous Substances and Articles (Ordinance Art.194, MITL Nortification

for Air Transportation of Explosives etc., Attached Table 1)

Marine Pollution Prevention Marine pollutants (P and PP substances)

Law

Pollutant Release and Transfer Class 1

Register Law (2023.4.1-)

Class 1 - No. 174

Export Trade Control Order Not applicable

Industrial Safety and Health Law

Law Name	Chemical Name in Regulation	Weight %	
Notifiable Substances (Law Art.57-2)	3-(3,4-dichlorophenyl)-1-methoxy	99.0	2024/4/1
	-1-methylurea (alias: linuron)		

Chemical Name	Poisonous and Deleterious	Industrial Safety and Health Act	Pollutant Release and Transfer
	Substances Control Law	Substances	Register Law
		(Law Art.57-2)	(2023.4.1-)

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
Linuron 330-55-2 (99.0)	-	-	Applicable

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances
Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

Record of SDS revisions Disclaimer

The following contents were revised. Regulatory information.

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet