



SAFETY DATA SHEET

According to JIS Z 7253:2019

Revision date 15-Sep-2023

Revision Number 7.04

Section 1: PRODUCT AND COMPANY IDENTIFICATION

| Product Name | Magnesium, Turnings |
|--------------|-------------------------------|
| Product Code | 133-00041,131-00042,135-00045 |
| | |

Supplier FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571

Recommended uses For research use only

Restrictions on useSeek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification

Classification of the substance or mixture

Substances and mixtures which, in contact with water, emit flammable gases
Skin corrosion/irritation
Serious eye damage/eye irritation
Specific target organ toxicity (single exposure)

Category 2
Category 2
Category 2
Category 3

Category 3 Respiratory irritation

Pictograms





Signal word

Warning

Hazard statements

H261 - In contact with water releases flammable gases

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H335 - May cause respiratory irritation

Precautionary statements-(Prevention)

- · Wash face, hands and any exposed skin thoroughly after handling
- Avoid breathing dust/fume/gas/mist/vapors/spray
- Use only outdoors or in a well-ventilated area
- Handle under inert gas. Protect from moisture
- Wear protective gloves/protective clothing/eye protection/face protection

Precautionary statements-(Response)

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention
- IF ON SKIN: Wash with plenty of soap and water
- If skin irritation occurs: Get medical advice/attention
- · Take off contaminated clothing and wash before reuse
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

- Call a POISON CENTER or doctor/physician if you feel unwell
- In case of fire: Use suitable extinguishing media for extinction

Precautionary statements-(Storage)

- · Store in a well-ventilated place. Keep container tightly closed
- Store locked up
- · Store in a dry place

Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula Mg

| Chemical Name | Weight-% | Molecular weight | ENCS | ISHL No. | CAS RN |
|---|----------|------------------|------|----------|-----------|
| Magnesium | 98.0 | 24.305 | - | N/A | 7439-95-4 |
| Note on ISHL No.: * in the table means announced chemical substances. | | | | | |

Note on ISHL No.:

Impurities and/or Additives: Not applicable

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eve contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Extinguishing powder, DRY sand

Unsuitable extinguishing media

Do not use straight streams

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for

fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Page 2/6

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Sweep up and gather scattered particles, and collect it in an empty airtight container.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Flammable. Avoids contact with acids. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Storage

Safe storage conditions

Storage conditions Store away from sunlight in well-ventilated place at room temperature (preferably cool).

Keep container tightly closed.

Safe packaging material Polyethylene Incompatible substances Acids, steam

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

Personal protective equipment

Respiratory protection Dust mask (JIS T 8151)

Hand protection chemical protective gloves (JIS T 8116) **Eye protection** protective eyeglasses or chemical safety goggles

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

Color silver white Appearance turnings

Odor no data available

Melting point/freezing point $\,$ 650 $\,^{\circ}\mathrm{C}$ Boiling point, initial boiling point and boiling range $\,$ 1107 $\,^{\circ}\mathrm{C}$

Flammability no data available

Evaporation rate:no data available
Flammability (solid, gas):
no data available

Upper/lower flammability or

explosive limits

Upper:no data availableLower:no data available

Flash point 500 °C

Auto-ignition temperature:no data availableDecomposition temperature:no data availablepHno data availableViscosity (coefficient of viscosity)no data availableDynamic viscosityno data available

Solubilities hydrochloric acid , sulfuric acid , nitric acid : soluble .

n-Octanol/water partition coefficient:(log Pow) no data available Vapour pressure no data available

Specific Gravity / Relative density 1.74

Vapour densityno data availableParticle characteristicsno data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available

Chemical stability Stable under recommended storage conditions.

Hazardous reactions
Reacts violently with water

Conditions to avoid

Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

Incompatible materials

Acids, steam

Hazardous decomposition products

Metal oxides

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

| Chemical Name | Acute toxicity -oral- source | Acute toxicity -dermal- source | Acute toxicity -inhalation gas- |
|---------------|------------------------------|--------------------------------|---|
| | information | information | source information |
| Magnesium | | | Based on the NITE GHS classification results. |

| Chemical Name | Acute toxicity -inhalation vapor- source information | Acute toxicity -inhalation dust- source information | Acute toxicity -inhalation mist- source information |
|---------------|--|--|--|
| Magnesium | Based on the NITE GHS | Based on the NITE GHS | Based on the NITE GHS |
| | classification results. | classification results. | classification results. |

Skin irritation/corrosion

| Chemical Name | Skin corrosion/irritation source information |
|---------------|---|
| Magnesium | Based on the NITE GHS classification results. |

Serious eye damage/ irritation

| Chemical Name | Serious eye damage/irritation source information |
|-----------------------------------|--|
| Magnesium | Based on the NITE GHS classification results. |
| Respiratory or skin sensitization | |

Respiratory or skin sensitization

| Chemical Name | Respiratory or Skin sensitization source information |
|--------------------------------|--|
| Magnesium | Based on the NITE GHS classification results. |
| Reproductive cell mutagenicity | |

Reproductive cell mutagenicity

| Chemical Name | germ cell mutagencity source information |
|---------------|---|
| Magnesium | Based on the NITE GHS classification results. |

Carcinogenicity

| Chemical Name | Carcinogenicity source information |
|---------------|---|
| Magnesium | Based on the NITE GHS classification results. |

Reproductive toxicity

| | Chemical Name | Reproductive toxicity source information |
|-----|--------------------|---|
| | Magnesium | Based on the NITE GHS classification results. |
| CTC | NT cinals avecause | |

STOT-single exposure

| Chemical Name | STOT -single exposure- source information |
|---------------|---|
| Magnesium | Based on the NITE GHS classification results. |

STOT-repeated exposure

| Chemical Name | STOT -repeated exposure- source information |
|---------------|---|
| Magnesium | Based on the NITE GHS classification results. |
| | |

Aspiration hazard

| Chemical Name | Aspiration Hazard source information |
|---------------|---|
| Magnesium | Based on the NITE GHS classification results. |

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity No information available

Other data

| Chemical Name | Short-term (acute) hazardous to the aquatic environment source | Long-term (chronic) hazardous to the aquatic environment source | | |
|---------------|--|---|--|--|
| | information | information | | |
| | IIIIOIIIIauoii | IIIIOIIIIatioii | | |
| Magnesium | Based on the NITE GHS classification | Based on the NITE GHS classification | | |
| | results. | results. | | |

Persistence and degradability
Bioaccumulative potential
Mobility in soil
Hazard to the ozone layer

No information available
No information available
No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID

UN number UN1869
Proper shipping name: Magnesium
UN classfication 4.1

Subsidiary hazard class

Packing group

Marine pollutant Not applicable

IMDG

UN number UN1869
Proper shipping name: Magnesium

UN classfication Subsidiary hazard class

Packing group

Marine pollutant (Sea) Not applicable

Transport in bulk according to No information available

4.1

Annex II of MARPOL 73/78 and

the IBC Code

IATA

UN number UN1869 Proper shipping name: Magnesium 4.1

UN classfication

Subsidiary hazard class

Packing group

Environmentally Hazardous Not applicable

Substance

Section 15: REGULATORY INFORMATION

Japanese regulations

Fire Service Act Not applicable **Poisonous and Deleterious** Not applicable

Substances Control Law

Industrial Safety and Health Act Dangerous Substances - Ignitable Substance (Enforcement Order Attached Table 1 Item

Regulations for the carriage and storage of dangerous

Flammable Solids - Flammable Solids (Ordinance Art.3, Ministry of Transportation Ordinance Regarding Transport by Ship and Storage, Attached Table 1)

goods in ship

Civil Aeronautics Law

Flammable Solids (Ordinance Art.194, MITL Nortification for Air Transportation of

Explosives etc., Attached Table 1)

Pollutant Release and Transfer Not applicable

Register Law (2023.4.1-)

Export Trade Control Order Not applicable

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry, SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

Record of SDS revisions The following contents were revised. Prodauct and company Identification. Hazards

identification. Fire fighting measures. Handling and storage. Exposure controls/personal protection. Stability and reactivity. Toxicological information. Regulatory information.

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet