



SAFETY DATA SHEET

According to JIS Z 7253:2019

Revision date 26-Feb-2024

Revision Number 4.06

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Mercury				
Product Code	132-01035				
Supplier	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 Fax: +81-6-6203-2029				

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571

Recommended uses For research use only

Restrictions on useSeek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification

Classification of the substance or mixture

Acute toxicity - Inhalation (Vapors)

Serious eye damage/eye irritation

Skin sensitization

Reproductive Toxicity

Specific target organ toxicity (single exposure)

Category 1

Acute aquatic toxicity
Chronic aquatic toxicity
Category 1
Category 1





Hazard statements

H319 - Causes serious eye irritation

H330 - Fatal if inhaled

H360 - May damage fertility or the unborn child

H317 - May cause an allergic skin reaction

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

H370 - Causes damage to the following organs: respiratory system, cardiovascular system, kidneys, liver, central nervous system

H372 - Causes damage to the following organs through prolonged or repeated exposure: nervous system, cardiovascular system, blood, liver, gum

Precautionary statements-(Prevention)

· Obtain special instructions before use

- · Do not handle until all safety precautions have been read and understood
- · Use personal protective equipment as required
- · Wash face, hands and any exposed skin thoroughly after handling
- · Contaminated work clothing should not be allowed out of the workplace
- · Wear protective gloves
- Do not breathe dust/fume/gas/mist/vapors/spray
- · Do not eat, drink or smoke when using this product
- · Avoid release to the environment

Precautionary statements-(Response)

- IF exposed: Call a POISON CENTER or doctor/physician
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention
- IF ON SKIN: Wash with plenty of soap and water
- If skin irritation or rash occurs: Get medical advice/attention
- · Wash contaminated clothing before reuse
- · Collect spillage

Precautionary statements-(Storage)

· Store locked up

Precautionary statements-(Disposal)

· Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula Hg

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Mercury	99.0	200.59	-	N/A	7439-97-6

Note on ISHL No.:

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment Unsuitable extinguishing media

^{*} in the table means announced chemical substances.

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Avoids contact with acids. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Storage

Safe storage conditions

Storage conditions Store away from sunlight in well-ventilated place at room temperature (preferably cool).

Keep container tightly closed. Store locked up.

Safe packaging material Glas

Incompatible substances Ammonia, Acetylene, Chlorine

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Mercury	TWA: 0.025 mg/m ³ OEL	ISHL/ACL: 0.025 mg/m ³	TWA: 0.025 mg/m ³
7439-97-6	ISHL/ACL: 0.025 mg/m ³		Skin

Personal protective equipment

Respiratory protection Gas mask

chemical protective gloves (JIS T 8116) Hand protection

protective eyeglasses or chemical safety goggles (JIS T 8147) Eye protection

Long-sleeved work clothes Skin and body protection

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to

them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

Color silver white **Appearance** liquid Odorless Odor Melting point/freezing point -39 °C Boiling point, initial boiling point and boiling range 357 °C

Flammability no data available **Evaporation rate:** no data available no data available Flammability (solid, gas):

Upper/lower flammability or explosive limits

no data available no data available Lower: Flash point no data available **Auto-ignition temperature:** no data available **Decomposition temperature:** no data available рΗ no data available Viscosity (coefficient of viscosity) no data available **Dynamic viscosity** no data available

Solubilities dil. nitric acid: soluble. water, pale Sulfuric acid, hydrochloric

acid: practically insoluble, or insoluble.

no data available n-Octanol/water partition coefficient:(log Pow) no data available Vapour pressure Specific Gravity / Relative density 13.6 g/ml no data available Vapour density

Particle characteristics no data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available

Chemical stability Stable under recommended storage conditions.

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight

Incompatible materials

Ammonia, Acetylene, Chlorine **Hazardous decomposition products**

Mercury oxide

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Mercury	N/A	N/A	=<0.019 mg/L 4 h (Rat)

Chemical Name		/ -oral- source	Acute toxicity -dermal- sou information		oxicity -inhalation gas- ource information		
Mercury	Based on the NI	TE GHS	Based on the NITE GHS	Based or	n the NITE GHS		
·	classification res	ults.	classification results.	classifica	tion results.		
	_						
Chemical Name		ty -inhalation	Acute toxicity -inhalation d				
	Based on the NI	e information	source information		urce information		
Mercury	classification res		Based on the NITE GHS classification results.		n the NITE GHS		
	Totacomoanor roc	, dito:	placemental recaller.	piacomoc	alon rodule.		
Skin irritation/corrosion Chemical	Name		Skin corrosion/ii	ritation cour	as information		
			Based on the NITE GHS cl				
Mercu Serious augustation	ıry		Based on the NITE GHS C	assilication re	Suits.		
Serious eye damage/ irritation Chemical	Name		Serious eye damag	olirritation so	urco information		
Mercu			Based on the NITE GHS cl				
Respiratory or skin sensitization	пу		passa sir ins rir E sire si	acomoation 10	ouno.		
	Chemical Name			Respiratory or Skin sensitization source information			
	Mercury		Based on the NITE GHS classification results.				
Reproductive cell mutagenicity			•				
Chemical Name		germ cell mutag	encity sourc	e information			
Mercu	ıry		Based on the NITE GHS cl	assification re	sults.		
Carcinogenicity							
Chemical	Name		Carcinogenicity source information				
Mercu	ıry		Based on the NITE GHS cl	assification re	sults.		
Chemical Name		NTP	IARC	ACGIH	JSOH (Japan)		
Mercury 7439-97-6			Group 3				
Reproductive toxicity					I		
Chemical	Name		Reproductive to	oxicity source	e information		
Mercury		Based on the NITE GHS classification results.					
STOT-single exposure	•		•				
Chemical Name		STOT -single exposure- source information					
Mercury		Based on the NITE GHS classification results.					
OTOT							
STOT-repeated exposure							
Chemical	Name		STOT -repeated e				

Section 12: ECOLOGICAL INFORMATION

Aspiration Hazard source information

Based on the NITE GHS classification results.

Ecotoxicity

Aspiration hazard

Chemical Name

Mercury

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Mercury	N/A	LC50 : Cyprinus carpio	LC50 : Artemia salina
·		0.16 mg/L 96 h	0.006 mg/L 96 h
		LC50 : Cyprinus carpio	-
		0.18 mg/L 96 h	
		LC50 : Cyprinus carpio	
		0.5 mg/L 96 h	
		LC50 : Oryzias latipes	
		0.9 mg/L 96 h	

Other data		
Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the

	aquatic environment	source information	aquatic environment	source information
Mercury	Based on the NITE GH	S classification	Based on the NITE GH	IS classification
	results.		results.	

Persistence and degradability
Bioaccumulative potential
Mobility in soil
Hazard to the ozone layer

No information available
No information available
No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID

UN number UN2809
Proper shipping name: Mercury
UN classfication 8
Subsidiary hazard class

Packing group III
Marine pollutant Yes

IMDG

UN number UN2809
Proper shipping name: Mercury
UN classfication 8

Subsidiary hazard class

Packing group III
Marine pollutant (Sea) Yes

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

IATA

UN number UN2809 Proper shipping name: Mercury

UN classfication Subsidiary hazard class

Packing group III
Environmentally Hazardous Yes

Substance

Section 15: REGULATORY INFORMATION

Japanese regulations

Fire Service Act Firefighting Inhibitor

Poisonous and Deleterious Poisonous Substances 2nd. Grade

8

Substances Control Law

Industrial Safety and Health Act Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)

Group 2 Specified Chemical Substance Notifiable Substances (Law Art.57-2)

Working Environment Evaluation Standards, Administrative Control Levels (Law Art.65-2,

Para.1)

Industrial Safety and Health Act (

2024~)

[2024.4.1~] Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)

Regulations for the carriage and storage of dangerous

Corrosive Substances (Ordinance Art.3, Ministry of Transportation Ordinance Regarding

Transport by Ship and Storage, Attached Table 1)

goods in ship Civil Aeronautics Law

Corrosive Substances (Ordinance Art.194, MITL Nortification for Air Transportation of

Explosives etc., Attached Table 1)

Pollutant Release and Transfer Class 1

Register Law (2023.4.1-)

Class 1 - No. 237

Water Pollution Control Act Harmful Substances (Law Art.2, Enforcement Order Art.2, Ordinace Designating

Wastewater Standards Art.1)

Export Trade Control Order Appendix 2 Export Approval Item
Air Pollution Control Law Priority Chemical Substances
Soil Contamination Control LawDesignated Hazardous Substances

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
Mercury 7439-97-6 (99.0)	Applicable	Applicable	Applicable

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances
Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

Record of SDS revisions

Disclaimer

The following contents were revised. Regulatory information.

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet