



SAFETY DATA SHEET

According to JIS Z 7253:2019 **Revision date** 26-Feb-2024 Revision Number 2.05

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Mercury(II) Oxide, Yellow
Product Code	139-01322,133-01325
Supplier	FUJIFILM Wako Pure Chemical Corporation
	1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741
	Filole. +61-6-0203-3741 Fax: +81-6-6203-2029
Emergency telephone number	+81-6-6203-3741 / +81-3-3270-8571
Recommended uses	For research use only
Restrictions on use	Seek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification Classification of the substance or mixture	
Acute toxicity - Oral	Category 2
Acute toxicity - Dermal	Category 3
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Skin sensitization	Category 1
Reproductive Toxicity	Category 1B
Specific target organ toxicity (single exposure)	Category 1
Category 1 central nervous system, Peripheral Nervous System, kidneys, digestive	e system
Specific target organ toxicity (repeated exposure)	Category 1
Category 1 central nervous system, kidneys	

Pictograms



Signal word

Danger

Hazard statements

H315 - Causes skin irritation

H319 - Causes serious eye irritation

- H300 Fatal if swallowed
- H311 Toxic in contact with skin
- H360 May damage fertility or the unborn child

H317 - May cause an allergic skin reaction

H370 - Causes damage to the following organs: central nervous system, Peripheral Nervous System, kidneys, digestive system

H372 - Causes damage to the following organs through prolonged or repeated exposure: central nervous system, kidneys

Precautionary statements-(Prevention)

- · Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood

- Use personal protective equipment as required
- · Wash face, hands and any exposed skin thoroughly after handling
- · Do not eat, drink or smoke when using this product
- Contaminated work clothing should not be allowed out of the workplace
- Wear protective gloves
- Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary statements-(Response)

• IF exposed: Call a POISON CENTER or doctor/physician

• IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

- If eye irritation persists: Get medical advice/attention
- · IF ON SKIN: Wash with plenty of soap and water
- Call a POISON CENTER or doctor/physician if you feel unwell
- · Remove/Take off immediately all contaminated clothing
- Wash contaminated clothing before reuse
- If skin irritation or rash occurs: Get medical advice/attention
- IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
- Rinse mouth

Precautionary statements-(Storage)

Store locked up

Precautionary statements-(Disposal)

· Dispose of contents/container to an approved waste disposal plant

Others

Other hazards

Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

HgO

Formula

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Mercury(II) oxide	98.0	216.59	(1)-436	*	21908-53-2

Note on ISHL No.:

* in the table means announced chemical substances.

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Sweep up and gather scattered particles, and collect it in an empty airtight container.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Avoid contact with reducing agents. Generates toxic gases and fumes, when heated strongly. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Storage

Safe storage conditions	
Storage conditions	Keep container protect from light, store
	in well-ventilated place at room temperature (preferably cool). Keep container tightly closed. Store locked up.
Safe packaging material	Glass
Incompatible substances	Reducing agent, Peroxides

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

Chemic	al Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Mercury	r(II) oxide	ISHL/ACL: 0.025 mg/m ³	ISHL/ACL: 0.025 mg/m ³	TWA: 0.025 mg/m ³ Hg

21908-53-2		Skin

Personal protective equipment

Respiratory protectionDust mask (JIS T 8151)
chemical protective gloves (JIS T 8116)Hand protectionDust mask (JIS T 8151)
chemical protective gloves (JIS T 8116)
protective eyeglasses or chemical safety goggles (JIS T 8147)Skin and body protectionLong-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

Form	
Color	reddish yellow
Appearance	crystalline powder - powder or mass
Odor	no data available
Melting point/freezing point	500 °C
Boiling point, initial boiling point and boiling range	no data available
Flammability	no data available
Evaporation rate:	no data available
Flammability (solid, gas):	no data available
Upper/lower flammability or explosive limits	
Upper:	no data available
Lower:	no data available
Flash point	no data available
Auto-ignition temperature:	no data available
Decomposition temperature:	no data available
рН	no data available
Viscosity (coefficient of viscosity)	no data available
Dynamic viscosity	no data available
Solubilities	dil. hydrochloric acid, dil. nitric acid: soluble. water, Ethanol:
	practically insoluble, or insoluble .
n-Octanol/water partition coefficient:(log Pow)	no data available
Vapour pressure	no data available
Specific Gravity / Relative density	11.1
Vapour density	no data available
Particle characteristics	no data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivityno data availableChemical stabilityMay be altered by light.Hazardous reactionsMay be altered by light.None under normal processingConditions to avoidConditions to avoidExtremes of temperature and direct sunlightIncompatible materialsReducing agent, PeroxidesHazardous decomposition productsMercury oxide, Metal oxides

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Mercury(II) oxide	16 mg/kg (Mouse)	315 mg/kg (Rat)	N/A
Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
Mercury(II) oxide	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.
Chemical Name	Acute toxicity -inhalation vapor- source information		- Acute toxicity -inhalation mist- source information
Mercury(II) oxide	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.

Skin irritation/corrosion

Chemical Name		Skin corrosio	n/irritation source	e information	
			Based on the NITE GHS classification results.		
erious eye damage/ irritation					
Chemical Name		Serious eye damage/irritation source information			
Mercury(II) oxide		Based on the NITE GHS	<u> </u>		
Respiratory or skin sensitization					
		Respiratory or Ski	n sensitization s	ource information	
Mercury(II) oxide		Based on the NITE GHS			
Reproductive cell mutagenicity					
Chemical Name		germ cell mu	tagencity source	e information	
Mercury(II) oxide		Based on the NITE GHS			
Carcinogenicity					
Chemical Name		Carcinogenicity source information			
Mercury(II) oxide		Based on the NITE GHS classification results.			
Chemical Name	NTP	IARC	ACGIH	JSOH (Japan)	
Mercury(II) oxide					
21908-53-2		Group 3			
		Group 3			
21908-53-2		Group 3			
		Reproductiv	e toxicity source		
21908-53-2 Reproductive toxicity					
21908-53-2 Reproductive toxicity Chemical Name Mercury(II) oxide		Reproductiv			
21908-53-2 Reproductive toxicity Chemical Name		Reproductiv Based on the NITE GHS STOT -single	S classification res	sults.	
21908-53-2 Reproductive toxicity Chemical Name Mercury(II) oxide STOT-single exposure		Reproductiv Based on the NITE GHS	S classification res	sults.	
21908-53-2 Reproductive toxicity Chemical Name Mercury(II) oxide STOT-single exposure Chemical Name Mercury(II) oxide		Reproductiv Based on the NITE GHS STOT -single	S classification res	sults.	
21908-53-2 Reproductive toxicity Chemical Name Mercury(II) oxide STOT-single exposure Chemical Name		Reproductiv Based on the NITE GHS STOT -single Based on the NITE GHS	S classification res	sults. e information sults.	
21908-53-2 Reproductive toxicity Chemical Name Mercury(II) oxide STOT-single exposure Chemical Name Mercury(II) oxide STOT-repeated exposure		Reproductiv Based on the NITE GHS STOT -single Based on the NITE GHS	S classification res exposure- sourc S classification res d exposure- source	sults. e information sults. rce information	
21908-53-2 Reproductive toxicity Chemical Name Mercury(II) oxide STOT-single exposure Chemical Name Mercury(II) oxide STOT-repeated exposure Chemical Name		Reproductiv Based on the NITE GHS STOT -single Based on the NITE GHS STOT -repeated	S classification res exposure- sourc S classification res d exposure- source	sults. e information sults. rce information	
21908-53-2 Reproductive toxicity Chemical Name Mercury(II) oxide STOT-single exposure Chemical Name Mercury(II) oxide STOT-repeated exposure Chemical Name Mercury(II) oxide		Reproductiv Based on the NITE GHS STOT -single Based on the NITE GHS STOT -repeated Based on the NITE GHS	S classification res exposure- sourc S classification res d exposure- source	sults. sults. rce information sults.	

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Mercury(II) oxide	N/A	TLm : 0.66 ppm / 48 h	N/A

Other data

Chemical Name	Short-term (acute) hazardous to the aquatic environment source information	Long-term (chronic) hazardous to the aquatic environment source information
Mercury(II) oxide	Based on the NITE GHS classification	Based on the NITE GHS classification
	results.	results.

Persistence and degradability Bioaccumulative potential Mobility in soil Hazard to the ozone layer No information available No information available No information available No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations. **Contaminated container and contaminated packaging**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID	
UN number	UN1641
Proper shipping name:	MERCURY OXIDE
UN classfication	6.1
Subsidiary hazard class	
Packing group	II
Marine pollutant	Yes
IMDG	
UN number	UN1641
Proper shipping name:	MERCURY OXIDE
UN classfication	6.1
Subsidiary hazard class	Р
Packing group	11
Marine pollutant (Sea)	Yes
Transport in bulk according to	No information available
Annex II of MARPOL 73/78 and	
the IBC Code	
ΙΑΤΑ	
UN number	UN1641
Proper shipping name:	MERCURY OXIDE
UN classfication	6.1
Subsidiary hazard class	
Packing group	
Environmentally Hazardous	Yes
Substance	

Section 15: REGULATORY INFORMATION

Japanese regulations Fire Service Act Poisonous and Deleterious Substances Control Law Industrial Safety and Health Ac	Firefighting Inhibitor Poisonous Substances 2nd. Grade t Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)
	Notifiable Substances (Law Art.57-2)
	Group 2 Specified Chemical Substance
	Working Environment Evaluation Standards, Administrative Control Levels (Law Art.65-2, Para.1)
Industrial Safety and Health Act ([2024.4.1~] Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)
<u>2024~)</u>	
Act on the Evaluation of	Monitoring Chemical Substances (Law Art.2, Para.4)
Chemical Substances and Regulation of Their Manufacture, etc	

Regulations for the carriage and storage of dangerous goods in ship	Toxic Substances - Poison (Ordinance Art.3, Ministry of Transportation Ordinance Regarding Transport by Ship and Storage, Attached Table 1)
Civil Aeronautics Law	Toxic and Infectious Substances (Ordinance Art.194, MITL Nortification for Air Transportation of Explosives etc., Attached Table 1)
Marine Pollution Prevention Law	Marine pollutants (P and PP substances)
Pollutant Release and Transfer Register Law (2023.4.1-)	Class 1
Class 1 - No.	237
Water Pollution Control Act	Harmful Substances (Law Art.2, Enforcement Order Art.2, Ordinace Designating Wastewater Standards Art.1)
Export Trade Control Order	Appendix 2 Export Approval Item

Soil Contamination Control LawDesignated Hazardous Substances

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
Mercury(II) oxide 21908-53-2 (98.0)	Applicable	Applicable	Applicable

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.	NITE: National Institute of Technology and Evaluation (JAPAN) http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS Dictionary of Synthetic Oraganic Chemistry, SSOCJ, Koudansha Scientific Co.Ltd. Chemical Dictionary, Kyouritsu Publishing Co., Ltd. etc
Record of SDS revisions	The following contents were revised. Regulatory information.

Record of SDS revisions Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet