



SAFETY DATA SHEET

According to JIS Z 7253:2019

Revision date 10-Oct-2023

Revision Number 2.05

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	a-Methylstyrene
Product Code	136-04693,130-04696

Supplier FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571

Recommended uses For research use only

Restrictions on useSeek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification

Classification of the substance or mixture

Flammable liquids

Skin corrosion/irritation

Serious eye damage/eye irritation

Category 2

Serious eye damage/eye irritation

Category 2B

Carcinogenicity

Category 2

Specific target organ toxicity (single exposure)

Category 3

Category 3 Respiratory irritation, Narcotic effects

Specific target organ toxicity (repeated exposure) Category 1, Category 2

Category 1 liver

Category 2 respiratory system, kidneys

Aspiration hazardCategory 1Acute aquatic toxicityCategory 2Chronic aquatic toxicityCategory 2

Pictograms









Signal word

Danger

Hazard statements

H226 - Flammable liquid and vapour

H315 - Causes skin irritation

H320 - Causes eye irritation

H351 - Suspected of causing cancer

H335 - May cause respiratory irritation

H336 - May cause drowsiness or dizziness

H304 - May be fatal if swallowed and enters airways

H401 - Toxic to aquatic life

H411 - Toxic to aquatic life with long lasting effects

H372 - Causes damage to the following organs through prolonged or repeated exposure: liver

H373 - May cause damage to the following organs through prolonged or repeated exposure: respiratory system, kidneys

Precautionary statements-(Prevention)

- · Obtain special instructions before use
- · Do not handle until all safety precautions have been read and understood
- · Use personal protective equipment as required
- · Wash face, hands and any exposed skin thoroughly after handling
- Do not breathe dust/fume/gas/mist/vapors/spray
- Do not eat, drink or smoke when using this product
- · Use only outdoors or in a well-ventilated area
- · Avoid release to the environment
- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- Keep container tightly closed
- · Ground/bond container and receiving equipment
- Use explosion-proof electrical/ ventilating / lighting / equipment
- · Use only non-sparking tools
- Take precautionary measures against static discharge
- Keep cool

Precautionary statements-(Response)

- IF exposed or concerned: Get medical advice/attention
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention
- If skin irritation occurs: Get medical advice/attention
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- · Wash contaminated clothing before reuse
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
- Do NOT induce vomiting
- In case of fire: Use suitable extinguishing media for extinction
- Collect spillage

Precautionary statements-(Storage)

- · Store locked up
- Store in a well-ventilated place. Keep container tightly closed

Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula C6H5C(CH3):CH2

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
alpha-Methylstyrene	98.0	118.18	(3)-5,(3)-8	*	98-83-9

Note on ISHL No.: * in the table means announced chemical substances.

Impurities and/or Additives: Stabilizer: p-t-Butylcatechol about 0.05%

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eve contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center

immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Vapors may form explosive mixtures with air

Special extinguishing method

No information available

Special protective actions for

fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Storage

Safe storage conditions

Storage conditions Keep container protect from light tightly closed. Store in a cool (2-10 °C) place.

Safe packaging material Glass

Incompatible substances Strong oxidizing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
alpha-Methylstyrene	N/A	N/A	TWA: 10 ppm
98-83-9			

Chemical Name	Concentration standard value set by the Minister of Health, Labor and Welfare (8hr)	Concentration standard value set by the Minister of Health, Labor and Welfare (Short-Term)
alpha-Methylstyrene 98-83-9	10 ppm	N/A

Personal protective equipment

Respiratory protection gas mask for organic gas (JIS T 8152) Hand protection chemical protective gloves (JIS T 8116) protective eyeglasses or chemical safety goggles Eye protection

Long-sleeved work clothes Skin and body protection

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

Color Colorless - slightly yellow

Turbidity clear **Appearance** liquid

Odor characteristic odor

Melting point/freezing point -23 °C

167 °C Boiling point, initial boiling point and boiling range

Flammable liquid and vapor **Flammability**

Evaporation rate: no data available Flammability (solid, gas): no data available

Upper/lower flammability or

explosive limits

6.6 vol% Upper: 0.9 vol% Lower: 48 °C Flash point 574 °C Auto-ignition temperature:

Decomposition temperature: no data available рΗ no data available Viscosity (coefficient of viscosity) no data available **Dynamic viscosity** no data available

Solubilities Ethanol, acetone: Very soluble, water: practically insoluble, or

insoluble.

n-Octanol/water partition coefficient:(log Pow) 3.380

no data available Vapour pressure $0.907 - 0.912 \text{ g/m L } (20 ^{\circ}\text{C})$ Specific Gravity / Relative density

no data available Vapour density **Particle characteristics** no data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available Chemical stability May be altered by light.

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Carbon monooxide (CO), Carbon dioxide (CO2)

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
alpha-Methylstyrene	4900 mg/kg (Rat)	14560 mg/kg (Rabit)	N/A

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
	IIIIOIIIIalioii	IIIIOIIIIalioii	Source information
alpha-Methylstyrene	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
. , , ,	classification results.	classification results.	classification results.

Chemical Name	Acute toxicity -inhalation	Acute toxicity -inhalation dust- Acute toxicity -inhalation mi	
	vapor- source information	source information	source information
alpha-Methylstyrene	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.

Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information
alpha-Methylstyrene	Based on the NITE GHS classification results.

Serious eye damage/ irritation

Chemical Name	Serious eye damage/irritation source information
alpha-Methylstyrene	Based on the NITE GHS classification results.

Respiratory or skin sensitization

Chemical Name	Respiratory or Skin sensitization source information
alpha-Methylstyrene	Based on the NITE GHS classification results.

Reproductive cell mutagenicity

Chemical Name	germ cell mutagencity source information
alpha-Methylstyrene	Based on the NITE GHS classification results.

Carcinogenicity

Chemical Name	Carcinogenicity source information
alpha-Methylstyrene	Based on the NITE GHS classification results.

Chemical Name	NTP	IARC	ACGIH	JSOH (Japan)
alpha-Methylstyrene		Group 2B	A3	Group 2B
98-83-9				

Reproductive toxicity

Chemical Name	Reproductive toxicity source information		
alpha-Methylstyrene	Based on the NITE GHS classification results.		
STOT single expecure			

STOT-single exposure

Chemical Name	STOT -single exposure- source information	
alpha-Methylstyrene	Based on the NITE GHS classification results.	

STOT-repeated exposure

Chemical Name	STOT -repeated exposure- source information	
alpha-Methylstyrene	Based on the NITE GHS classification results.	
A section Control to the control to		

Aspiration hazard

Chemical Name	Aspiration Hazard source information
alpha-Methylstyrene	Based on the NITE GHS classification results.

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
alpha-Methylstyrene	NOEC : Pseudokirchneriella	LC50 : Leuciscus idus	EC50 : Daphnia magna
	subcapitata	28 mg/L 48 h	2.62 mg/L 48 h
	0.3 mg/L 72 h		

Other data

Chemical Name	Short-term (acute) hazardous to the aquatic environment source information	Long-term (chronic) hazardous to the aquatic environment source information
alpha-Methylstyrene	Based on the NITE GHS classification	Based on the NITE GHS classification
	results.	results.

Persistence and degradability
Bioaccumulative potential
Mobility in soil
Hazard to the ozone layer

No information available
No information available
No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID

UN number UN2303

Proper shipping name: Isopropenylbenzene

UN classfication Subsidiary hazard class

Packing group III
Marine pollutant Yes

IMDG

UN number UN2303

Proper shipping name: Isopropenylbenzene

UN classfication Subsidiary hazard class

Packing group III
Marine pollutant (Sea) Yes

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

IATA

UN number UN2303

Proper shipping name: Isopropenylbenzene

UN classfication Subsidiary hazard class

Packing group III Environmentally Hazardous Yes

Substance

Section 15: REGULATORY INFORMATION

Japanese regulations

Fire Service Act Category IV, Class II petroleums, dangerous grade 3

Poisonous and Deleterious Not applicable

Poisonous and Deleterious Substances Control Law

Industrial Safety and Health Act Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57,

Para.1, Enforcement Order Art.18)

Notifiable Substances (Law Art.57-2, Enforcement Oder Art.18-2 Attached Table

No.9)No.36

Dangerous Substances - Flammable Substance (Enforcement Order Attached Table 1

Item 4)

Act on the Evaluation of Chemical Substances and Regulation of Their Manufacture, etc Priority Assessment Chemical Substances (Law Article 2, Para.5)

Regulations for the carriage and storage of dangerous

Flammable Liquids (Ordinance Art.3, Ministry of Transportation Ordinance Regarding

Transport by Ship and Storage, Attached Table 1)

and storage of dangerous goods in ship

Flammable Liquids (Ordinance Art.194, MITL Nortification for Air Transportation of

Explosives etc., Attached Table 1)

Marine Pollution Prevention

Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Y

Law

Civil Aeronautics Law

Pollutant Release and Transfer Class 1

Register Law (2023.4.1-)

Class 1 - No. 436

Export Trade Control Order Not applicable

Air Pollution Control Law Hazardous Air Pollutants

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
alpha-Methylstyrene 98-83-9 (98.0)	-	Applicable	Applicable

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances
Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry, SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

Record of SDS revisions The following contents were revised. Prodauct and company Identification. Exposure

controls/personal protection. Regulatory information.

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet
