



SAFETY DATA SHEET

According to JIS Z 7253:2019 **Revision date** 26-Feb-2024 Revision Number 4.05

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Manganese(IV) Oxide, Shot
Product Code	133-04985
Supplier	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan
	Phone: +81-6-6203-3741
Emergency telephone number	Fax: +81-6-6203-2029 +81-6-6203-3741 / +81-3-3270-8571
Recommended uses	For research use only
Restrictions on use	Seek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification <u>Classification of the substance or mixture</u> Germ cell mutagenicity Specific target organ toxicity (single exposure) Category 1 respiratory system Specific target organ toxicity (repeated exposure) Category 1 nervous system, respiratory system Chronic aquatic toxicity

Category 2 Category 1

Category 1

Category 4

Pictograms



Danger

Hazard statements

H341 - Suspected of causing genetic defects

- H413 May cause long lasting harmful effects to aquatic life
- H370 Causes damage to the following organs: respiratory system

H372 - Causes damage to the following organs through prolonged or repeated exposure: nervous system, respiratory system

Precautionary statements-(Prevention)

· Obtain special instructions before use

- · Do not handle until all safety precautions have been read and understood
- Use personal protective equipment as required
- Do not breathe dust/fume/gas/mist/vapors/spray
- · Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product
- Avoid release to the environment
- Precautionary statements-(Response)
 - IF exposed: Call a POISON CENTER or doctor/physician

Precautionary statements-(Storage)

Store locked up

Precautionary statements-(Disposal)

· Dispose of contents/container to an approved waste disposal plant

Others Other hazards

Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula

MnO2

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Manganese(IV) Oxide	70.0	86.94	(1)-475	*	1313-13-9
Note on ISHL No.:	* in the table means announced chemical substances.				

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment **Unsuitable extinguishing media**

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Sweep up and gather scattered particles, and collect it in an empty airtight container.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Avoid contact with reducing agents and combustible materials. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Use personal protective equipment as required.

Storage

Safe storage	e conditions
Storage	conditions

Store away from sunlight in well-ventilated place at room temperature (preferably cool). Keep container tightly closed. Polypropylene

Safe packaging material Incompatible substances

Strong reducing agents, Organic substance, Combustible materials

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Manganese(IV) Oxide	TWA: 0.1 mg/m ³ OEL	ISHL/ACL: 0.2 mg/m ³	TWA: 0.02 mg/m ³ Mn
1313-13-9	TWA: 0.02 mg/m ³ OEL		respirable particulate matter
	ISHL/ACL: 0.05 mg/m ³		TWA: 0.1 mg/m ³ Mn inhalable
			particulate matter

Personal protective equipment

Respiratory protection Hand protection Eye protection Skin and body protection Dust mask (JIS T 8151) chemical protective gloves (JIS T 8116) protective eyeglasses or chemical safety goggles (JIS T 8147) Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form Color Appearance Odor

black - blackish brown mass or powder no data available Melting point/freezing point 535 °C 1962 °C Boiling point, initial boiling point and boiling range Flammability Evaporation rate: Flammability (solid, gas): Upper/lower flammability or explosive limits Upper: Lower: Flash point Auto-ignition temperature: Decomposition temperature: pН Viscosity (coefficient of viscosity) Dynamic viscosity Solubilities n-Octanol/water partition coefficient:(log Pow) Vapour pressure

no data available hydrochloric acid, mineral acids: soluble.water: practically insoluble, or insoluble . no data available no data available 5.026 no data available no data available

Section 10: STABILITY AND REACTIVITY

Stability

Vapour density **Particle characteristics**

Reactivity Chemical stability **Hazardous reactions** None under normal processing no data available Stable under recommended storage conditions.

Specific Gravity / Relative density

Conditions to avoid

Extremes of temperature and direct sunlight

Incompatible materials

Strong reducing agents, Organic substance, Combustible materials

Hazardous decomposition products

No information available

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Manganese(IV) Oxide	>2197 mg/kg (Rat)	>2000 mg/kg (Rat)	N/A
Chemical Name	Acute toxicity -oral- source	e Acute toxicity -dermal- source	Acute toxicity -inhalation das-

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
Manganese(IV) Oxide			Based on the NITE GHS
3 ()	classification results.	classification results.	classification results.

Chemical Name	Acute toxicity -inhalation	Acute toxicity -inhalation dust-	Acute toxicity -inhalation mist-
	vapor- source information	source information	source information
manganeee(iv) exac			Based on the NITE GHS classification results.

Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information
Manganese(IV) Oxide	Based on the NITE GHS classification results.
Serious eye damage/ irritation	
Chemical Name	Serious eye damage/irritation source information
Manganese(IV) Oxide	Based on the NITE GHS classification results.

Respiratory or skin sensitization Respiratory or Skin sensitization source information **Chemical Name** Manganese(IV) Oxide Based on the NITE GHS classification results. Reproductive cell mutagenicity **Chemical Name** germ cell mutagencity source information Based on the NITE GHS classification results. Manganese(IV) Oxide Carcinogenicity Carcinogenicity source information **Chemical Name** Based on the NITE GHS classification results. Manganese(IV) Oxide NTP ACGIH JSOH (Japan) **Chemical Name** IARC Manganese(IV) Oxide 1313-13-9 Reproductive toxicity **Chemical Name** Reproductive toxicity source information Based on the NITE GHS classification results. Manganese(IV) Oxide STOT-single exposure STOT -single exposure- source information **Chemical Name** Based on the NITE GHS classification results. Manganese(IV) Oxide STOT-repeated exposure STOT -repeated exposure- source information **Chemical Name** Based on the NITE GHS classification results. Manganese(IV) Oxide Aspiration hazard Aspiration Hazard source information **Chemical Name** Manganese(IV) Oxide Based on the NITE GHS classification results.

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Manganese(IV) Oxide	ErC50(Pseudokirchneriellasub	EC50(Oryzias latipes) :	EC50(Daphnia magna) :
	capitata) : >100 mg/L 72 h	>100 mg/L 96 h	>100 mg/L 48 h

Other data

Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the
	aquatic environment source information	aquatic environment source information
Manganese(IV) Oxide	Based on the NITE GHS classification	Based on the NITE GHS classification
	results.	results.

Persistence and degradability	No information available
Bioaccumulative potential	No information available
Mobility in soil	No information available
Hazard to the ozone layer	Based on the NITE GHS Classification results.

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID UN number Not regulated

Proper shipping name: UN classfication Subsidiary hazard class Packing group Marine pollutant	Not applicable
IMDG UN number Proper shipping name: UN classfication Subsidiary hazard class	Not regulated -
Packing group Marine pollutant (Sea) Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	
IATA UN number Proper shipping name: UN classfication Subsidiary hazard class Packing group	Not regulated -
Packing group Environmentally Hazardous Substance	Not applicable

Section 15: REGULATORY INFORMATION

Japanese regulations Fire Service Act Poisonous and Deleterious Substances Control Law Industrial Safety and Health Act	Not applicable Not applicable Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57) Notifiable Substances (Law Art.57-2) Group 2 Specified Chemical Substance Working Environment Evaluation Standards, Administrative Control Levels (Law Art.65-2,
Industrial Safety and Health Act (Para.1) [2024.4.1~] Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)
2024~)	2024.4.1~ Chemical Substances Hazardous to Skin, etc. (Regulations Afficie 594-2 Paragraph 1)
Regulations for the carriage and storage of dangerous goods in ship	Not applicable
Civil Aeronautics Law	Not applicable
Pollutant Release and Transfer	Class 1
Register Law (2023.4.1-)	
Class 1 - No.	412
Water Pollution Control Act	Specified substances(Law Art.2 Para.4, Enforcement Order Art.3-3)
Export Trade Control Order	Not applicable
Air Pollution Control Law	Priority Chemical Substances

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
Manganese(IV) Oxide 1313-13-9(70.0)	-	Applicable	Applicable

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.	NITE: National Institute of Technology and Evaluation (JAPAN) http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd. Chemical Dictionary, Kyouritsu Publishing Co., Ltd. etc

Record of SDS revisions Disclaimer

The following contents were revised. Regulatory information.

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet