



SAFETY DATA SHEET

According to JIS Z 7253:2019 Revision date 15-Sep-2023 Revision Number 1.07

Category 3

Category 1 Category 1

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	MPP Sulfoxide Standard
Product Code	131-06701
Supplier	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 Fax: +81-6-6203-2029
Emergency telephone number Recommended uses Restrictions on use	+81-6-6203-3741 / +81-3-3270-8571 For research use only Seek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification <u>Classification of the substance or mixture</u> Acute toxicity - Oral Acute aquatic toxicity Chronic aquatic toxicity

Pictograms



Signal word

Danger

Hazard statements

- H301 Toxic if swallowed
- H410 Very toxic to aquatic life with long lasting effects
- H400 Very toxic to aquatic life

Precautionary statements-(Prevention)

- Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product
- Avoid release to the environment

Precautionary statements-(Response)

- IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
- Rinse mouth
- Collect spillage

Precautionary statements-(Storage)

Store locked up

Precautionary statements-(Disposal)

Dispose of contents/container to an approved waste disposal plant

Others

Other hazards

Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula C10H15O4PS2

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Fenthion-sulfoxide	97.0	294.33	N/A	4-(9)-246	3761-41-9
Note on ISHL No.: * in the table means announced chemical substances.					

Impurities and/or Additives: Not applicable

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for

fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Sweep up and gather scattered particles, and collect it in an empty airtight container.

Recoverly, neutralization No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Avoid contact with strong oxidizing agents. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Storage

Safe storage conditions	
Storage conditions	

Safe packaging material Incompatible substances Keep container protect from light tightly closed. Store in a cool (2-10 °C) place. Packed with an inert gas. Store locked up. Glass Strong oxidizing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Personal protective equipment Respiratory protection Hand protection Eye protection Skin and body protection

Dust mask (JIS T 8151) chemical protective gloves (JIS T 8116) protective eyeglasses or chemical safety goggles Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form Color Appearance Odor Melting point/freezing point Boiling point, initial boiling point and boiling range Flammability Evaporation rate: Flammability (solid, gas): Upper/lower flammability or explosive limits	white crystals - crystalline powder no data available 58 - 60 °C 110 °C no data available no data available no data available
Upper:	no data available
Lower:	no data available
Flash point	no data available
Auto-ignition temperature:	no data available
Decomposition temperature:	no data available
pH	no data available
Viscosity (coefficient of viscosity)	no data available
Dynamic viscosity	no data available
Solubilities	acetone : soluble .

n-Octanol/water partition coefficient:(log Pow) Vapour pressure Specific Gravity / Relative density Vapour density Particle characteristics 1.92 no data available no data available no data available no data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity Chemical stability Hazardous reactions	no data available May be altered by light.
None under normal processing	
Conditions to avoid	
Extremes of temperature and dire	ect sunlight
Incompatible materials	
Strong oxidizing agents	
Hazardous decomposition product	S
Carbon monooxide (CO), Carbon	dioxide (CO2), Sulfur oxides (SOx), Phosphorus oxide

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity			
Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Fenthion-sulfoxide	125 mg/kg (Rat)	N/A	N/A
	5 5 (**)		

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
			Based on the NITE GHS
	classification results.	classification results.	classification results.

Chemical Name			Acute toxicity -inhalation mist-
	vapor- source information	source information	source information
Fenthion-sulfoxide	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.

Skin irritation/corrosion

Based on the NITE GHS classification results.
Serious eye damage/irritation source information
Based on the NITE GHS classification results.
Respiratory or Skin sensitization source information
Based on the NITE GHS classification results.
germ cell mutagencity source information
Based on the NITE GHS classification results.
Carcinogenicity source information
Based on the NITE GHS classification results.

Chemical Name	NTP	IARC	ACGIH	JSOH (Japan)	
Fenthion-sulfoxide		Group 2A			
3761-41-9					
Reproductive toxicity					
Chemical Name		Reproducti	ve toxicity source in	nformation	
Fenthion-sulfoxide		Based on the NITE GH	IS classification resul	ts.	

STOT-single exposure

Chemical Name	STOT -single exposure- source information	
Fenthion-sulfoxide	Based on the NITE GHS classification results.	
STOT-repeated exposure		
Chemical Name	STOT -repeated exposure- source information	
Fenthion-sulfoxide	Based on the NITE GHS classification results.	
Aspiration hazard		
Chemical Name	Aspiration Hazard source information	
Fenthion-sulfoxide	Based on the NITE GHS classification results.	

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Fenthion-sulfoxide	N/A	N/A	EC50:Daphnia magna
			0.0113 mg/L 48 h

Other data

Chemical Name	Short-term (acute) hazardous to the aquatic environment source information	Long-term (chronic) hazardous to the aquatic environment source information
	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.

Persistence and degradability
Bioaccumulative potential
Mobility in soil
Hazard to the ozone layer

No information available No information available No information available No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations. Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID	
UN number	UN3464
Proper shipping name:	Organophosphorus compound, toxic, solid, n.o.s. (Fenthion-sulfoxide)
UN classfication	6.1
Subsidiary hazard class	
Packing group	
Marine pollutant	Yes
IMDG	
UN number	UN3464
Proper shipping name:	Organophosphorus compound, solid, toxic, n.o.s. (Fenthion-sulfoxide)
UN classfication	6.1
Subsidiary hazard class	
Packing group	
Marine pollutant (Sea)	Yes
Transport in bulk according to	No information available
Annex II of MARPOL 73/78 and	
the IBC Code	
ΙΑΤΑ	
UN number	UN3464
Proper shipping name:	Organophosphorus compound, solid, toxic, n.o.s. (Fenthion-sulfoxide)

UN classfication	6.1
Subsidiary hazard class	
Packing group	111
Environmentally Hazardous	Yes
Substance	

Section 15: REGULATORY INFORMATION

Japanese regulations			
Fire Service Act	Not applicable		
Poisonous and Deleterious	Deleterious Substances 3rd. Grade		
Substances Control Law			
Industrial Safety and Health ActNot applicable			
Regulations for the carriage	Toxic Substances - Poison (Ordinance Art.3, Ministry of Transportation Ordinance		
and storage of dangerous	Regarding Transport by Ship and Storage, Attached Table 1)		
goods in ship			
Civil Aeronautics Law	Toxic and Infectious Substances (Ordinance Art.194, MITL Nortification for Air		
	Transportation of Explosives etc., Attached Table 1)		
Pollutant Release and Transfer	· Not applicable		
Register Law			
(2023.4.1-)			
Export Trade Control Order	Not applicable		
-			

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
Fenthion-sulfoxide 3761-41-9 (97.0)	Applicable	-	-

Section 16: OTHER INFORMATION

 Key literature references and sources for data etc.
 NITE: National Institute of Technology and Evaluation (JAPAN)

 http://www.safe.nite.go.jp/japan/db.html
 IATA dangerous Goods Regulations

 RTECS:Registry of Toxic Effects of Chemical Substances
 Japan Industrial Safety and Health Association GHS Model SDS

 Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.
 Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet