



# SAFETY DATA SHEET

According to JIS Z 7253:2019

Revision date 15-Feb-2024

Revision Number 2.05

## Section 1: PRODUCT AND COMPANY IDENTIFICATION

roduct Name Methoxyacetic Acid	
Product Code	135-07762
Supplier	FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571

**Recommended uses** For research use only

**Restrictions on use**Seek expert judgment when using for purposes other than those recommended.

## **Section 2: HAZARDS IDENTIFICATION**

**GHS** classification

Classification of the substance or mixture

Acute toxicity - OralCategory 4Skin corrosion/irritationCategory 1Serious eye damage/eye irritationCategory 1Reproductive ToxicityCategory 1BSpecific target organ toxicity (single exposure)Category 2Category 2 central nervous system

**Pictograms** 



### **Hazard statements**

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

H302 - Harmful if swallowed

H360 - May damage fertility or the unborn child

H371 - May cause damage to the following organs: central nervous system

## **Precautionary statements-(Prevention)**

- · Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood
- Use personal protective equipment as required
- · Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product
- Do not breathe dust/fume/gas/mist/vapors/spray

## Precautionary statements-(Response)

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- Immediately call a POISON CENTER or doctor/physician

- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- · Wash contaminated clothing before reuse
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
- · Rinse mouth
- · Do NOT induce vomiting

### Precautionary statements-(Storage)

· Store locked up

### Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

**Others** 

Other hazards Not available

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula CH3OCH2COOH

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Methoxyacetic acid	95.0	90.08	(2)-3484	公表	625-45-6

Note on ISHL No.:

## **Section 4: FIRST AID MEASURES**

#### Inhalation

Remove to fresh air. If symptoms persist, call a physician.

#### Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

### Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

#### Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

### Protection of first-aiders

Use personal protective equipment as required.

## **Section 5: FIRE FIGHTING MEASURES**

## Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

### Unsuitable extinguishing media

No information available

### Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

### Special extinguishing method

No information available

### Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

## Section 6: ACCIDENTAL RELEASE MEASURES

<sup>\*</sup> in the table means announced chemical substances.

#### Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

#### **Environmental precautions**

To be careful not discharged to the environment without being properly handled waste water contaminated.

#### Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

### Recoverly, neutralization

No information available

### Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

### Section 7: HANDLING AND STORAGE

#### Handling

### **Technical measures**

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Use with local exhaust ventilation.

#### **Precautions**

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

#### Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

#### Storage

### Safe storage conditions

Storage conditions Store away from sunlight in well-ventilated place at room temperature (preferably cool).

Keep container tightly closed.

Safe packaging material Glass

Incompatible substances Strong oxidizing agents

### Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### **Engineering controls**

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

Personal protective equipment

Respiratory protection Protective mask

**Hand protection** chemical protective gloves (JIS T 8116)

Eye protection protective eyeglasses or chemical safety goggles (JIS T 8147)

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

**Form** 

Color Colorless - slightly yellow

Turbidity clear Appearance liquid

**Odor** characteristic odor

Melting point/freezing point 7.7 °C Boiling point, initial boiling point and boiling range 204 °C

Flammability no data available
Evaporation rate: no data available
Flammability (solid, gas): no data available

Upper/lower flammability or explosive limits

Upper:no data availableLower:no data available

Flash point >110 °C

Auto-ignition temperature:no data availableDecomposition temperature:no data availablepHno data availableViscosity (coefficient of viscosity)no data availableDynamic viscosityno data available

**Solubilities** water, Ethanol: Very soluble.

n-Octanol/water partition coefficient:(log Pow)no data availableVapour pressureno data availableSpecific Gravity / Relative density1.172-1.180g/mLVapour densityno data availableParticle characteristicsno data available

## **Section 10: STABILITY AND REACTIVITY**

#### **Stability**

**Reactivity** no data available

**Chemical stability** Stable under recommended storage conditions.

**Hazardous reactions** 

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

Incompatible materials
Strong oxidizing agents

Hazardous decomposition products

Carbon monooxide (CO), Carbon dioxide (CO2)

## **Section 11: TOXICOLOGICAL INFORMATION**

### **Acute toxicity**

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
			Based on the NITE GHS classification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
Methoxyacetic acid	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
•	classification results.	classification results.	classification results.

#### Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information	
Methoxyacetic acid	Based on the NITE GHS classification results.	

### Serious eye damage/ irritation

Chemical Name	Serious eye damage/irritation source information
Methoxyacetic acid	Based on the NITE GHS classification results.
Respiratory or skin sensitization	•
Chemical Name	Respiratory or Skin sensitization source information
Methoxyacetic acid	Based on the NITE GHS classification results.
Reproductive cell mutagenicity	•
Chemical Name	germ cell mutagencity source information
Methoxyacetic acid	Based on the NITE GHS classification results.
Carcinogenicity	·
Chemical Name	Carcinogenicity source information
Methoxyacetic acid	Based on the NITE GHS classification results.
Reproductive toxicity	
Chemical Name	Reproductive toxicity source information
Methoxyacetic acid	Based on the NITE GHS classification results.
STOT-single exposure	·
Chemical Name	STOT -single exposure- source information
Methoxyacetic acid	Based on the NITE GHS classification results.
STOT-repeated exposure	<u> </u>
Chemical Name	STOT -repeated exposure- source information

## **Section 12: ECOLOGICAL INFORMATION**

Based on the NITE GHS classification results.

Based on the NITE GHS classification results.

**Aspiration Hazard source information** 

**Ecotoxicity** No information available

Methoxyacetic acid

**Chemical Name** 

Methoxyacetic acid

Other data

Aspiration hazard

Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the
	aquatic environment source information	aquatic environment source information
Methoxyacetic acid	Based on the NITE GHS classification	Based on the NITE GHS classification
	results.	results.

Persistence and degradability
Bioaccumulative potential
Mobility in soil
Hazard to the ozone layer

No information available
No information available
No information available

# **Section 13: DISPOSAL CONSIDERATIONS**

#### Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

## Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

## **Section 14: TRANSPORT INFORMATION**

ADR/RID

UN number UN3265

Proper shipping name: Corrosive liquid, acidic, organic, n.o.s. (Methoxyacetic acid)

UN classfication

Subsidiary hazard class

Packing group III

Marine pollutant Not applicable

**IMDG** 

UN3265 **UN** number

Proper shipping name: Corrosive liquid, acidic, organic, n.o.s. (Methoxyacetic acid)

**UN classfication** 

Subsidiary hazard class

Packing group

Not applicable Marine pollutant (Sea)

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

IATA

**UN** number UN3265

Proper shipping name: Corrosive liquid, acidic, organic, n.o.s. (Methoxyacetic acid)

**UN classfication** 

Subsidiary hazard class

Packing group

**Environmentally Hazardous** Not applicable

**Substance** 

## Section 15: REGULATORY INFORMATION

Japanese regulations

Fire Service Act Category IV, Class III petroleums, dangerous grade 3 water-soluble

**Poisonous and Deleterious** Not applicable

**Substances Control Law** 

Industrial Safety and Health Act Not applicable

Industrial Safety and Health Act ( 【2024.4.1~】 Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)

Transport by Ship and Storage, Attached Table 1)

2024~) 【2024.4.1~】Notifiable Substances (Law Art.57-2)

> 【2024.4.1~】Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1) Corrosive Substances (Ordinance Art.3, Ministry of Transportation Ordinance Regarding

Regulations for the carriage and storage of dangerous

goods in ship **Civil Aeronautics Law** 

Corrosive Substances (Ordinance Art.194, MITL Nortification for Air Transportation of

Explosives etc., Attached Table 1)

Pollutant Release and Transfer Not applicable

**Register Law** (2023.4.1-)

**Export Trade Control Order** Not applicable

Industrial Safety and Health Law

industrial Safety and Health Law			
Law Name	Chemical Name in Regulation	Weight %	
Notifiable Substances (Law Art.57-2)	methoxyacetic acid	95.0	2024/4/1

## **Section 16: OTHER INFORMATION**

Key literature references and

sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

**Record of SDS revisions** 

The following contents were revised. Regulatory information.

**Disclaimer** 

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. \*JIS: Japanese Industrial Standards

**End of Safety Data Sheet**