



SAFETY DATA SHEET

According to JIS Z 7253:2019

Revision date 26-Feb-2024

Revision Number 4.04

Section 1: PRODUCT AND COMPANY IDENTIFICATION

| Product Name | Mercury, 99.9% |
|--------------|----------------|
| Product Code | 132-14242 |

Supplier FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571

Recommended uses For research use only

Restrictions on useSeek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification

Classification of the substance or mixture

 Acute toxicity - Inhalation (Vapors)
 Category 1

 Serious eye damage/eye irritation
 Category 2A

 Skin sensitization
 Category 1

 Reproductive Toxicity
 Category 1A

 Specific target organ toxicity (single exposure)
 Category 1

 Category 1
 respiratory system, cardiovascular system, kidneys, liver, central nervous system

 Specific target organ toxicity (repeated exposure)
 Category 1

Category 1 nervous system, cardiovascular system, blood, liver, gum

Danger

Acute aquatic toxicity
Chronic aquatic toxicity
Category 1
Category 1

Pictograms



Hazard statements

Signal word

H319 - Causes serious eye irritation

H330 - Fatal if inhaled

H360 - May damage fertility or the unborn child

H317 - May cause an allergic skin reaction

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

H370 - Causes damage to the following organs: respiratory system, cardiovascular system, kidneys, liver, central nervous system

H372 - Causes damage to the following organs through prolonged or repeated exposure: nervous system, cardiovascular system, blood, liver, gum

Precautionary statements-(Prevention)

· Obtain special instructions before use

- Do not handle until all safety precautions have been read and understood
- · Use personal protective equipment as required
- · Wash face, hands and any exposed skin thoroughly after handling
- · Contaminated work clothing should not be allowed out of the workplace
- Wear protective gloves
- Do not breathe dust/fume/gas/mist/vapors/spray
- · Do not eat, drink or smoke when using this product
- · Avoid release to the environment

Precautionary statements-(Response)

- IF exposed: Call a POISON CENTER or doctor/physician
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention
- IF ON SKIN: Wash with plenty of soap and water
- If skin irritation or rash occurs: Get medical advice/attention
- · Wash contaminated clothing before reuse
- · Collect spillage

Precautionary statements-(Storage)

· Store locked up

Precautionary statements-(Disposal)

· Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula Hg

| Chemical Name | Weight-% | Molecular weight | ENCS | ISHL No. | CAS RN |
|---------------|--------------------|------------------|------|----------|-----------|
| Mercury | 99.9 (subtracting | 200.59 | - | N/A | 7439-97-6 |
| | method) | | | | |

Note on ISHL No.:

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

^{*} in the table means announced chemical substances.

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Avoids contact with acids. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Storage

Safe storage conditions

Storage conditions Store away from sunlight in well-ventilated place at room temperature (preferably cool).

Keep container tightly closed. Store locked up.

Safe packaging material

Glass

Incompatible substances

Ammonia, Acetylene, Chlorine

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

| | Chemical Name | JSOH (Japan) | ISHL (Japan) | ACGIH |
|---|---------------|-----------------------------------|-----------------------------------|------------------------------|
| Ī | Mercury | TWA: 0.025 mg/m ³ OEL | ISHL/ACL: 0.025 mg/m ³ | TWA: 0.025 mg/m ³ |
| | 7439-97-6 | ISHL/ACL: 0.025 mg/m ³ | - | Skin |

Personal protective equipment

Respiratory protection Gas mask

Hand protection chemical protective gloves (JIS T 8116)

protective eyeglasses or chemical safety goggles (JIS T 8147) Eye protection

Long-sleeved work clothes Skin and body protection

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to

them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

Color silver white liquid **Appearance** Odorless Odor Melting point/freezing point -39 °C °C Boiling point, initial boiling point and boiling range 357

Flammability no data available **Evaporation rate:** no data available Flammability (solid, gas): no data available

Upper/lower flammability or explosive limits

no data available Upper: no data available Lower: Flash point no data available no data available **Auto-ignition temperature: Decomposition temperature:** no data available no data available pН no data available Viscosity (coefficient of viscosity) Dynamic viscosity no data available

Solubilities dil. nitric acid: soluble. water, pale Sulfuric acid, hydrochloric

acid: practically insoluble, or insoluble.

n-Octanol/water partition coefficient:(log Pow) no data available Vapour pressure no data available Specific Gravity / Relative density 13.6 g/ml Vapour density no data available

Particle characteristics no data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available

Chemical stability Stable under recommended storage conditions.

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight

Incompatible materials

Ammonia, Acetylene, Chlorine

Hazardous decomposition products

Mercury oxide

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

| Chemical Name Oral LD50 | Dermal LD50 | Inhalation LC50 |
|-------------------------|-------------|-----------------|
|-------------------------|-------------|-----------------|

| Mercury | N/A | | N/A | | =<0.019 | mg/L 4 h (Rat) | |
|---------------------------------|-----------------------------------|---|--|------------------|-----------------|--|--|
| | | | | | | | |
| Chemical Name | Acute toxicity inform | | Acute toxicity -dermal- source information | | Acute tox | icity -inhalation gas- ce information | |
| Mercury | Based on the NIT | | Based on the N | | | ne NITE GHS | |
| - | classification resu | ılts. | classification re- | sults. | classification | n results. | |
| | | | | | 1 | | |
| Chemical Name | Acute toxicity | | | | | city -inhalation mist- | |
| Moround | vapor- source Based on the NIT | | Based on the N | nformation | | ce information ne NITE GHS | |
| Mercury | classification resu | | classification re | | classification | | |
| | Judge in Galler 1 Coa | | 10.00000010 | 54.15. | - Joine Control | | |
| Skin irritation/corrosion | | | | | | | |
| Chem | ical Name | | | corrosion/irrita | | | |
| | ercury | | Based on the | NITE GHS classi | fication resu | lts. | |
| Serious eye damage/ irritation | | | | | | | |
| Chem | ical Name | | | s eye damage/irı | | | |
| | ercury | | Based on the | NITE GHS classi | fication resu | lts. | |
| Respiratory or skin sensitizati | | | | | | | |
| Chem | ical Name | | Respiratory or Skin sensitization source information | | | | |
| M | ercury | | Based on the NITE GHS classification results. | | | | |
| Reproductive cell mutagenicit | | | | | | | |
| Chem | ical Name | | germ cell mutagencity source information | | | | |
| M | ercury | | Based on the NITE GHS classification results. | | | | |
| Carcinogenicity | | | | | | | |
| Chem | ical Name | | | Carcinogenicity | | | |
| M | ercury | | Based on the NITE GHS classification results. | | | | |
| | | | | | | | |
| Chemical Nam | ie | NTP | IAR | C A | CGIH | JSOH (Japan) | |
| Mercury | | | Group | 3 | | | |
| 7439-97-6 | | | | | | | |
| Reproductive toxicity | | | | | | | |
| | ical Name | | Reproductive toxicity source information | | | | |
| | Mercury | | Based on the NITE GHS classification results. | | | | |
| STOT-single exposure | | | | | | | |
| Chemical Name | | STOT -single exposure- source information | | | | | |
| Mercury | | Based on the NITE GHS classification results. | | | | | |
| STOT-repeated exposure | | | | | | | |
| | Chemical Name | | STOT -repeated exposure- source information | | | | |
| | Mercury | | Based on the NITE GHS classification results. | | | | |
| Aspiration hazard | | | | | | | |
| Chemical Name | | | Aspiration Hazard source information | | | | |
| M | ercury | | Based on the NITE GHS classification results. | | | | |
| | | | <u> </u> | <u> </u> | | | |

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

| Chemical Name | Algae/aquatic plants | Fish | Crustacea |
|---------------|----------------------|---|--|
| Mercury | N/A | LC50 : Cyprinus carpio 0.16 mg/L 96 h LC50 : Cyprinus carpio 0.18 mg/L 96 h LC50 : Cyprinus carpio 0.5 mg/L 96 h LC50 : Oryzias latipes | LC50 : Artemia salina 0.006 mg/L 96 h |
| | | 0.9 mg/L 96 h | |

Other data

| Chemical Name | Short-term (acute) hazardous to the | Long-term (chronic) hazardous to the |
|---------------|--|--|
| | aquatic environment source information | aquatic environment source information |
| Mercury | Based on the NITE GHS classification | Based on the NITE GHS classification |
| | results. | results. |

Persistence and degradability No information available Bioaccumulative potential No information available Mobility in soil No information available No information available Hazard to the ozone layer

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID

UN2809 **UN** number Proper shipping name: Mercury **UN classfication** 8 Subsidiary hazard class

Packing group Ш Yes

Marine pollutant

IMDG

UN2809 **UN** number Proper shipping name: Mercury **UN classfication** Subsidiary hazard class

Ш Packing group Marine pollutant (Sea) Yes

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

IATA

UN number UN2809 Proper shipping name: Mercury **UN classfication**

Subsidiary hazard class

Ш Packing group **Environmentally Hazardous** Yes

Substance

Section 15: REGULATORY INFORMATION

Japanese regulations

Fire Service Act Firefighting Inhibitor

Poisonous and Deleterious Poisonous Substances 2nd. Grade

Substances Control Law

Industrial Safety and Health Act Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)

Group 2 Specified Chemical Substance Notifiable Substances (Law Art.57-2)

Working Environment Evaluation Standards, Administrative Control Levels (Law Art.65-2,

Para.1)

Industrial Safety and Health Act (【2024.4.1~】Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1) 2024~)

Regulations for the carriage

goods in ship

and storage of dangerous

Corrosive Substances (Ordinance Art.3, Ministry of Transportation Ordinance Regarding Transport by Ship and Storage, Attached Table 1)

Civil Aeronautics Law Corrosive Substances (Ordinance Art.194, MITL Nortification for Air Transportation of

Explosives etc., Attached Table 1)

Pollutant Release and Transfer Class 1

Register Law (2023.4.1-)

Class 1 - No.

Water Pollution Control Act Harmful Substances (Law Art.2, Enforcement Order Art.2, Ordinace Designating

Wastewater Standards Art.1)

Export Trade Control Order Appendix 2 Export Approval Item **Priority Chemical Substances Air Pollution Control Law** Soil Contamination Control LawDesignated Hazardous Substances

| Chemical Name | Poisonous and Deleterious Substances Control Law | Industrial Safety and Health Act Substances (Law Art.57-2) | Pollutant Release and Transfer Register Law (2023.4.1-) |
|--|---|--|---|
| Mercury 7439-97-6 (99.9 (subtracting method) | Applicable | Applicable | Applicable |

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

Record of SDS revisions Disclaimer

The following contents were revised. Regulatory information.

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet