



# SAFETY DATA SHEET

According to JIS Z 7253:2019

Revision date 01-Mar-2024

Revision Number 1.02

# Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Methanol-d4, 99.8%(High purity)	
Product Code	133-18971	

Supplier FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571

**Recommended uses** For research use only

**Restrictions on use**Seek expert judgment when using for purposes other than those recommended.

# **Section 2: HAZARDS IDENTIFICATION**

**GHS** classification

Classification of the substance or mixture

Flammable liquids

Acute toxicity - Oral

Serious eye damage/eye irritation

Reproductive Toxicity

Category 2

Category 4

Category 2A

Category 1B

Specific target organ toxicity (single exposure)

Category 1, Category 3

Category 1 central nervous system, Visual organ, systemic toxicity

Category 3 Narcotic effects

Specific target organ toxicity (repeated exposure)

Category 1 central nervous system, Visual organ





Signal word

Hazard statements H225 - Highly flammable liquid and vapor

H319 - Causes serious eye irritation

H302 - Harmful if swallowed

H360 - May damage fertility or the unborn child

H336 - May cause drowsiness or dizziness

H370 - Causes damage to the following organs: central nervous system, Visual organ, systemic toxicity

H372 - Causes damage to the following organs through prolonged or repeated exposure: central nervous system, Visual organ

#### **Precautionary statements-(Prevention)**

- · Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood

Danger

- · Use personal protective equipment as required
- Do not breathe dust/fume/gas/mist/vapors/spray

Category 1

- · Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product
- · Use only outdoors or in a well-ventilated area
- · Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- · Keep container tightly closed
- Ground/bond container and receiving equipment
- Use explosion-proof electrical/ ventilating / lighting / equipment
- · Use only non-sparking tools
- Take precautionary measures against static discharge
- Keep cool

#### Precautionary statements-(Response)

- IF exposed: Call a POISON CENTER or doctor/physician
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- Call a POISON CENTER or doctor/physician if you feel unwell
- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
- Rinse mouth
- In case of fire: Use suitable extinguishing media for extinction

#### Precautionary statements-(Storage)

- Store in a well-ventilated place. Keep container tightly closed
- Store locked up

#### **Precautionary statements-(Disposal)**

· Dispose of contents/container to an approved waste disposal plant

**Others** 

Other hazards Not available

# Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula CD3OD

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Methanol-d4	99.9	36.07	2-201	*	811-98-3

Note on ISHL No.: \* in the table means announced chemical substances.

# **Section 4: FIRST AID MEASURES**

## Inhalation

Remove to fresh air. If symptoms persist, call a physician.

#### Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

#### Eve contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

# Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

#### Protection of first-aiders

Use personal protective equipment as required.

# Section 5: FIRE FIGHTING MEASURES

#### Suitable extinguishing media

Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

#### Unsuitable extinguishing media

No information available

#### Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Vapors may form explosive mixtures with air

#### Special extinguishing method

No information available

#### Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

# Section 6: ACCIDENTAL RELEASE MEASURES

# Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

#### **Environmental precautions**

To be careful not discharged to the environment without being properly handled waste water contaminated.

#### Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

# Recoverly, neutralization

No information available

#### Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

# Section 7: HANDLING AND STORAGE

# Handling

# Technical measures

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. To cut with care and wear protective gloves and protective goggles to ampoule time of the opening (Cutting method to check the label). Use with local exhaust ventilation.

#### **Precautions**

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

#### Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

#### Storage

Safe storage conditions

**Storage conditions** Keep container protect from light, store

in well-ventilated place at room temperature (preferably cool). Keep container tightly

closed. Store locked up.

Safe packaging material Ampoule

Incompatible substances Strong oxidizing agents

# Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Engineering controls**

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

#### **Exposure limits**

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Methanol-d4	N/A	200ppm	N/A
811-98-3			

Personal protective equipment

**Respiratory protection** gas mask for organic gas (JIS T 8152) **Hand protection** chemical protective gloves (JIS T 8116)

Eye protection protective eyeglasses or chemical safety goggles (JIS T 8147)

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

# Section 9: PHYSICAL AND CHEMICAL PROPERTIES

**Form** 

ColorcolorlessTurbidityclearAppearanceliquid

**Odor** no data available

Melting point/freezing point -98 °C
Boiling point, initial boiling point and boiling range 64 °C

Flammability Highly flammable liquid and vapor

**Evaporation rate:**no data available
Flammability (solid, gas):
no data available

Upper/lower flammability or explosive limits

Upper:31 vol%Lower:5.5 vol%Flash point11 °C

Auto-ignition temperature:no data availableDecomposition temperature:no data availablepHno data availableViscosity (coefficient of viscosity)no data availableDynamic viscosityno data available

**Solubilities** water , Diethyl ether , Ethanol : Very soluble.

n-Octanol/water partition coefficient:(log Pow)no data availableVapour pressureno data availableSpecific Gravity / Relative densityno data availableVapour densityno data availableParticle characteristicsno data available

# **Section 10: STABILITY AND REACTIVITY**

# **Stability**

**Reactivity** no data available **Chemical stability** May be altered by light.

Hazardous reactions

None under normal processing

**Conditions to avoid** 

Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

Incompatible materials
Strong oxidizing agents

Hazardous decomposition products

Carbon monooxide (CO), Carbon dioxide (CO2)

# **Section 11: TOXICOLOGICAL INFORMATION**

Data as deuterium compound has not been obtained. The data of non-labeled compound is described.

**Acute toxicity** 

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Methanol-d4	1400 mg/kg ( Human )	15,800 mg/kg ( Rabbit )	22500 ppm (Rat) 4 h(vapor)

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
			Based on the NITE GHS classification results.

Chemical Name	Acute toxicity -inhalation	Acute toxicity -inhalation dust-	Acute toxicity -inhalation mist-
	vapor- source information	source information	source information
Methanol-d4	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.

#### Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information	
Methanol-d4	Based on the NITE GHS classification results.	
Sarious ava damaga/irritation		

Serious eye damage/ irritation

Chemical Name	Serious eye damage/irritation source information
Methanol-d4	Based on the NITE GHS classification results.

Respiratory or skin sensitization

Chemical Name	Respiratory or Skin sensitization source information
Methanol-d4	Based on the NITE GHS classification results.

Reproductive cell mutagenicity

Chemical Name	germ cell mutagencity source information
Methanol-d4	Based on the NITE GHS classification results.
Carainaganiaity	

Carcinogenicity

Chemical Name	Carcinogenicity source information
Methanol-d4	Based on the NITE GHS classification results.

Reproductive toxicity

Chemical Name	Reproductive toxicity source information
Methanol-d4	Based on the NITE GHS classification results.
STOT-single exposure	

or or origin expectate			
Chemical Name	STOT -single exposure- source information		
Methanol-d4	Based on the NITE GHS classification results.		
STOT-repeated exposure			
Chemical Name STOT -repeated exposure- source information			

	Aspiration nazaru		
Chemical Name		Aspiration Hazard source information	
	Methanol-d4	Based on the NITE GHS classification results.	

Based on the NITE GHS classification results.

# **Section 12: ECOLOGICAL INFORMATION**

Data as deuterium compound has not been obtained. The data of non-labeled compound is described.

Methanol-d4

# **Ecotoxicity**

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Methanol-d4	EC50 : Chlorella	LC50 : Bluegill	LC50 : Braun shrimp

1000 mg/L 96 h	15,400 mg/L 96 h	1,340 mg/L 96 h
----------------	------------------	-----------------

#### Other data

ſ	Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the	
l		aquatic environment source information	aquatic environment source information	
ſ	Methanol-d4	Based on the NITE GHS classification	Based on the NITE GHS classification	
L		results.	results.	

Persistence and degradability
Bioaccumulative potential
Mobility in soil
Hazard to the ozone layer

No information available
No information available
No information available

# **Section 13: DISPOSAL CONSIDERATIONS**

#### Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

# Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

# **Section 14: TRANSPORT INFORMATION**

ADR/RID

UN number UN1230
Proper shipping name: Methanol
UN classfication 3
Subsidiary hazard class 6.1
Packing group II

Marine pollutant Not applicable

**IMDG** 

UN number UN1230
Proper shipping name: Methanol
UN classfication 3
Subsidiary hazard class 6.1
Packing group II

Marine pollutant (Sea) Not applicable

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

**IATA** 

UN number UN1230
Proper shipping name: Methanol
UN classfication 3
Subsidiary hazard class 6.1
Packing group II

Environmentally Hazardous Not applicable

**Substance** 

# **Section 15: REGULATORY INFORMATION**

Japanese regulations

Fire Service Act Category IV, alcohols, dangerous grade 2 water-soluble

Poisonous and Deleterious Deleterious Substances 3rd. Grade Substances Control Law

Industrial Safety and Health Act Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)

Notifiable Substances (Law Art.57-2)

Class 2 Organic Solvents (Enforcement Order Attached Table No.6-2, Ordinance on

Prevention of Organic Solvent Poisoning Art.1, Para.1, Item 5)

Dangerous Substances - Flammable Substance (Enforcement Order Attached Table 1

Item 4)

Working Environment Evaluation Standards, Administrative Control Levels (Law Art.65-2,

Para.1) 【2024.4.1~】Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)

Industrial Safety and Health Act (

2024~)

Regulations for the carriage and storage of dangerous goods in ship

Flammable Liquids (Ordinance Art.3, Ministry of Transportation Ordinance Regarding

Transport by Ship and Storage, Attached Table 1)

**Civil Aeronautics Law** Flammable Liquids (Ordinance Art.194, MITL Nortification for Air Transportation of

Explosives etc., Attached Table 1)

**Marine Pollution Prevention** 

Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Y

Pollutant Release and Transfer Not applicable

**Register Law** (2023.4.1-)

**Export Trade Control Order** Appendix 1 Export licensed items

**Air Pollution Control Law Specified Substances** 

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
Methanol-d4 811-98-3 ( 99.9 )	Applicable	Applicable	-

# **Section 16: OTHER INFORMATION**

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

**Record of SDS revisions** Disclaimer

The following contents were revised. Regulatory information.

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. \*JIS: Japanese Industrial Standards

**End of Safety Data Sheet**