



SAFETY DATA SHEET

According to JIS Z 7253:2019 Revision date 01-Mar-2024 Revision Number 1.03

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Mercury
Product Code	132-19242,134-19241,136-19245
Supplier	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741
Emergency telephone number Recommended uses Restrictions on use	Fax: +81-6-6203-2029 +81-6-6203-3741 / +81-3-3270-8571 For research use only Seek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

Category 1
Category 2A
Category 1
Category 1A
Category 1
ous system
Category 1
Category 1
Category 1

Pictograms



Hazard statements

H319 - Causes serious eye irritation

H330 - Fatal if inhaled

H360 - May damage fertility or the unborn child

H317 - May cause an allergic skin reaction

H410 - Very toxic to aquatic life with long lasting effects

H400 - Very toxic to aquatic life

H370 - Causes damage to the following organs: respiratory system, cardiovascular system, kidneys, liver, central nervous system

H372 - Causes damage to the following organs through prolonged or repeated exposure: nervous system, cardiovascular system, blood, liver, gum

Precautionary statements-(Prevention)

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

- · Use personal protective equipment as required
- · Contaminated work clothing should not be allowed out of the workplace
- Wear protective gloves
- · Do not breathe dust/fume/gas/mist/vapors/spray
- · Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product

Avoid release to the environment

Precautionary statements-(Response)

• IF exposed: Call a POISON CENTER or doctor/physician

• IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

- · If eye irritation persists: Get medical advice/attention
- · IF ON SKIN: Wash with plenty of soap and water
- · If skin irritation or rash occurs: Get medical advice/attention
- · Wash contaminated clothing before reuse
- Collect spillage

Precautionary statements-(Storage)

Store locked up

Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

Others

Other hazards

Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula

Hg

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Mercury	99.5	200.59	-	N/A	7439-97-6

Note on ISHL No.: * in the table means announced chemical substances.

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment **Unsuitable extinguishing media**

No information available **Specific hazards arising from the chemical product** Thermal decomposition can lead to release of irritating and toxic gases and vapors. **Special extinguishing method**

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Avoids contact with acids. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Storage

Safe storage conditions	
Storage conditions	Store away from sunlight in well-ventilated place at room temperature (preferably cool).
	Keep container tightly closed. Store locked up.
Safe packaging material	Glass
Incompatible substances	Ammonia, Acetylene, Chlorine
-	

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Mercury	TWA: 0.025 mg/m ³ OEL	ISHL/ACL: 0.025 mg/m ³	TWA: 0.025 mg/m ³
7439-97-6	ISHL/ACL: 0.025 mg/m ³	_	Skin

Personal protective equipment Respiratory protection Gas mask Hand protection Chemical protective gloves (JIS T 8116) Eye protection protective eyeglasses or chemical safety goggles (JIS T 8147) Skin and body protection Long-sleeved work clothes General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form	
Color	silver white
Appearance	liquid
Odor	no data available
Melting point/freezing point	-39 °C
Boiling point, initial boiling point and boiling range	357 °C
Flammability	no data available
Evaporation rate:	no data available
Flammability (solid, gas):	no data available
Upper/lower flammability or explosive limits	
Upper:	no data available
Lower:	no data available
Flash point	no data available
Auto-ignition temperature:	no data available
Decomposition temperature:	no data available
рН	no data available
Viscosity (coefficient of viscosity)	no data available
Dynamic viscosity	no data available
Solubilities	dil. nitric acid : soluble . water , pale sulfuric acid , hydrochloric
	acid : practically insoluble,or insoluble .
n-Octanol/water partition coefficient:(log Pow)	no data available
Vapour pressure	no data available
Specific Gravity / Relative density	13.6 g/mL
Vapour density	no data available
Particle characteristics	no data available

Section 10: STABILITY AND REACTIVITY

Stability

them.

 Reactivity
 no data available

 Chemical stability
 Stable under recommended storage conditions.

 Hazardous reactions
 Stable under recommended storage conditions.

 None under normal processing
 Conditions to avoid

 Extremes of temperature and direct sunlight
 Incompatible materials

 Ammonia, Acetylene, Chlorine
 Hazardous decomposition products

 Mercury oxide
 Mercury oxide

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Mercury	N/A	N/A	=<0.019 mg/L 4 h (Rat)

Chemical Name	Acute toxicity -oral- source	Acute toxicity -dermal- source	Acute toxicity -inhalation gas-
	information	information	source information
Mercury	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
2	classification results.	classification results.	classification results.
Chemical Name	Acute toxicity -inhalation	Acute toxicity -inhalation dust-	Acute toxicity -inhalation mist-
Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
Chemical Name Mercury		source information	-

Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information
Mercury	Based on the NITE GHS classification results.
Serious eye damage/ irritation	
Chemical Name	Serious eye damage/irritation source information
Mercury	Based on the NITE GHS classification results.
Respiratory or skin sensitization	
Chemical Name	Respiratory or Skin sensitization source information
Mercury	Based on the NITE GHS classification results.
Reproductive cell mutagenicity	
Chemical Name	germ cell mutagencity source information
Mercury	Based on the NITE GHS classification results.
Carcinogenicity	
Chemical Name	Carcinogenicity source information
Mercury	Based on the NITE GHS classification results.

Chemical Name	NTP	IARC	ACGIH	JSOH (Japan)
Mercury		Group 3		
7439-97-6				
Reproductive toxicity				· ·
Chemical Name		Reproductive toxicity source information		
Mercury		Based on the NITE GHS classification results.		sults.
STOT-single exposure				
Chemical Name		STOT -single	exposure- source	e information
Mercury		Based on the NITE GHS classification results.		
STOT-repeated exposure				
Chemical Name		STOT -repeate	d exposure- sou	rce information
Mercury		Based on the NITE GHS classification results.		
Aspiration hazard		•		
Chemical Name		Aspiration	Hazard source i	nformation
Mercurv		Based on the NITE GH	S classification re	sults.

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Mercury	N/A	LC50 : Cyprinus carpio	LC50 : Artemia salina
		0.16 mg/L 96 h	0.006 mg/L 96 h
		LC50 : Cyprinus carpio	
		0.18 mg/L 96 h	
		LC50 : Cyprinus carpio	
		0.5 mg/L 96 h	
		LC50 : Oryzias latipes	
		0.9 mg/L 96 h	

Other data

Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the

	aquatic environment source information	aquatic environment source information
Mercury	Based on the NITE GHS classification	Based on the NITE GHS classification
· · · · · · · · · · · · · · · · · · ·	results.	results.

Persistence and degradability	No information available
Bioaccumulative potential	No information available
Mobility in soil	No information available
Hazard to the ozone layer	No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations. Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID UN number Proper shipping name: UN classfication Subsidiary hazard class Packing group Marine pollutant	UN2809 Mercury 8 6.1 III Yes
IMDG	
UN number	UN2809
Proper shipping name:	Mercury
UN classfication	8
Subsidiary hazard class	
Packing group	III
Marine pollutant (Sea)	Yes
Transport in bulk according to	No information available
Annex II of MARPOL 73/78 and the IBC Code	
UN number	UN2809
Proper shipping name:	Mercury
UN classfication	8
Subsidiary hazard class	
Packing group	III
Environmentally Hazardous	Yes
Substance	

Section 15: REGULATORY INFORMATION

Japanese regulations	
Fire Service Act	Firefighting Inhibitor
Poisonous and Deleterious	Poisonous Substances 2nd. Grade
Substances Control Law	
Industrial Safety and Health A	ct Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)
	Notifiable Substances (Law Art.57-2)
	Group 2 Specified Chemical Substance
	Working Environment Evaluation Standards, Administrative Control Levels (Law Art.65-2,
	Para.1)
Industrial Safety and Health Act ([2024.4.1~] Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)
<u>2024~)</u>	

Regulations for the carriage and storage of dangerous goods in ship	Corrosive Substances (Ordinance Art.3, Ministry of Transportation Ordinance Regarding Transport by Ship and Storage, Attached Table 1)
Civil Aeronautics Law	Corrosive Substances (Ordinance Art.194, MITL Nortification for Air Transportation of Explosives etc., Attached Table 1)
Pollutant Release and Transfer Register Law (2023.4.1-)	r Class 1
Class 1 - No.	237
Water Pollution Control Act	Harmful Substances (Law Art.2, Enforcement Order Art.2, Ordinace Designating Wastewater Standards Art.1)
Export Trade Control Order Air Pollution Control Law Soil Contamination Control La	Appendix 2 Export Approval Item Priority Chemical Substances wDesignated Hazardous Substances

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
Mercury 7439-97-6(99.5)	Applicable	Applicable	Applicable

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.	NITE: National Institute of Technology and Evaluation (JAPAN) http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS Dictionary of Synthetic Oraganic Chemistry, SSOCJ, Koudansha Scientific Co.Ltd. Chemical Dictionary, Kyouritsu Publishing Co., Ltd. etc
Record of SDS revisions	The following contents were revised. Regulatory information.

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet