



SAFETY DATA SHEET

According to JIS Z 7253:2019 Revision date 01-Mar-2024 Revision Number 1.01

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Manganese Standard Solution (Mn 1000)[CRM]		
Product Code	130-19461		

FUJIFILM Wako Pure Chemical Corporation **Supplier**

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

+81-6-6203-3741 / +81-3-3270-8571 **Emergency telephone number**

Recommended uses For research use only

Restrictions on use Seek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification

Classification of the substance or mixture

Category 1 Corrosive to metals **Acute toxicity - Inhalation (Vapors)** Category 3 Skin corrosion/irritation Category 1 Serious eye damage/eye irritation Category 1 **Reproductive Toxicity** Category 1B Specific target organ toxicity (single exposure) Category 2

Category 2 respiratory system

Specific target organ toxicity (repeated exposure) Category 2

Category 2 respiratory system, teeth





Hazard statements

H290 - May be corrosive to metals

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

H331 - Toxic if inhaled

H360 - May damage fertility or the unborn child

H371 - May cause damage to the following organs: respiratory system

Danger

H373 - May cause damage to the following organs through prolonged or repeated exposure: respiratory system, teeth

Precautionary statements-(Prevention)

- Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood
- · Use personal protective equipment as required
- · Use only outdoors or in a well-ventilated area
- Do not breathe dust/fume/gas/mist/vapors/spray

- · Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product
- · Keep only in original container

Precautionary statements-(Response)

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- Immediately call a POISON CENTER or doctor/physician
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- Wash contaminated clothing before reuse
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
- Absorb spillage to prevent material damage

Precautionary statements-(Storage)

- Store in a well-ventilated place. Keep container tightly closed
- Store locked up
- Store in corrosive resistant/ container with a resistant inner liner

Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Mixture

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Water	<95	18.02	-	N/A	7732-18-5
Nitric Acid	5	63.01	(1)-394	*	7697-37-2
Manganese	<0.1	54.938	-	N/A	7439-96-5

Note on ISHL No.:

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

^{*} in the table means announced chemical substances.

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Avoid contact with alkaline substances. Avoid contact with metal. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Storage

Safe storage conditions

Storage conditions Store away from sunlight in well-ventilated place at room temperature (under 25 °C).

Keep container tightly closed.

Safe packaging material

Polyethylene

Incompatible substances

alkaline substances, Metals

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Nitric Acid	TWA: 2 ppm OEL	N/A	STEL: 4 ppm
7697-37-2	TWA: 5.2 mg/m ³ OEL		TWA: 2 ppm
Manganese 7439-96-5	TWA: 0.02 mg/m³ OEL TWA: 0.1 mg/m³ OEL ISHL/ACL: 0.2 mg/m³	ISHL/ACL: 0.2 mg/m ³	TWA: 0.02 mg/m³ respirable particulate matter TWA: 0.1 mg/m³ inhalable particulate matter

Personal protective equipment

Respiratory protection Gas mask for acidic gas (JIS T 8152) Hand protection chemical protective gloves (JIS T 8116)

Eye protection protective eyeglasses or chemical safety goggles (JIS T 8147)

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to

them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

ColorcolorlessTurbidityclearAppearanceliquid

Odor

Melting point/freezing point

Boiling point, initial boiling point and boiling range
Flammability

Evaporation rate:

Flammability (solid, gas):

no data available
no data available
no data available
no data available

Upper/lower flammability or explosive limits

no data available Upper: no data available Lower: no data available Flash point **Auto-ignition temperature:** no data available **Decomposition temperature:** no data available Strongly acidic Viscosity (coefficient of viscosity) no data available Dynamic viscosity no data available **Solubilities** No data available no data available n-Octanol/water partition coefficient:(log Pow) Vapour pressure no data available Specific Gravity / Relative density no data available no data available Vapour density no data available Particle characteristics

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available

Chemical stability Stable under recommended storage conditions.

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight

Incompatible materials

alkaline substances, Metals

Hazardous decomposition products

Nitrogen oxides (NOx), Metal oxides

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

	Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
--	---------------	-----------	-------------	-----------------

classification results.

classification results.

Based on the NITE GHS

Nitric Acid	N/A	N/A	334 ppm (Rat) 0.5 h
Manganese	> 2000 mg/kg (Rat)	N/A	> 5.14 mg/L (Rat) 4 h
Chemical Name	Acute toxicity -oral- source	Acute toxicity -dermal- source	e Acute toxicity -inhalation gas-
Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	te Acute toxicity -inhalation gas-

classification results.

classification results.

Based on the NITE GHS

classification results.

classification results.

Based on the NITE GHS

Chemical Name	•	_	Acute toxicity -inhalation mist-
	vapor- source information	source information	source information
Nitric Acid	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	Classification results.	classification results.	Classification results.
Manganese	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
Ŭ.	classification results.	classification results.	classification results.

Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information
Nitric Acid	Based on the NITE GHS classification results.
Manganese	Based on the NITE GHS classification results.

Serious eye damage/ irritation

Manganese

Chemical Name	Serious eye damage/irritation source information
Nitric Acid	Based on the NITE GHS classification results.
Manganese	Based on the NITE GHS classification results.

Respiratory or skin sensitization

Chemical Name	Respiratory or Skin sensitization source information
Nitric Acid	Based on the NITE GHS classification results.
Manganese	Based on the NITE GHS classification results.

Reproductive cell mutagenicity

Chemical Name	germ cell mutagencity source information
Nitric Acid	Based on the NITE GHS classification results.
Manganese	Based on the NITE GHS classification results.

Carcinogenicity

Chemical Name	Carcinogenicity source information
Nitric Acid	Based on the NITE GHS classification results.
Manganese	Based on the NITE GHS classification results.

Reproductive toxicity

Chemical Name	Reproductive toxicity source information
Nitric Acid	Based on the NITE GHS classification results.
Manganese	Based on the NITE GHS classification results.
	·

STOT-single exposure

Chemical Name	STOT -single exposure- source information	
Nitric Acid Based on the NITE GHS classification results.		
Manganese	Based on the NITE GHS classification results.	

STOT-repeated exposure

	Chemical Name	STOT -repeated exposure- source information
	Nitric Acid	Based on the NITE GHS classification results.
Manganese Based on the NITE GHS classifica		Based on the NITE GHS classification results.

Aspiration hazard

Aspiration hazard				
Chemical Name	Aspiration Hazard source information			
Nitric Acid	Based on the NITE GHS classification results.			
Manganese	Based on the NITE GHS classification results.			

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Nitric Acid	N/A	LC50 : Gambusia affinis	N/A
		72 mg/L 96 h	
Manganese	ErC50 : Desmodesmus	LC50: >3.6mg/L (96h,	N/A
	4.5 mg/L 72 h	Oncorhynchus mykiss)	

Other data

Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the	
	aquatic environment source information	aquatic environment source information	
Nitric Acid	Based on the NITE GHS classification	Based on the NITE GHS classification	
	results.	results.	
Manganese	Based on the NITE GHS classification	Based on the NITE GHS classification	
_	results.	results.	

Persistence and degradability No information available **Bioaccumulative potential** No information available Mobility in soil No information available Hazard to the ozone layer No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID

UN2031 **UN** number Proper shipping name: Nitric acid

UN classfication

Subsidiary hazard class

Packing group Ш

Marine pollutant Not applicable

IMDG

UN number UN2031 Proper shipping name: Nitric acid

UN classfication

Subsidiary hazard class

Packing group

Marine pollutant (Sea) Not applicable

No information available Transport in bulk according to

Annex II of MARPOL 73/78 and

the IBC Code

IATA

UN2031 **UN** number Proper shipping name: Nitric acid

UN classfication

Subsidiary hazard class Packing group

Environmentally Hazardous Not applicable

Substance

Section 15: REGULATORY INFORMATION

Japanese regulations

Fire Service Act
Poisonous and Deleterious
Substances Control Law

Not applicable Not applicable

Industrial Safety and Health Act Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)

Notifiable Substances (Law Art.57-2)

Group 3 Specified Chemical Substance, (Ordinance on Prevention of Hazards Due to

Specified Chemical Substances Art.2 Para.1, Item 6)

Industrial Safety and Health Act (

2024~)

【2024.4.1~】Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)

Regulations for the carriage and storage of dangerous goods in ship Corrosive Substances (Ordinance Art.3, Ministry of Transportation Ordinance Regarding

Transport by Ship and Storage, Attached Table 1)

Civil Aeronautics Law Corrosive Substances (Ordinance Art.194, MITL Nortification for Air Transportation of

Explosives etc., Attached Table 1)

Pollutant Release and Transfer Not applicable

Register Law (2023.4.1-)

Water Pollution Control Act Harmful Substances (Law Art.2, Enforcement Order Art.2, Ordinace Designating

Wastewater Standards Art.1)

Specified substances(Law Art.2 Para.4, Enforcement Order Art.3-3)

Export Trade Control Order Air Pollution Control Law

Not applicable Hazardous Air Pollutants, Priority Chemical Substances

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
Nitric Acid 7697-37-2 (5)	-	Applicable	-

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances
Japan Industrial Safety and Health Association GHS Model SDS

 $\label{eq:continuous} \mbox{Dictionary of Synthetic Oraganic Chemistry} \ , \mbox{SSOCJ}, \mbox{Koudansha Scientific Co.Ltd}.$

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

Record of SDS revisions Disclaimer

The following contents were revised. Regulatory information.

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet