



SAFETY DATA SHEET

According to JIS Z 7253:2019

Revision date 26-Feb-2024

Revision Number 6.07

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name Nickel, Powder, through 150um(100mesh)	
Product Code	145-00982,149-00985
Supplier	FUJIFILM Wako Pure Chemical Corporation

FUJIFILM Wako Pure Chemical Corporation
1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

T-2 Dosnomacni 3-Chome, Chuo-ku, Osaka 540-8605, Japa

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571

Recommended uses For research use only

Restrictions on useSeek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification

Classification of the substance or mixture

Respiratory sensitizationCategory 1Skin sensitizationCategory 1CarcinogenicityCategory 2Specific target organ toxicity (single exposure)Category 1

Category 1 respiratory system, kidneys

Specific target organ toxicity (repeated exposure) Category 1

Category 1 respiratory system

Pictograms



Signal word

Danger

Hazard statements

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

H351 - Suspected of causing cancer

H317 - May cause an allergic skin reaction

H370 - Causes damage to the following organs: respiratory system, kidneys

H372 - Causes damage to the following organs through prolonged or repeated exposure: respiratory system

Precautionary statements-(Prevention)

- · Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood
- · Use personal protective equipment as required
- In case of inadequate ventilation wear respiratory protection
- · Contaminated work clothing should not be allowed out of the workplace
- Wear protective gloves
- Do not breathe dust/fume/gas/mist/vapors/spray
- · Wash face, hands and any exposed skin thoroughly after handling
- · Do not eat, drink or smoke when using this product

Precautionary statements-(Response)

- IF exposed: Call a POISON CENTER or doctor/physician
- IF ON SKIN: Wash with plenty of soap and water
- If skin irritation or rash occurs: Get medical advice/attention
- · Wash contaminated clothing before reuse
- IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing
- If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician

Precautionary statements-(Storage)

Store locked up

Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula Ni

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Nickel	99.0	58.693	-	N/A	7440-02-0

Note on ISHL No.:

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

^{*} in the table means announced chemical substances.

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Sweep up and gather scattered particles, and collect it in an empty airtight container.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Avoids contact with acids. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Storage

Safe storage conditions

Storage conditions Store away from sunlight in well-ventilated place at room temperature (preferably cool).

Keep container tightly closed.

Safe packaging material Glass Incompatible substances Acids

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

	Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Γ	Nickel	TWA: 1 mg/m³ OEL	ISHL/ACL: 0.1 mg/m ³	TWA: 1.5 mg/m ³ inhalable
	7440-02-0		-	particulate matter

	Chemical Name	Concentration standard value set by the Minister of Health, Labor and Welfare (8hr)	Concentration standard value set by the Minister of Health, Labor and Welfare (Short-Term)
Ī	Nickel 7440-02-0	1 mg/m³	N/A

Personal protective equipment

Respiratory protection Dust mask (JIS T 8151)

Hand protection chemical protective gloves (JIS T 8116)

Eye protection protective eyeglasses or chemical safety goggles (JIS T 8147)

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

Colorgrayish brownAppearancepowder

Odor no data available

Melting point/freezing point 1455 °C

Boiling point, initial boiling point and boiling range 3075 °C

Flammability no data available rapporation rate: no data available no data available no data available no data available

Upper/lower flammability or explosive limits

no data available Upper: Lower: no data available Flash point no data available Auto-ignition temperature: no data available **Decomposition temperature:** no data available рΗ no data available Viscosity (coefficient of viscosity) no data available Dynamic viscosity no data available

Solubilities water : insoluble . dil. hydrochloric acid : slightly soluble . hot

nitric acid: freely soluble.

n-Octanol/water partition coefficient:(log Pow)
No data available
Napour pressure
No data available
Napour density
No data available
Napour density
No data available
Particle characteristics
No data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available

Chemical stability Stable under recommended storage conditions.

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight

Incompatible materials

Acids

Hazardous decomposition products

Metal oxides

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Nickel	> 9000 mg/kg (Rat)	N/A	N/A

Chemical Name	Acute toxicity -oral- source	Acute toxicity -dermal- source	Acute toxicity -inhalation gas-	
	information	information	source information	

Nickel	Based on the N	IITE GHS	Based	on the NITE GHS		Based on	the NITE GHS
			fication results.			tion results.	
Chemical Name	Acute toxic	ity -inhalation	Acute	toxicity -inhalation	dust-	Acute to	xicity -inhalation mist-
		ce information		source information		so	urce information
Nickel	Based on the N			d on the NITE GHS			the NITE GHS
	classification re	sults.	classi	fication results.		Classifica	ation results.
Skin irritation/corrosion							
Chem	cal Name			Skin corrosion	/irritat	ion sourc	e information
	lickel		Bas	ed on the NITE GHS	classif	ication res	sults.
Serious eye damage/ irritation							
	cal Name			Serious eye dama	age/irri	tation so	urce information
	lickel		Bas	ed on the NITE GHS			
Respiratory or skin sensitizati							
	cal Name			Respiratory or Skin sensitization source information			
	lickel		Bas	Based on the NITE GHS classification results.			
Reproductive cell mutagenicit							
Chemical Name				germ cell mutagencity source information			
	lickel		Bas	Based on the NITE GHS classification results.			
Carcinogenicity	iiokei		Dao	00 011 1110 11112 0110	Olaboli	1001101110	outo.
	ical Name			Carcinoge	nicity	source in	formation
	lickel		Ras	ed on the NITE GHS			
1	IIUNGI		Das	ca on the Mile on to	Ciassii	ication rec	Julio.
Chemical Nam	•	NTP		IARC	Λ	CGIH	JSOH (Japan)
Nickel	е	Known		Group 2B		CGIII	Group 1
7440-02-0		Reasonably		Group 26			Group 2B
7440-02-0		Anticipated					0.042
Reproductive toxicity		Anticipated					
	cal Name			Penroductive	tovici	ty source	information
	lickel		Bac	Reproductive toxicity source information Based on the NITE GHS classification results.			
	IICKEI		Das	ed on the NITE on IS	Classii	ication res	ouito.
STOT-single exposure	aal Nama			STOT -single o	vnoci	ro- courc	o information
Chemical Name Nickel			Bac	STOT -single exposure- source information Based on the NITE GHS classification results.			
	iickei		Das	ed on the INITE GHS	UIASSII	ication les	ouito.
STOT-repeated exposure	aal Nama			STOT reposted	ovnes	uro occi	roo information
	cal Name		Par	STOT -repeated exposure- source information Based on the NITE GHS classification results.			
	lickel		Bas	eu on the NHE GHS	ciassii	ication res	ouits.
Aspiration hazard				A 1	1		
Chemical Name				Aspiration Hazard source information			

Section 12: ECOLOGICAL INFORMATION

Based on the NITE GHS classification results.

Ecotoxicity No information available

Nickel

Other data

Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the
	aquatic environment source information	aquatic environment source information
Nickel	Based on the NITE GHS classification	Based on the NITE GHS classification
	results.	results.

Persistence and degradability
Bioaccumulative potential
Mobility in soil
Hazard to the ozone layer

No information available
No information available
No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID Not regulated

UN number

Proper shipping name: **UN classfication**

Subsidiary hazard class

Packing group

Marine pollutant Not applicable

IMDG Not regulated

UN number

Proper shipping name: **UN classfication** Subsidiary hazard class

Packing group

Marine pollutant (Sea) Not applicable

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

IATA Not regulated

UN number

Proper shipping name: **UN classfication** Subsidiary hazard class

Packing group

Environmentally Hazardous Not applicable

Substance

Section 15: REGULATORY INFORMATION

Japanese regulations

Fire Service Act Not applicable **Poisonous and Deleterious** Not applicable

Substances Control Law

Industrial Safety and Health Act Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)

Notifiable Substances (Law Art.57-2)

Not applicable

Industrial Safety and Health Act (【2024.4.1~】Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1) 2024~)

Regulations for the carriage

and storage of dangerous

Civil Aeronautics Law Not applicable Pollutant Release and Transfer Class 1

Register Law (2023.4.1-)

goods in ship

Class 1 - No. 308

Water Pollution Control Act Specified substances(Law Art.2 Para.4, Enforcement Order Art.3-3)

Not applicable **Export Trade Control Order**

Hazardous Air Pollutants Air Pollution Control Law

Chemical Name	Poisonous and Deleterious	Industrial Safety and Health Act	Pollutant Release and Transfer
	Substances Control Law	Substances	Register Law
		(Law Art.57-2)	(2023.4.1-)
Nickel	-	Applicable	Applicable
7440-02-0 (99.0)			

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances
Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry, SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

Record of SDS revisions Disclaimer

The following contents were revised. Regulatory information.

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet