



# SAFETY DATA SHEET

According to JIS Z 7253:2019 Revision date 30-Mar-2022 Revision Number 6.03

# Section 1: PRODUCT AND COMPANY IDENTIFICATION

| Product Name | 1-Nonanol                               |
|--------------|---|
| Product Code | 147-02902                               |
| Manufacturer | FUJIFILM Wako Pure Chemical Corporation |

1-2 Doshomachi 3-Chome

Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741

Fax: +81-6-6203-5964 Supplier FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

**Emergency telephone number** 

+81-6-6203-3741 / +81-3-3270-8571 For research use only

Recommended uses and restrictions on use

# **Section 2: HAZARDS IDENTIFICATION**

**GHS** classification

Classification of the substance or mixture

Category 4 Flammable liquids Acute toxicity - Inhalation (Vapors) Category 4 Serious eye damage/eye irritation Category 2A Specific target organ toxicity (single exposure) Category 3

Category 3 Respiratory irritation

Specific target organ toxicity (repeated exposure) Category 2

Category 2 eye

Acute aquatic toxicity Category 2 Chronic aquatic toxicity Category 2

**Pictograms** 



# **Hazard statements**

H227 - Combustible liquid

H319 - Causes serious eye irritation

H332 - Harmful if inhaled

H335 - May cause respiratory irritation

H401 - Toxic to aquatic life

H411 - Toxic to aquatic life with long lasting effects

H373 - May cause damage to the following organs through prolonged or repeated exposure: eye

#### **Precautionary statements-(Prevention)**

· Use only outdoors or in a well-ventilated area

- · Wash face, hands and any exposed skin thoroughly after handling
- Wear protective gloves/protective clothing/eye protection/face protection
- Do not breathe dust/fume/gas/mist/vapors/spray
- Avoid release to the environment
- · Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- Keep cool

#### Precautionary statements-(Response)

- · Get medical advice/attention if you feel unwell
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- Call a POISON CENTER or doctor/physician if you feel unwell
- In case of fire: Use CO2, dry chemical, or foam for extinction
- Collect spillage

# Precautionary statements-(Storage)

- Store in a well-ventilated place. Keep container tightly closed
- · Store locked up

#### Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

**Others** 

Other hazards Not available

# Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula CH3(CH2)8OH

| Chemical Name | Weight-% | Molecular weight | ENCS    | ISHL No. | CAS RN   |
|---------------|----------|------------------|---------|----------|----------|
| 1-Nonanol     | 95.0     | 144.25           | (2)-217 | 公表       | 143-08-8 |

Note on ISHL No.: \* in the table means announced chemical substances.

Impurities and/or Additives: Not applicable

# **Section 4: FIRST AID MEASURES**

#### Inhalation

Remove to fresh air. If symptoms persist, call a physician.

#### Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

### Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

#### Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

#### Protection of first-aiders

Use personal protective equipment as required.

# **Section 5: FIRE FIGHTING MEASURES**

### Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

#### Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

#### Special extinguishing method

No information available

# Special protective actions for

#### fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

# Section 6: ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

# **Environmental precautions**

To be careful not discharged to the environment without being properly handled waste water contaminated.

### Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

#### Recoverly, neutralization

No information available

### Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

# Section 7: HANDLING AND STORAGE

# **Handling**

#### **Technical measures**

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Use with local exhaust ventilation.

#### **Precautions**

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle In places other than those specified, should not be smoking or eating and drinking Should not be brought contaminated protective equipment and gloves to rest stops Deny unnecessary entry of non-emergency personnel to the handling area

# Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

#### Storage

Safe storage conditions

Storage conditions Store away from sunlight in well-ventilated place at room temperature (preferably cool).

Keep container tightly closed.

Safe packaging material Glass

Incompatible substances Strong oxidizing agents

# Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Engineering controls**

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

Personal protective equipment

Respiratory protection Protective mask Hand protection Protective gloves

Eye protection protective eyeglasses or chemical safety goggles

Long-sleeved work clothes

# Skin and body protection

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

# **Section 9: PHYSICAL AND CHEMICAL PROPERTIES**

**Form** 

Color Colorless - nearly colorless

Turbidity clear Appearance liquid

**Odor** characteristic odor

Melting point/freezing point -8--6 °C Boiling point, initial boiling point and boiling range 215 °C

Flammability Combustible liquid Evaporation rate: no data available Flammability (solid, gas): no data available

Upper/lower flammability or

explosive limits

Upper:no data availableLower:no data available

Flash point 75 °C Auto-ignition temperature: 260 °C

Decomposition temperature:no data availablepHno data availableViscosity (coefficient of viscosity)no data available

Dynamic viscosity no data available no data available

**Solubilities** Ethanol , acetone : freely soluble . water : practically

insoluble, or insoluble.

n-Octanol/water partition coefficient:(log Pow)no data availableVapour pressureno data availableSpecific Gravity / Relative density0.824 - 0.831 g/mLVapour density5.01 (air=1)

Vapour density5.01 (air=1)Particle characteristicsno data available

# **Section 10: STABILITY AND REACTIVITY**

#### Stability

**Reactivity** no data available

**Chemical stability** Stable under recommended storage conditions.

**Hazardous reactions** 

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

Incompatible materials

Strong oxidizing agents

**Hazardous decomposition products** 

Carbon monooxide (CO), Carbon dioxide (CO2)

# **Section 11: TOXICOLOGICAL INFORMATION**

**Acute toxicity** 

| Chemical Name | Oral LD50        | Dermal LD50         | Inhalation LC50 |
|---------------|------------------|---------------------|-----------------|
| 1-Nonanol     | 3560 mg/kg (Rat) | 5660 μL/kg (Rabbit) | N/A             |
|               |                  | 2960 mg/kg (Rabbit) |                 |

| Chemical Name | Acute toxicity -oral- source | Acute toxicity -dermal- source | Acute toxicity -inhalation gas- |
|---------------|------------------------------|--------------------------------|---------------------------------|
|               | information                  | information                    | source information              |
| 1-Nonanol     | Based on the NITE GHS        | Based on the NITE GHS          | Based on the NITE GHS           |
|               | classification results.      | classification results.        | classification results.         |

| Chemical Name | Acute toxicity -inhalation vapor- source information | Acute toxicity -inhalation dust-<br>source information | Acute toxicity -inhalation mist-<br>source information |
|---------------|--|--|--|
|               |  |  | Based on the NITE GHS classification results.          |

# Skin irritation/corrosion

| Chemical Name                  | Skin corrosion/irritation source information  |
|--------------------------------|---|
| 1-Nonanol                      | Based on the NITE GHS classification results. |
| Serious eye damage/ irritation |   |

| Chemical Name | Serious eye damage/irritation source information |
|---------------|--|
| 1-Nonanol     | Based on the NITE GHS classification results.    |
| <br>          |  |

### Respiratory or skin sensitization

| Chemical Name | Respiratory or Skin sensitization source information |
|---------------|--|
| 1-Nonanol     | Based on the NITE GHS classification results.        |

Reproductive cell mutagenicity

| Chemical Name | germ cell mutagencity source information      |
|---------------|---|
| 1-Nonanol     | Based on the NITE GHS classification results. |
|               |   |

Carcinogenicity

| Chemical Name | Carcinogenicity source information            |
|---------------|---|
| 1-Nonanol     | Based on the NITE GHS classification results. |

Reproductive toxicity

| Reproductive toxicity |   |  |
|-----------------------|---|--|
| Chemical Name         | Reproductive toxicity source information      |  |
| 1-Nonanol             | Based on the NITE GHS classification results. |  |

STOT-single exposure

| Chemical Name | STOT -single exposure- source information     |  |
|---------------|---|--|
| 1-Nonanol     | Based on the NITE GHS classification results. |  |

STOT-repeated exposure

| 5.5.10ptmtow 6xptown.t |   |  |  |
|------------------------|---|--|--|
| Chemical Name          | STOT -repeated exposure- source information   |  |  |
| 1-Nonanol              | Based on the NITE GHS classification results. |  |  |

**Aspiration hazard** 

| Chemical Name | cal Name Aspiration Hazard source information |  |
|---------------|---|--|
| 1-Nonanol     | Based on the NITE GHS classification results. |  |

# **Section 12: ECOLOGICAL INFORMATION**

# **Ecotoxicity**

| Chemical Name | Algae/aquatic plants         | Fish                        | Crustacea |
|---------------|------------------------------|-----------------------------|-----------|
| 1-Nonanol     | EC50 (Pseudokirchneriella    | LC50(Pimephales promelas) : | N/A       |
|               | subcapitata ) : 2.2 mg/L 72h | 5.41 - 5.63 mg/L 96 h       |           |

# Other data

| Othor data    |   |                                      |
|---------------|---|--------------------------------------|
| Chemical Name | Short-term (acute) hazardous to the aquatic environment source aquatic environment so |                                      |
|               | information   | information                          |
| 1-Nonanol     | Based on the NITE GHS classification  | Based on the NITE GHS classification |
|               | results.  | results.                             |

Persistence and degradability Bioaccumulative potential Mobility in soil Hazard to the ozone layer Mobility

No information available No information available No information available No information available

# **Section 13: DISPOSAL CONSIDERATIONS**

# Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

#### Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

# **Section 14: TRANSPORT INFORMATION**

ADR/RID

UN number UN3082

Proper shipping name: Environmentally hazardous substance, liquid, n.o.s. (1-Nonanol)

UN classfication 9
Subsidiary hazard class

Packing group III
Marine pollutant Yes

**IMDG** 

UN number UN3082

Proper shipping name: Environmentally hazardous substance, liquid, n.o.s. (1-Nonanol)

UN classfication Subsidiary hazard class

Packing group III
Marine pollutant (Sea) Yes

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

**IATA** 

UN number UN3082

Proper shipping name: Environmentally hazardous substance, liquid, n.o.s. (1-Nonanol)

UN classfication 9

Subsidiary hazard class

Packing group III Environmentally Hazardous Yes

**Substance** 

### Section 15: REGULATORY INFORMATION

**International Inventories** 

EINECS/ELINCS Listed
TSCA Listed

Japanese regulations

Fire Service Act Category IV, Class III petroleums, dangerous grade 3

Poisonous and Deleterious Not applicable

**Substances Control Law** 

Industrial Safety and Health Act Not applicable

Regulations for the carriage Noxious Substances (Ordinance Art.3, Ministry of Transportation Ordinance Regarding

and storage of dangerous Transport by Ship and Storage, Attached Table 1)

goods in ship

**Civil Aeronautics Law** Misellaneous Dangerous Substances and Articles (Ordinance Art.194, MITL Nortification

for Air Transportation of Explosives etc., Attached Table 1)

Marine Pollution Prevention Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Y

Law

Pollutant Release and Transfer Class 1

Register Law (~2023.3.31)

Class 1 - No. 319
Pollutant Release and Transfer Class 1

Register Law (2023/4/1~)

<u>Class 1 - No.</u> 319

**Export Trade Control Order** Not applicable

\_\_\_\_\_\_

| Chemical Name                  | Poisonous and Deleterious<br>Substances Control Law | Industrial Safety and Health Act<br>Substances<br>(Law Art.57-2)<br>(~2024.3.31) | Pollutant Release and Transfer<br>Register Law<br>(~2023.3.31) |
|--------------------------------|---|--|--|
| 1-Nonanol<br>143-08-8 ( 95.0 ) | -   | -  | Applicable   |

# **Section 16: OTHER INFORMATION**

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances
Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

#### **Disclaimer**

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z7252(2019). \*JIS: Japanese Industrial Standards

**End of Safety Data Sheet**