

## SAFETY DATA SHEET

According to JIS Z 7253:2019  
Revision date 28-Sep-2023  
Revision Number 3.04

## Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Ni-agarose
Product Code	141-07983,149-07984

**Supplier** FUJIFILM Wako Pure Chemical Corporation  
1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan  
Phone: +81-6-6203-3741  
Fax: +81-6-6203-2029

**Emergency telephone number** +81-6-6203-3741 / +81-3-3270-8571

**Recommended uses** For research use only

**Restrictions on use** Seek expert judgment when using for purposes other than those recommended.

## Section 2: HAZARDS IDENTIFICATION

## GHS classification

## Classification of the substance or mixture

Serious eye damage/eye irritation

Category 2A

Germ cell mutagenicity

Category 1B

Reproductive Toxicity

Category 1A

Specific target organ toxicity (single exposure)

Category 3

Category 3 Respiratory irritation, Narcotic effects

Specific target organ toxicity (repeated exposure)

Category 1

Category 1 liver

## Pictograms



Signal word

Danger

## Hazard statements

H319 - Causes serious eye irritation

H340 - May cause genetic defects

H360 - May damage fertility or the unborn child

H335 - May cause respiratory irritation

H336 - May cause drowsiness or dizziness

H372 - Causes damage to the following organs through prolonged or repeated exposure: liver

## Precautionary statements-(Prevention)

- Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood
- Use personal protective equipment as required
- Wash face, hands and any exposed skin thoroughly after handling
- Do not breathe dust/fume/gas/mist/vapors/spray
- Do not eat, drink or smoke when using this product
- Use only outdoors or in a well-ventilated area

## Precautionary statements-(Response)

- IF exposed or concerned: Get medical advice/attention

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

**Precautionary statements-(Storage)**

- Store locked up
- Store in a well-ventilated place. Keep container tightly closed

**Precautionary statements-(Disposal)**

- Dispose of contents/container to an approved waste disposal plant

**Others**

Other hazards Not available

**Section 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Single Substance or Mixture Mixture

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
liminodiacetic Acid	50.0	133.10	(2)-418,(2)-1299,(2)-1211	公表	142-73-4
Ni-Agarose	20-40	N/A	N/A	N/A	N/A-14-0798-1
Ethanol	20.0	46.07	(2)-202	*	64-17-5

Note on ISHL No.: \* in the table means announced chemical substances.

Impurities and/or Additives: Not applicable

**Section 4: FIRST AID MEASURES****Inhalation**

Remove to fresh air. If symptoms persist, call a physician.

**Skin contact**

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

**Eye contact**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

**Ingestion**

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

**Protection of first-aiders**

Use personal protective equipment as required.

**Section 5: FIRE FIGHTING MEASURES****Suitable extinguishing media**Water spray (fog), Carbon dioxide (CO<sub>2</sub>), Foam, Extinguishing powder, Sand**Unsuitable extinguishing media**

No information available

**Specific hazards arising from the chemical product**

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

**Special extinguishing method**

No information available

**Special protective actions for****fire-fighters**

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

**Section 6: ACCIDENTAL RELEASE MEASURES**

**Personal precautions, protective equipment and emergency procedures**

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

**Environmental precautions**

To be careful not discharged to the environment without being properly handled waste water contaminated.

**Methods and materials for contaminant and methods and materials for cleaning up**

Sweep up and gather scattered particles, and collect it in an empty airtight container.

**Recovery, neutralization**

No information available

**Secondary disaster prevention measures**

Clean contaminated objects and areas thoroughly observing environmental regulations.

## Section 7: HANDLING AND STORAGE

**Handling****Technical measures**

Avoid contact with strong oxidizing agents. Use with local exhaust ventilation.

**Precautions**

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

**Safety handling precautions**

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

**Storage****Safe storage conditions****Storage conditions**

Store away from sunlight in a cool (2-10 °C) well-ventilated dry place.

**Safe packaging material**

Polyethylene

**Incompatible substances**

Strong oxidizing agents

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

**Engineering controls**

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and hand- and eye-wash facility. And display their position clearly.

**Exposure limits**

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Ethanol 64-17-5	N/A	N/A	STEL: 1000 ppm

**Personal protective equipment****Respiratory protection**

Protective mask

**Hand protection**

chemical protective gloves ( JIS T 8116 )

**Eye protection**

protective eyeglasses or chemical safety goggles

**Skin and body protection**

Long-sleeved work clothes

**General hygiene considerations**

Handle in accordance with good industrial hygiene and safety practice.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

**Form****Color**

slightly blue - pale greenish blue

**Appearance**

suspension

**Odor**

no data available

Melting point/freezing point	no data available
Boiling point, initial boiling point and boiling range	no data available
Flammability	no data available
Evaporation rate:	no data available
Flammability (solid, gas):	no data available
Upper/lower flammability or explosive limits	
Upper:	no data available
Lower:	no data available
Flash point	no data available
Auto-ignition temperature:	no data available
Decomposition temperature:	no data available
pH	no data available
Viscosity (coefficient of viscosity)	no data available
Dynamic viscosity	no data available
Solubilities	No data available
n-Octanol/water partition coefficient:(log Pow)	no data available
Vapour pressure	no data available
Specific Gravity / Relative density	no data available
Vapour density	no data available
Particle characteristics	no data available

## Section 10: STABILITY AND REACTIVITY

### Stability

Reactivity	no data available
Chemical stability	Stable under recommended storage conditions.
Hazardous reactions	None under normal processing
Conditions to avoid	Extremes of temperature and direct sunlight
Incompatible materials	Strong oxidizing agents
Hazardous decomposition products	Carbon monoxide (CO), Carbon dioxide (CO <sub>2</sub> ), Nitrogen oxides (NO <sub>x</sub> ), Metal oxides

## Section 11: TOXICOLOGICAL INFORMATION

### Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Ethanol	6200 mg/kg ( Rat )	20000 mg/kg ( Rabbit )	63000 ppmV ( Rat ) 4 h

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
Ethanol	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
Ethanol	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.

### Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information
Ethanol	Based on the NITE GHS classification results.

### Serious eye damage/ irritation

Chemical Name	Serious eye damage/irritation source information
Ethanol	Based on the NITE GHS classification results.

### Respiratory or skin sensitization

Chemical Name	Respiratory or Skin sensitization source information
---------------	--

Ethanol	Based on the NITE GHS classification results.			
Reproductive cell mutagenicity				
Chemical Name	germ cell mutagenicity source information			
Ethanol	Based on the NITE GHS classification results.			
Carcinogenicity				
Chemical Name	Carcinogenicity source information			
Ethanol	Based on the NITE GHS classification results.			
Chemical Name	NTP	IARC	ACGIH	JSOH (Japan)
Ethanol 64-17-5	Known	Group 1	A3	-
Reproductive toxicity				
Chemical Name	Reproductive toxicity source information			
Ethanol	Based on the NITE GHS classification results.			
STOT-single exposure				
Chemical Name	STOT -single exposure- source information			
Ethanol	Based on the NITE GHS classification results.			
STOT-repeated exposure				
Chemical Name	STOT -repeated exposure- source information			
Ethanol	Based on the NITE GHS classification results.			
Aspiration hazard				
Chemical Name	Aspiration Hazard source information			
Ethanol	Based on the NITE GHS classification results.			

## Section 12: ECOLOGICAL INFORMATION

### Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Ethanol	EC50 : <i>Chlorella alga</i> 1000 mg/L 96 h	LC50 : <i>Oncorhynchus mykiss</i> 11200 ppm 96 h	EC50 : <i>Daphnia magna</i> 5463 mg/L 48 h

### Other data

Chemical Name	Short-term (acute) hazardous to the aquatic environment source information	Long-term (chronic) hazardous to the aquatic environment source information
Ethanol	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.

<b>Persistence and degradability</b>	No information available
<b>Bioaccumulative potential</b>	No information available
<b>Mobility in soil</b>	No information available
<b>Hazard to the ozone layer</b>	No information available

## Section 13: DISPOSAL CONSIDERATIONS

### Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

### Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

## Section 14: TRANSPORT INFORMATION

<b>ADR/RID</b>	Not regulated
<b>UN number</b>	-
<b>Proper shipping name:</b>	
<b>UN classification</b>	
<b>Subsidiary hazard class</b>	

<b>Packing group</b>	
<b>Marine pollutant</b>	Not applicable
<b>IMDG</b>	Not regulated
<b>UN number</b>	-
<b>Proper shipping name:</b>	
<b>UN classification</b>	
<b>Subsidiary hazard class</b>	
<b>Packing group</b>	
<b>Marine pollutant (Sea)</b>	Not applicable
<b>Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code</b>	No information available
<b>IATA</b>	Not regulated
<b>UN number</b>	-
<b>Proper shipping name:</b>	
<b>UN classification</b>	
<b>Subsidiary hazard class</b>	
<b>Packing group</b>	
<b>Environmentally Hazardous Substance</b>	Not applicable

## Section 15: REGULATORY INFORMATION

### Japanese regulations

<b>Fire Service Act</b>	Not applicable
<b>Poisonous and Deleterious Substances Control Law</b>	Not applicable
<b>Industrial Safety and Health Act</b>	Notifiable Substances (Law Art.57-2, Enforcement Order Art.18-2 Attached Table No.9)No.61,418 Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57, Para.1, Enforcement Order Art.18)
<b>Regulations for the carriage and storage of dangerous goods in ship</b>	Not applicable
<b>Civil Aeronautics Law</b>	Not applicable
<b>Pollutant Release and Transfer Register Law (2023.4.1-)</b>	Specified Class 1 No.
<b>Specified Class 1-No.</b>	309
<b>Water Pollution Control Act</b>	Specified substances(Law Art.2 Para.4, Enforcement Order Art.3-3)
<b>Export Trade Control Order</b>	Not applicable

### Pollution Release and Transfer Registry (~2023.3.31)

Class	Chemical Name in Regulation	(Metal Name)	Control number	Content Rate
Specified Class 1	Nickel compounds		309	>0.1

### Industrial Safety and Health Law

Law Name	Chemical Name in Regulation	Ordinance Number	Weight %
Notifiable Substances (Law Art.57-2, Enforcement Order Art.18-2 Attached Table No.9, and Law Art.56-1)	Ethanol	61	20
Notifiable Substances (Law Art.57-2, Enforcement Order Art.18-2 Attached Table No.9, and Law Art.56-1)	Nickel and its compounds	418	>0.1

## Section 16: OTHER INFORMATION

### Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)  
<http://www.safe.nite.go.jp/japan/db.html>  
 IATA dangerous Goods Regulations  
 RTECS:Registry of Toxic Effects of Chemical Substances  
 Japan Industrial Safety and Health Association GHS Model SDS  
 Dictionary of Synthetic Organic Chemistry, SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.  
etc

**Disclaimer**

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. \*JIS: Japanese Industrial Standards

**End of Safety Data Sheet**