



# SAFETY DATA SHEET

According to JIS Z 7253:2019

Revision date 18-May-2023

Revision Number 1.03

# Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	N-Nitrosomethylethylamine Standard
Product Code	140-10001

Manufacturer FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741

Fax: +81-6-6203-5964

**Supplier** FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571

**Recommended uses** For research use only

Restrictions on use Seek expert judgment when using for purposes other than those recommended.

# Section 2: HAZARDS IDENTIFICATION

GHS classification
Classification of the substance or mixture

Flammable liquids Category 3
Acute toxicity - Oral Carcinogenicity Category 2

### **Pictograms**



### **Hazard statements**

H226 - Flammable liquid and vapour

H301 - Toxic if swallowed

H351 - Suspected of causing cancer

### **Precautionary statements-(Prevention)**

- · Obtain special instructions before use
- · Do not handle until all safety precautions have been read and understood
- Use personal protective equipment as required
- · Wash face, hands and any exposed skin thoroughly after handling
- · Do not eat, drink or smoke when using this product
- · Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- Keep container tightly closed
- · Ground/bond container and receiving equipment
- Use explosion-proof electrical/ ventilating / lighting / equipment
- Use only non-sparking tools
- Take precautionary measures against static discharge

### Precautionary statements-(Response)

- IF exposed or concerned: Get medical advice/attention
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
- · Rinse mouth
- In case of fire: Use CO2, dry chemical, or foam for extinction

# **Precautionary statements-(Storage)**

- Store locked up
- · Store in a well-ventilated place. Keep cool

# Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

**Others** 

Other hazards Not available

# Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula C3H8N2O

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
N-Nitrosomethylethylami	=<100	88.11	N/A	N/A	10595-95-6
ne					
Dichloromethane	0.4	84.93	(2)-36	*	75-09-2

Note on ISHL No.: \* in the table means announced chemical substances.

Impurities and/or Additives: Dichloromethane

# **Section 4: FIRST AID MEASURES**

# Inhalation

Remove to fresh air. If symptoms persist, call a physician.

#### Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

### Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

### Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

### Protection of first-aiders

Use personal protective equipment as required.

# **Section 5: FIRE FIGHTING MEASURES**

# Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

## Unsuitable extinguishing media

No information available

### Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

## Special extinguishing method

No information available

### Special protective actions for

### fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

## Section 6: ACCIDENTAL RELEASE MEASURES

# Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

### **Environmental precautions**

To be careful not discharged to the environment without being properly handled waste water contaminated.

#### Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

# Recoverly, neutralization

No information available

# Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

# Section 7: HANDLING AND STORAGE

#### Handling

#### **Technical measures**

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Use with local exhaust ventilation.

### **Precautions**

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle In places other than those specified, should not be smoking or eating and drinking Should not be brought contaminated protective equipment and gloves to rest stops Deny unnecessary entry of non-emergency personnel to the handling area

# Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

# **Storage**

# Safe storage conditions

**Storage conditions** Container protected from light, and store tightly closed in freezer (-20°C). Packed with an

inert gas.

Safe packaging material

Glass

Incompatible substances

Strong oxidizing agents

# Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

# **Engineering controls**

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

#### **Exposure limits**

-				
	Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
	Dichloromethane	50ppm,170mg/m <sup>3</sup>	ISHL/ACL: 50 ppm	TWA: 50 ppm
	75-09-2			

#### Personal protective equipment

Respiratory protection Protective mask

Hand protection chemical protective gloves (JIS T 8116)

Eye protection protective eyeglasses or chemical safety goggles

Skin and body protection Long-sleeved work clothes

### General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

# Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

ColoryellowTurbidityclearAppearanceliquid

Odor no data available

Melting point/freezing point no data available

Boiling point, initial boiling point and boiling range 170 °C

Flammability Flammable liquid and vapor

**Evaporation rate:**no data available **Flammability (solid, gas):**no data available

Upper/lower flammability or explosive limits

no data available Upper: Lower: no data available Flash point no data available Auto-ignition temperature: no data available no data available **Decomposition temperature:** рΗ no data available Viscosity (coefficient of viscosity) no data available **Dynamic viscosity** no data available

**Solubilities** methanol, acetone: soluble.

n-Octanol/water partition coefficient:(log Pow)
No data available
Napour pressure
No data available
Napour density
Napour density
No data available
Particle characteristics
No data available
No data available

# **Section 10: STABILITY AND REACTIVITY**

### Stability

Reactivity no data available
Chemical stability May be altered by light.

**Hazardous reactions** 

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Nitrogen oxides (NOx), Carbon monooxide (CO), Carbon dioxide (CO2)

# **Section 11: TOXICOLOGICAL INFORMATION**

**Acute toxicity** 

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
N-Nitrosomethylethylamine	90 mg/kg (Rat)	> 1752 mg/kg (Rabbit)	N/A
Dichloromethane	2120 mg/kg (Rat Male)	N/A	18,371 ppm ( Rat ) 4 h

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
N-Nitrosomethylethylamine	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
, ,	classification results.	classification results.	classification results.
Dichloromethane	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.

Chemical Name	Acute toxicity -inhalation	Acute toxicity -inhalation dust-	Acute toxicity -inhalation mist-
	vapor- source information	source information	source information
N-Nitrosomethylethylamine	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.

Dichloromethane	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.

### Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information
N-Nitrosomethylethylamine	Based on the NITE GHS classification results.
Dichloromethane	Based on the NITE GHS classification results.

# Serious eye damage/ irritation

Chemical Name	Serious eye damage/irritation source information
N-Nitrosomethylethylamine	Based on the NITE GHS classification results.
Dichloromethane	Based on the NITE GHS classification results.

Respiratory or skin sensitization

Chemical Name	Respiratory or Skin sensitization source information
N-Nitrosomethylethylamine	Based on the NITE GHS classification results.
Dichloromethane	Based on the NITE GHS classification results.

Reproductive cell mutagenicity

	Chemical Name	germ cell mutagencity source information
	N-Nitrosomethylethylamine	Based on the NITE GHS classification results.
Г	Dichloromethane	Based on the NITE GHS classification results.

Carcinogenicity

Chemical Name	Carcinogenicity source information
N-Nitrosomethylethylamine	Based on the NITE GHS classification results.
Dichloromethane	Based on the NITE GHS classification results.

Chemical Name	NTP	IARC	ACGIH	JSOH (Japan)
N-Nitrosomethylethylamine 10595-95-6		Group 2B		
Dichloromethane 75-09-2	Reasonably Anticipated	Group 2A	A3	Group 2A

Reproductive toxicity

Chemical Name	Reproductive toxicity source information	
N-Nitrosomethylethylamine	Based on the NITE GHS classification results.	
Dichloromethane	Based on the NITE GHS classification results.	

STOT-single exposure

Chemical Name STOT -single exposure- source information		STOT -single exposure- source information	
N-Nitrosomethylethylamine		Based on the NITE GHS classification results.	
	Dichloromethane	Based on the NITE GHS classification results.	

STOT-repeated exposure

Chemical Name	STOT -repeated exposure- source information
N-Nitrosomethylethylamine	Based on the NITE GHS classification results.
Dichloromethane	Based on the NITE GHS classification results.

**Aspiration hazard** 

Chemical Name Aspiration Hazard source information		
N-Nitrosomethylethylamine	Based on the NITE GHS classification results.	
Dichloromethane	Based on the NITE GHS classification results.	

# **Section 12: ECOLOGICAL INFORMATION**

# **Ecotoxicity**

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Dichloromethane	N/A	N/A	EC50:Daphnia magna
			27 mg/L 48 h

### Other data

Othio: data			
Chemical Name	Short-term (acute) hazardous to the aquatic environment source information	Long-term (chronic) hazardous to the aquatic environment source information	
N-Nitrosomethylethylamine		Based on the NITE GHS classification results.	

Dichloromethane

Based on the NITE GHS classification results.

Based on the NITE GHS classification results.

Persistence and degradability
Bioaccumulative potential
Mobility in soil
Hazard to the ozone layer

No information available
No information available
No information available

# **Section 13: DISPOSAL CONSIDERATIONS**

#### Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

# Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

### Section 14: TRANSPORT INFORMATION

ADR/RID

UN number UN1992

**Proper shipping name:** Flammable liquid, toxic, n.o.s. (N-Nitrosomethylethylamine)

UN classfication 3
Subsidiary hazard class 6.1
Packing group III

Marine pollutant Not applicable

**IMDG** 

UN number UN1992

**Proper shipping name:** Flammable liquid, toxic, n.o.s. (N-Nitrosomethylethylamine)

UN classfication 3
Subsidiary hazard class 6.1
Packing group III

Marine pollutant (Sea) Not applicable

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

**IATA** 

UN number UN1992

**Proper shipping name:** Flammable liquid, toxic, n.o.s. (N-Nitrosomethylethylamine)

UN classfication 3
Subsidiary hazard class 6.1
Packing group III

Environmentally Hazardous Not applicable

**Substance** 

# **Section 15: REGULATORY INFORMATION**

**International Inventories** 

EINECS/ELINCS - TSCA -

Japanese regulations

Fire Service Act Category V, nitroso com pounds, dangerous grade 2

Poisonous and Deleterious Not applicable

Substances Control Law

Industrial Safety and Health Act Notifiable Substances (Law Art.57-2, Enforcement Oder Art.18-2 Attached Table

No.9)No.257

Regulations for the carriage and storage of dangerous

Flammable Liquids (Ordinance Art.3, Ministry of Transportation Ordinance Regarding

Transport by Ship and Storage, Attached Table 1)

goods in ship

Civil Aeronautics Law Flammable Liquids (Ordinance Art. 194, MITL Nortification for Air Transportation of

Explosives etc., Attached Table 1)

Pollutant Release and Transfer Not applicable

Register Law (2023.4.1-)

**Export Trade Control Order** Not applicable

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2) (~2024.3.31)	Pollutant Release and Transfer Register Law (2023.4.1-)
Dichloromethane 75-09-2 ( 0.4 )	-	Applicable	-

# **Section 16: OTHER INFORMATION**

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

**Record of SDS revisions** 

The following contents were revised. Prodauct and company Identification. Exposure

controls/personal protection. Regulatory information.

#### **Disclaimer**

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. \*JIS: Japanese Industrial Standards

**End of Safety Data Sheet**