



# SAFETY DATA SHEET

According to JIS Z 7253:2019

Revision date 30-Mar-2022

Revision Number 2.02

### Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	1-Octanol
Product Code	152-00133,150-00134,156-00136

Manufacturer FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome Chuo-ku, Osaka 540-8605, Japan Phana: 184 6 6203 2744

Phone: +81-6-6203-3741 Fax: +81-6-6203-5964

**Supplier** FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

Emergency telephone number Recommended uses and

Recommended uses and restrictions on use

+81-6-6203-3741 / +81-3-3270-8571

For research use only

### **Section 2: HAZARDS IDENTIFICATION**

**GHS** classification

Classification of the substance or mixture

Flammable liquids Category 4
Serious eye damage/eye irritation Category 2A

Specific target organ toxicity (single exposure) Category 1, Category 2

Category 1 respiratory system
Category 2 digestive system

Acute aquatic toxicity
Category 2
Chronic aquatic toxicity
Category 3

**Pictograms** 





Signal word

Danger

#### **Hazard statements**

H227 - Combustible liquid

H319 - Causes serious eye irritation

H401 - Toxic to aquatic life

H412 - Harmful to aquatic life with long lasting effects

H370 - Causes damage to the following organs: respiratory system H371 - May cause damage to the following organs: digestive system

### **Precautionary statements-(Prevention)**

- Wash face, hands and any exposed skin thoroughly after handling
- Wear protective gloves/protective clothing/eye protection/face protection
- Do not breathe dust/fume/gas/mist/vapors/spray
- · Do not eat, drink or smoke when using this product

- · Avoid release to the environment
- · Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

#### Precautionary statements-(Response)

- IF exposed: Call a POISON CENTER or doctor/physician
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention
- In case of fire: Use CO2, dry chemical, or foam for extinction

#### **Precautionary statements-(Storage)**

- Store locked up
- Store in a well-ventilated place. Keep cool

### Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

### Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula CH3(CH2)6CH2OH

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
1-Octanol	98.0	130.23	(2)-217	公表	111-87-5

Note on ISHL No.: \* in the table means announced chemical substances.

Impurities and/or Additives: Not applicable

### **Section 4: FIRST AID MEASURES**

#### Inhalation

Remove to fresh air. If symptoms persist, call a physician.

#### Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

### Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

#### Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

#### Protection of first-aiders

Use personal protective equipment as required.

### **Section 5: FIRE FIGHTING MEASURES**

#### Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

#### Unsuitable extinguishing media

No information available

### Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

### Special extinguishing method

No information available

### Special protective actions for

#### fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

### Section 6: ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

#### **Environmental precautions**

To be careful not discharged to the environment without being properly handled waste water contaminated.

#### Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

### Recoverly, neutralization

No information available

#### Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

### **Section 7: HANDLING AND STORAGE**

#### Handling

#### **Technical measures**

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Use with local exhaust ventilation.

#### **Precautions**

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle In places other than those specified, should not be smoking or eating and drinking Should not be brought contaminated protective equipment and gloves to rest stops Deny unnecessary entry of non-emergency personnel to the handling area

#### Safety handling precautions

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors).

### **Storage**

### Safe storage conditions

**Storage conditions** Store away from sunlight in well-ventilated place at room temperature (preferably cool).

Keep container tightly closed.

Safe packaging material

Incompatible substances

Strong oxidizing agents

Glass

### Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### **Engineering controls**

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

Personal protective equipment

Respiratory protection Protective mask Protective gloves

Eye protection protective eyeglasses or chemical safety goggles

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

### Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

ColorcolorlessTurbidityclearAppearanceliquid

**Odor** characteristic odor

Melting point/freezing point  $$-17\ ^{\circ}\mathrm{C}$$  Boiling point, initial boiling point and boiling range  $$195\ ^{\circ}\mathrm{C}$$ 

Flammability Combustible liquid Evaporation rate: no data available Flammability (solid, gas): no data available

Upper/lower flammability or

explosive limits

Upper:no data availableLower:no data available

Flash point 82 °C

Auto-ignition temperature:no data availableDecomposition temperature:no data availablepHno data availableViscosity (coefficient of viscosity)no data availableDynamic viscosityno data available

Solubilities Ethanol and Diethyl ether: Very soluble: water: Very slightly

soluble.

n-Octanol/water partition coefficient:(log Pow)no data availableVapour pressureno data availableSpecific Gravity / Relative density0.820-0.833 g/mLVapour densityno data availableParticle characteristicsno data available

### **Section 10: STABILITY AND REACTIVITY**

#### Stability

**Reactivity** no data available

**Chemical stability** Stable under recommended storage conditions.

**Hazardous reactions** 

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

Incompatible materials

Strong oxidizing agents

### **Hazardous decomposition products**

Carbon monooxide (CO), Carbon dioxide (CO2)

### **Section 11: TOXICOLOGICAL INFORMATION**

**Acute toxicity** 

,				
Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50	ı
1-Octanol	> 3200 mg/kg (Rat)	> 5 g/kg (Rabbit)	N/A	

Chemical Name	Acute toxicity -oral- source Acute toxicity -dermal- source information information		Acute toxicity -inhalation gas- source information
			Based on the NITE GHS classification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
1-Octanol	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.

Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information	
1-Octanol	Based on the NITE GHS classification results.	

Serious eve damage/ irritation

Chemical Name	Serious eye damage/irritation source information
1-Octanol	Based on the NITE GHS classification results.
Respiratory or skin sensitization	
Chemical Name	Respiratory or Skin sensitization source information
1-Octanol	Based on the NITE GHS classification results.
Reproductive cell mutagenicity	
Chemical Name	germ cell mutagencity source information
1-Octanol	Based on the NITE GHS classification results.
Carcinogenicity	
Chemical Name	Carcinogenicity source information
1-Octanol	Based on the NITE GHS classification results.

Reproductive toxicity

Chemical Name	Reproductive toxicity source information
1-Octanol Based on the NITE GHS classification results.	
STOT-single exposure	
Chemical Name	STOT -single exposure- source information
1-Octanol	Based on the NITE GHS classification results.

STOT-repeated exposure

Chemical Name	STOT -repeated exposure- source information
1-Octanol	Based on the NITE GHS classification results.
Assiration hazard	

Aspiration hazard

Chemical Name	Aspiration Hazard source information
1-Octanol	Based on the NITE GHS classification results.

### **Section 12: ECOLOGICAL INFORMATION**

### **Ecotoxicity**

Chemical Name	Algae/aquatic plants	Fish	Crustacea
1-Octanol	EC50:Desmodesmus	LC50:Pimephales promelas	EC50:Daphnia magna
	subspicatus 14 mg/L 48 h	11.4 - 12.9 mg/L 96 h	15 - 26 mg/L 24 h
	static	LC50:Oncorhynchus mykiss	-
		17.68 mg/L 96 h	

Other data

•	otiloi data			
Chemical Name		Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the	
		aquatic environment source	aquatic environment source	
		information	information	
Г	1-Octanol	Based on the NITE GHS classification	Based on the NITE GHS classification	
		results.	results.	

Persistence and degradability Bioaccumulative potential Mobility in soil Hazard to the ozone layer Mobility No information available No information available No information available No information available

## **Section 13: DISPOSAL CONSIDERATIONS**

#### Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

### Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

# **Section 14: TRANSPORT INFORMATION**

ADR/RID Not regulated

**UN** number

Proper shipping name: **UN classfication** Subsidiary hazard class

Packing group

Marine pollutant Not applicable

**IMDG** Not regulated

**UN** number

Proper shipping name: **UN classfication** Subsidiary hazard class

Packing group

Marine pollutant (Sea) Not applicable

No information available Transport in bulk according to

Annex II of MARPOL 73/78 and

the IBC Code

**IATA** Not regulated

**UN** number

Proper shipping name: **UN classfication** Subsidiary hazard class

Packing group

**Environmentally Hazardous** Not applicable

Substance

### **Section 15: REGULATORY INFORMATION**

**International Inventories** 

**EINECS/ELINCS** Listed **TSCA** Listed

Japanese regulations

Fire Service Act Category IV, Class III petroleums, dangerous grade 3

**Poisonous and Deleterious** Not applicable

**Substances Control Law** 

Industrial Safety and Health Act Not applicable

Act on the Evaluation of Priority Assessment Chemical Substances (Law Article 2, Para.5)

**Chemical Substances and** Regulation of Their Manufacture, etc

Regulations for the carriage

Not applicable

and storage of dangerous

goods in ship

**Civil Aeronautics Law** 

**Marine Pollution Prevention** Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Y

I aw

Pollutant Release and Transfer Class 1

Register Law (~2023.3.31)

Class 1 - No. 73 Pollutant Release and Transfer Class 1

Register Law (2023/4/1~)

73 Class 1 - No.

**Export Trade Control Order** Not applicable

Hazardous Air Pollutants Air Pollution Control Law

Chemical Name	Poisonous and Deleterious	Industrial Safety and Health Act	Pollutant Release and Transfer
	Substances Control Law	Substances	Register Law
		(Law Art.57-2)	(~2023.3.31)
		(~2024.3.31)	, , ,

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2) (~2024.3.31)	Pollutant Release and Transfer Register Law (~2023.3.31)
1-Octanol 111-87-5 ( 98.0 )	-	-	Applicable

### **Section 16: OTHER INFORMATION**

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances
Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

#### **Disclaimer**

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z7252(2019). \*JIS: Japanese Industrial Standards

**End of Safety Data Sheet**