



# SAFETY DATA SHEET

According to JIS Z 7253:2019 Revision date 26-Feb-2024 Revision Number 3.04

### Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	2% Osmium(VIII) Oxide Solution
Product Code	154-01151
Supplier	FUJIFILM Wako Pure Chemical Corporation
	1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan
	Phone: +81-6-6203-3741
	Fax: +81-6-6203-2029
Emergency telephone number	+81-6-6203-3741 / +81-3-3270-8571
Recommended uses	For research use only
Restrictions on use	Seek expert judgment when using for purposes other than those recommended.

### Section 2: HAZARDS IDENTIFICATION

GHS classification	
Classification of the substance or mixture	
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Specific target organ toxicity (single exposure)	Category 2
Category 2 respiratory system, liver, kidneys, adrenal gland, spleen	
Specific target organ toxicity (repeated exposure)	Category 2
Category 2 kidneys, liver, adrenal gland, spleen, blood forming system	

Pictograms



Warning

#### Hazard statements

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H371 - May cause damage to the following organs: respiratory system, liver, kidneys, adrenal gland, spleen

H373 - May cause damage to the following organs through prolonged or repeated exposure: kidneys, liver, adrenal gland, spleen, blood forming system

#### **Precautionary statements-(Prevention)**

- Wash face, hands and any exposed skin thoroughly after handling
- Wear protective gloves/protective clothing/eye protection/face protection
- Do not breathe dust/fume/gas/mist/vapors/spray
- Do not eat, drink or smoke when using this product

#### **Precautionary statements-(Response)**

• IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician

• IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

- If eye irritation persists: Get medical advice/attention
- IF ON SKIN: Wash with plenty of soap and water

- · If skin irritation occurs: Get medical advice/attention
- · Take off contaminated clothing and wash before reuse

# Precautionary statements-(Storage)

### Store locked up

### Precautionary statements-(Disposal)

· Dispose of contents/container to an approved waste disposal plant

#### Others

Other hazards

Not available

### Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Mixture

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Water	98.0	18.02	-	N/A	7732-18-5
Osmium(VIII) Oxide	1.9-2.1	254.23	N/A	N/A	20816-12-0
Note on ISHL No.: * in the table means announced chemical substances.					

in the table means announced chemical substanc

### Section 4: FIRST AID MEASURES

#### Inhalation

Remove to fresh air. If symptoms persist, call a physician.

#### Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

#### Eve contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

#### Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

#### Protection of first-aiders

Use personal protective equipment as required.

### Section 5: FIRE FIGHTING MEASURES

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment Unsuitable extinguishing media

No information available

### Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

### No information available

#### Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

### Section 6: ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

#### **Environmental precautions**

To be careful not discharged to the environment without being properly handled waste water contaminated. **Methods and materials for contaminent and methods and materials for cleaning up** 

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

#### Recoverly, neutralization

No information available

#### Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

### Section 7: HANDLING AND STORAGE

#### **Handling**

#### **Technical measures**

Avoid contact with strong oxidizing agents. To cut with care and wear protective gloves and protective goggles to ampoule time of the opening (Cutting method to check the label). Use with local exhaust ventilation.

#### Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

#### Safety handling precautions

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

#### Storage

Safe storage conditions Storage conditions Safe packaging material Incompatible substances

Keep container protect from light tightly closed. Store in a cool (2-10 °C) place. Ampoule Strong oxidizing agents

### Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Engineering controls**

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

#### Exposure limits

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Osmium(VIII) Oxide	N/A	N/A	STEL: 0.0006 ppm Os
20816-12-0			TWA: 0.0002 ppm Os

#### Personal protective equipment

Respiratory pro	tection
Hand protection	า
Eye protection	
Skin and body	protection

Protective mask chemical protective gloves (JIS T 8116) protective eyeglasses or chemical safety goggles (JIS T 8147) Long-sleeved work clothes

#### General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

### Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form Color

Turbidity Appearance slightly yellow - greenish yellow clear liquid Odor Melting point/freezing point Boiling point, initial boiling point and boiling range Flammability **Evaporation rate:** Flammability (solid, gas): Upper/lower flammability or explosive limits Upper: Lower: Flash point Auto-ignition temperature: **Decomposition temperature:** рΗ Viscosity (coefficient of viscosity) Dynamic viscosity Solubilities n-Octanol/water partition coefficient:(log Pow) Vapour pressure Specific Gravity / Relative density Vapour density **Particle characteristics** 

light, Pungent odor no data available neutral no data available no data available water and Ethanol Miscible at any arbitrary ratio . no data available no data available no data available no data available no data available

### Section 10: STABILITY AND REACTIVITY

#### Stability

Reactivityno data availableChemical stabilityMay be altered by light.Hazardous reactionsMay be altered by light.None under normal processingConditions to avoidConditions to avoidExtremes of temperature and direct sunlightIncompatible materialsStrong oxidizing agentsHazardous decomposition productsMetal oxides

# Section 11: TOXICOLOGICAL INFORMATION

#### Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50	
Osmium(VIII) Oxide	162 mg/kg (Mouse)	N/A	40 ppm (Rat)	
Chemical Name	Acute toxicity -oral- source	Acute toxicity -dermal- source	Acute toxicity -inhalation gas-	
	information	information	source information	
Osmium(VIII) Oxide	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS	
( )	classification results.	classification results.	classification results.	

Chemical Name	Acute toxicity -inhalation	Acute toxicity -inhalation dust-	Acute toxicity -inhalation mist-
	vapor- source information	source information	source information
			Based on the NITE GHS classification results.

#### Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information
Osmium(VIII) Oxide	Based on the NITE GHS classification results.
Serious eye damage/ irritation	
Chemical Name	Serious eye damage/irritation source information
Osmium(VIII) Oxide	Based on the NITE GHS classification results.

Respiratory or skin sensitization

Chemical Name	Respiratory or Skin sensitization source information
Osmium(VIII) Oxide	Based on the NITE GHS classification results.
Reproductive cell mutagenicity	
Chemical Name	germ cell mutagencity source information
Osmium(VIII) Oxide	Based on the NITE GHS classification results.
Carcinogenicity	
Chemical Name	Carcinogenicity source information
Osmium(VIII) Oxide	Based on the NITE GHS classification results.

#### Reproductive toxicity

Chemical Name	Reproductive toxicity source information
Osmium(VIII) Oxide	Based on the NITE GHS classification results.
STOT-single exposure	
Chemical Name	STOT -single exposure- source information
Osmium(VIII) Oxide	Based on the NITE GHS classification results.
STOT-repeated exposure	
Chemical Name	STOT -repeated exposure- source information
Osmium(VIII) Oxide	Based on the NITE GHS classification results.
Aspiration hazard	
Chemical Name	Aspiration Hazard source information
Osmium(VIII) Oxide	Based on the NITE GHS classification results.

### Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

No information available

Other data

Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the
	aquatic environment source information	aquatic environment source information
Osmium(VIII) Oxide	Based on the NITE GHS classification	Based on the NITE GHS classification
	results.	results.

Persistence and degradability Bioaccumulative potential Mobility in soil Hazard to the ozone layer No information available No information available No information available No information available

### Section 13: DISPOSAL CONSIDERATIONS

#### Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

### Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

### Section 14: TRANSPORT INFORMATION

ADR/RID UN number Proper shipping name: UN classfication Subsidiary hazard class Packing group	Not regulated -
Marine pollutant	Not applicable
IMDG	Not regulated

UN number Proper shipping name: UN classfication Subsidiary hazard class	-
Packing group	
Marine pollutant (Sea)	Not applicable
Transport in bulk according to	No information available
Annex II of MARPOL 73/78 and	
the IBC Code	
ΙΑΤΑ	Not regulated
UN number	-
Proper shipping name:	
UN classfication	
Subsidiary hazard class	
Packing group	
Environmentally Hazardous	Not applicable
Substance	

# Section 15: REGULATORY INFORMATION

<u>Japanese regulations</u> Fire Service Act Poisonous and Deleterious Substances Control Law	Not applicable Not applicable
Industrial Safety and Health Act	t Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)
	Notifiable Substances (Law Art.57-2)
Industrial Safety and Health Act (	[2024.4.1~] Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)
2024~)	///////////////////////////
Regulations for the carriage and storage of dangerous goods in ship	Not applicable
Civil Aeronautics Law	Not applicable
Pollutant Release and Transfer	Not applicable
Register Law (2023.4.1-)	
Export Trade Control Order	Not applicable

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
Osmium(VIII) Oxide 20816-12-0(1.9-2.1)	-	Applicable	-

# Section 16: OTHER INFORMATION

Key literature references and sources for data etc.	NITE: National Institute of Technology and Evaluation (JAPAN) http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS Dictionary of Synthetic Oraganic Chemistry, SSOCJ, Koudansha Scientific Co.Ltd. Chemical Dictionary, Kyouritsu Publishing Co., Ltd. etc
Record of SDS revisions	The following contents were revised. Regulatory information.

#### Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. \*JIS: Japanese Industrial Standards

End of Safety Data Sheet