



SAFETY DATA SHEET

According to JIS Z 7253:2019

Revision date 02-Oct-2023

Revision Number 2.03

Section 1: PRODUCT AND COMPANY IDENTIFICATION

| Product Name | Oxolinic Acid Standard | |
|----------------------------|---|--|
| Product Code | 156-01851 | |
| Supplier | FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 | |
| Emergency telephone number | Fax: +81-6-6203-2029 +81-6-6203-3741 / +81-3-3270-8571 | |

Section 2: HAZARDS IDENTIFICATION

Seek expert judgment when using for purposes other than those recommended.

GHS classification

Recommended uses

Restrictions on use

Classification of the substance or mixture

Acute toxicity - Inhalation (Dusts/Mists)

Specific target organ toxicity (single exposure)
Category 2 central nervous system

Specific target organ toxicity (repeated exposure)
Category 2 nervous system

Acute aquatic toxicity

Category 2
Chronic aquatic toxicity

Category 2
Category 2
Category 2
Category 2
Category 2

For research use only

Pictograms



Hazard statements

H332 - Harmful if inhaled

H411 - Toxic to aquatic life with long lasting effects

H401 - Toxic to aquatic life

H371 - May cause damage to the following organs: central nervous system

H373 - May cause damage to the following organs through prolonged or repeated exposure: nervous system

Precautionary statements-(Prevention)

- · Use only outdoors or in a well-ventilated area
- · Do not breathe dust/fume/gas/mist/vapors/spray
- · Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product
- · Avoid release to the environment

Precautionary statements-(Response)

- IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- Call a POISON CENTER or doctor/physician if you feel unwell
- · Collect spillage

Precautionary statements-(Storage)

Store locked up

Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula C13H11NO5

| Chemical Name | Weight-% | Molecular weight | ENCS | ISHL No. | CAS RN |
|---------------|----------|------------------|---------|----------------------|------------|
| Oxolinic acid | 98.0 | 261.23 | (9)-216 | 8-(1)-135 | 14698-29-4 |
| | | | | ,8-(1)-168,8-(1)-204 | |

Note on ISHL No.: * in the table means announced chemical substances.

Impurities and/or Additives: Not applicable

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for

fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Sweep up and gather scattered particles, and collect it in an empty airtight container.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Avoid contact with strong oxidizing agents. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Storage

Safe storage conditions

Storage conditions Store away from sunlight in a cool (2-10 °C) well-ventilated dry place.

Safe packaging material Glass

Incompatible substances Strong oxidizing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

Personal protective equipment

Respiratory protection Dust mask (JIS T 8151)

Hand protection chemical protective gloves (JIS T 8116) **Eye protection** protective eyeglasses or chemical safety goggles

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

 Color
 White - slightly yellow

 Appearance
 crystalline powder - powder

Odor no data available

Melting point/freezing point 313 °C

Boiling point, initial boiling point and boiling range
Flammability
no data available
no data available
ro data available
no data available
no data available
rlammability (solid, gas):

Upper/lower flammability or

explosive limits

no data available Upper: Lower: no data available Flash point no data available Auto-ignition temperature: no data available no data available **Decomposition temperature:** рΗ no data available Viscosity (coefficient of viscosity) no data available **Dynamic viscosity** no data available

Solubilities sodium hydroxide (aq.): soluble . water: practically

insoluble,or insoluble .

n-Octanol/water partition coefficient:(log Pow)no data availableVapour pressureno data availableSpecific Gravity / Relative densityno data availableVapour densityno data availableParticle characteristicsno data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available

Chemical stability Stable under recommended storage conditions.

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Carbon monooxide (CO), Carbon dioxide (CO2), Nitrogen oxides (NOx)

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---------------|------------------|------------------|--------------------------|
| Oxolinic acid | >4000 mg/kg(Rat) | >2000 gm/kg(Rat) | 1.70mg/L 4h(Rat, female) |

| Chemical Name | _ | Acute toxicity -dermal- source | , |
|---------------|-------------------------|--------------------------------|-------------------------|
| | information | information | source information |
| Oxolinic acid | Based on the NITE GHS | Based on the NITE GHS | Based on the NITE GHS |
| | classification results. | classification results. | classification results. |

| Chemical Name | - | • | Acute toxicity -inhalation mist- |
|--------------------|---------------------------|-------------------------|----------------------------------|
| | vapor- source information | source information | source information |
| C/10.11.110 CLO.CL | | | Based on the NITE GHS |
| | classification results. | classification results. | classification results. |

Skin irritation/corrosion

| Chemical Name | Skin corrosion/irritation source information |
|--------------------------------|---|
| Oxolinic acid | Based on the NITE GHS classification results. |
| Serious eye damage/ irritation | |

 Chemical Name
 Serious eye damage/irritation source information

 Oxolinic acid
 Based on the NITE GHS classification results.

Respiratory or skin sensitization

| Chemical Name | Respiratory or Skin sensitization source information |
|---------------|--|
| Oxolinic acid | Based on the NITE GHS classification results. |

Reproductive cell mutagenicity

| Chemical Name | germ cell mutagencity source information |
|---------------|---|
| Oxolinic acid | Based on the NITE GHS classification results. |

Carcinogenicity

| Chemical Name | Carcinogenicity source information |
|---------------|---|
| Oxolinic acid | Based on the NITE GHS classification results. |

Reproductive toxicity

| Chemical Name | Reproductive toxicity source information |
|---------------|---|
| Oxolinic acid | Based on the NITE GHS classification results. |

STOT-single exposure

| Chemical Name | STOT -single exposure- source information |
|---------------|---|
| Oxolinic acid | Based on the NITE GHS classification results. |

STOT-repeated exposure

| Chemical Name | STOT -repeated exposure- source information |
|---------------|---|
| Oxolinic acid | Based on the NITE GHS classification results. |

Aspiration hazard

| | Tophation nazara | | |
|---------------|------------------|---|--|
| Chemical Name | | Aspiration Hazard source information | |
| ĺ | Oxolinic acid | Based on the NITE GHS classification results. | |

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

| Chemical Name | Algae/aquatic plants | Fish | Crustacea |
|---------------|----------------------|------|---------------------|
| Oxolinic acid | N/A | N/A | EC50: Daphnia magna |
| | | | 4.6 mg/L 48h |

Other data

| Chemical Name | Short-term (acute) hazardous to the aquatic environment source information | Long-term (chronic) hazardous to the aquatic environment source information |
|---------------|--|---|
| Oxolinic acid | Based on the NITE GHS classification | Based on the NITE GHS classification |
| | results. | results. |

Persistence and degradability Bioaccumulative potential Mobility in soil

Hazard to the ozone layer

No information available No information available No information available No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID

UN number UN3077

Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (Oxolinic acid)

UN classfication 9

Subsidiary hazard class

Packing group III
Marine pollutant Yes

IMDG

UN number UN3077

Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (Oxolinic acid)

UN classfication 9

Subsidiary hazard class

Packing group

Marine pollutant (Sea) Yes

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

UN3077 **UN** number

Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (Oxolinic acid)

UN classfication

Subsidiary hazard class

Ш Packing group **Environmentally Hazardous** Yes

Substance

Section 15: REGULATORY INFORMATION

Japanese regulations

Fire Service Act Not applicable Poisonous and Deleterious Not applicable **Substances Control Law**

Industrial Safety and Health Act Not applicable

Regulations for the carriage

Transport by Ship and Storage, Attached Table 1)

and storage of dangerous goods in ship

Civil Aeronautics Law

Misellaneous Dangerous Substances and Articles (Ordinance Art.194, MITL Nortification

Noxious Substances (Ordinance Art.3, Ministry of Transportation Ordinance Regarding

for Air Transportation of Explosives etc., Attached Table 1)

Pollutant Release and Transfer Class 1

Register Law

(2023.4.1-)

592 Class 1 - No.

Export Trade Control Order Not applicable

| Chemical Name | Poisonous and Deleterious Substances Control Law | Industrial Safety and Health Act Substances (Law Art.57-2) | Pollutant Release and Transfer Register Law (2023.4.1-) |
|--------------------------------------|---|--|---|
| Oxolinic acid 14698-29-4 (98.0) | - | - | Applicable |

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances

Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry, SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet