

## SAFETY DATA SHEET

According to JIS Z 7253:2019  
**Revision date** 01-Mar-2024  
 Revision Number 1.04

## Section 1: PRODUCT AND COMPANY IDENTIFICATION

<b>Product Name</b>	OA-DTX1 Mixture Standard Solution (each 1mg/L Methanol Solution)
<b>Product Code</b>	156-03551

<b>Supplier</b>	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 Fax: +81-6-6203-2029
<b>Emergency telephone number</b>	+81-6-6203-3741 / +81-3-3270-8571
<b>Recommended uses</b>	For research use only
<b>Restrictions on use</b>	Seek expert judgment when using for purposes other than those recommended.

## Section 2: HAZARDS IDENTIFICATION

**GHS classification****Classification of the substance or mixture****Flammable liquids**

Category 2

**Acute toxicity - Oral**

Category 4

**Serious eye damage/eye irritation**

Category 2A

**Reproductive Toxicity**

Category 1B

**Specific target organ toxicity (single exposure)**

Category 1, Category 3

**Category 1** central nervous system, Visual organ, systemic toxicity

**Category 3** Narcotic effects

**Specific target organ toxicity (repeated exposure)**

Category 1

**Category 1** central nervous system, Visual organ

**Pictograms**

Signal word

Danger

**Hazard statements**

H225 - Highly flammable liquid and vapor

H319 - Causes serious eye irritation

H302 - Harmful if swallowed

H360 - May damage fertility or the unborn child

H336 - May cause drowsiness or dizziness

H370 - Causes damage to the following organs: central nervous system, Visual organ, systemic toxicity

H372 - Causes damage to the following organs through prolonged or repeated exposure: central nervous system, Visual organ

**Precautionary statements-(Prevention)**

- Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood

- Use personal protective equipment as required
- Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product
- Do not breathe dust/fume/gas/mist/vapors/spray
- Use only outdoors or in a well-ventilated area
- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- Keep container tightly closed
- Ground/bond container and receiving equipment
- Use explosion-proof electrical/ ventilating / lighting / equipment
- Use only non-sparking tools
- Take precautionary measures against static discharge
- Keep cool

**Precautionary statements-(Response)**

- IF exposed: Call a POISON CENTER or doctor/physician
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- Call a POISON CENTER or doctor/physician if you feel unwell
- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
- Rinse mouth
- In case of fire: Use suitable extinguishing media for extinction

**Precautionary statements-(Storage)**

- Store locked up
- Store in a well-ventilated place. Keep container tightly closed

**Precautionary statements-(Disposal)**

- Dispose of contents/container to an approved waste disposal plant

**Others**

**Other hazards** Not available

### Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

**Single Substance or Mixture** Mixture

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Methanol	<100	32.04	(2)-201	*	67-56-1
Ethanol	0.5	46.07	(2)-202	*	64-17-5
Okadaic acid	0.0001	805.00	N/A	N/A	78111-17-8
Dinophysistoxin-1	0.0001	819.03	N/A	N/A	81720-10-7

**Note on ISHL No.:** \* in the table means announced chemical substances.

### Section 4: FIRST AID MEASURES

**Inhalation**

Remove to fresh air. If symptoms persist, call a physician.

**Skin contact**

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

**Eye contact**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

**Ingestion**

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

**Protection of first-aiders**

Use personal protective equipment as required.

## Section 5: FIRE FIGHTING MEASURES

### Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO<sub>2</sub>), Foam, Extinguishing powder, Sand

### Unsuitable extinguishing media

No information available

### Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Vapors may form explosive mixture with air

### Special extinguishing method

No information available

### Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

## Section 6: ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

### Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

### Methods and materials for contaminant and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

### Recovery, neutralization

No information available

### Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

## Section 7: HANDLING AND STORAGE

### Handling

#### Technical measures

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. To cut with care and wear protective gloves and protective goggles to ampoule time of the opening (Cutting method to check the label). Use with local exhaust ventilation.

#### Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

#### Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

### Storage

#### Safe storage conditions

##### Storage conditions

Container protected from light, and store tightly closed in freezer (-20°C). Packed with an inert gas.

##### Safe packaging material

Ampoule

#### Incompatible substances

Strong oxidizing agents

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and hand- and eye-wash facility. And display their position clearly.

### Exposure limits

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Methanol 67-56-1	TWA: 200 ppm OEL TWA: 260 mg/m <sup>3</sup> OEL Skin ISHL/ACL: 200 ppm	200ppm	TWA 200ppm(260mg/m <sup>3</sup> ) STEL 250ppm
Ethanol 64-17-5	N/A	N/A	STEL: 1000 ppm

### Personal protective equipment

**Respiratory protection** gas mask for organic gas ( JIS T 8152 )  
**Hand protection** chemical protective gloves ( JIS T 8116 )  
**Eye protection** protective eyeglasses or chemical safety goggles (JIS T 8147)  
**Skin and body protection** Long-sleeved work clothes

### General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

### Form

<b>Color</b>	colorless
<b>Turbidity</b>	clear
<b>Appearance</b>	liquid
<b>Odor</b>	characteristic odor
<b>Melting point/freezing point</b>	-98 °C
<b>Boiling point, initial boiling point and boiling range</b>	64 °C
<b>Flammability</b>	Highly flammable liquid and vapor
<b>Evaporation rate:</b>	no data available
<b>Flammability (solid, gas):</b>	no data available
<b>Upper/lower flammability or explosive limits</b>	
<b>Upper:</b>	36.5 vol%
<b>Lower:</b>	6.0 vol%
<b>Flash point</b>	11 °C
<b>Auto-ignition temperature:</b>	464 °C
<b>Decomposition temperature:</b>	no data available
<b>pH</b>	no data available
<b>Viscosity (coefficient of viscosity)</b>	no data available
<b>Dynamic viscosity</b>	no data available
<b>Solubilities</b>	water , Ethanol , acetone : Very soluble.
<b>n-Octanol/water partition coefficient:(log Pow)</b>	-0.74
<b>Vapour pressure</b>	no data available
<b>Specific Gravity / Relative density</b>	0.789 -0.792 g/mL (20°C)
<b>Vapour density</b>	no data available
<b>Particle characteristics</b>	no data available

## Section 10: STABILITY AND REACTIVITY

### Stability

<b>Reactivity</b>	no data available
<b>Chemical stability</b>	May be altered by light.
<b>Hazardous reactions</b>	None under normal processing
<b>Conditions to avoid</b>	Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark
<b>Incompatible materials</b>	Strong oxidizing agents
<b>Hazardous decomposition products</b>	Carbon monoxide (CO), Carbon dioxide (CO <sub>2</sub> )

## Section 11: TOXICOLOGICAL INFORMATION

### Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Methanol	1400 mg/kg ( Human )	15800 mg/kg ( Rabbit )	>31500 ppm ( Rat ) 4 h ( vapor )
Ethanol	6200 mg/kg ( Rat )	20000 mg/kg ( Rabbit )	63000 ppmV ( Rat ) 4 h

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
Methanol	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.
Ethanol	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
Methanol	Based on the NITE GHS Classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.
Ethanol	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.

### Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information
Methanol	Based on the NITE GHS classification results.
Ethanol	Based on the NITE GHS classification results.

### Serious eye damage/ irritation

Chemical Name	Serious eye damage/irritation source information
Methanol	Based on the NITE GHS classification results.
Ethanol	Based on the NITE GHS classification results.

### Respiratory or skin sensitization

Chemical Name	Respiratory or Skin sensitization source information
Methanol	Based on the NITE GHS classification results.
Ethanol	Based on the NITE GHS classification results.

### Reproductive cell mutagenicity

Chemical Name	germ cell mutagenicity source information
Methanol	Based on the NITE GHS classification results.
Ethanol	Based on the NITE GHS classification results.

### Carcinogenicity

Chemical Name	Carcinogenicity source information
Methanol	Based on the NITE GHS classification results.
Ethanol	Based on the NITE GHS classification results.

Chemical Name	NTP	IARC	ACGIH	JSOH (Japan)
Ethanol 64-17-5	Known		A3	-

### Reproductive toxicity

Chemical Name	Reproductive toxicity source information
Methanol	Based on the NITE GHS classification results.
Ethanol	Based on the NITE GHS classification results.

**STOT-single exposure**

Chemical Name	STOT -single exposure- source information
Methanol	Based on the NITE GHS classification results.
Ethanol	Based on the NITE GHS classification results.

**STOT-repeated exposure**

Chemical Name	STOT -repeated exposure- source information
Methanol	Based on the NITE GHS classification results.
Ethanol	Based on the NITE GHS classification results.

**Aspiration hazard**

Chemical Name	Aspiration Hazard source information
Methanol	Based on the NITE GHS classification results.
Ethanol	Based on the NITE GHS classification results.

## Section 12: ECOLOGICAL INFORMATION

**Ecotoxicity**

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Methanol	N/A	LC50 : <i>Lepomis macrochirus</i> 15400 mg/L 96 h	LC50 : <i>Artemia</i> 1340 mg/L 96 h
Ethanol	EC50 : <i>Chlorella alga</i> 1000 mg/L 96 h	LC50 : <i>Oncorhynchus mykiss</i> 11200 ppm 96 h	EC50 : <i>Daphnia magna</i> 5463 mg/L 48 h

**Other data**

Chemical Name	Short-term (acute) hazardous to the aquatic environment source information	Long-term (chronic) hazardous to the aquatic environment source information
Methanol	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.
Ethanol	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.

<b>Persistence and degradability</b>	No information available
<b>Bioaccumulative potential</b>	No information available
<b>Mobility in soil</b>	No information available
<b>Hazard to the ozone layer</b>	No information available

## Section 13: DISPOSAL CONSIDERATIONS

**Waste from residues**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated container and contaminated packaging**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

## Section 14: TRANSPORT INFORMATION

**ADR/RID**

<b>UN number</b>	UN1230
<b>Proper shipping name:</b>	Methanol
<b>UN classification</b>	3
<b>Subsidiary hazard class</b>	6.1
<b>Packing group</b>	II
<b>Marine pollutant</b>	Not applicable

**IMDG**

**UN number** UN1230  
**Proper shipping name:** Methanol  
**UN classification** 3  
**Subsidiary hazard class** 6.1  
**Packing group** II  
**Marine pollutant (Sea)** Not applicable  
**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** No information available

**IATA**

**UN number** UN1230  
**Proper shipping name:** Methanol  
**UN classification** 3  
**Subsidiary hazard class** 6.1  
**Packing group** II  
**Environmentally Hazardous Substance** Not applicable

**Section 15: REGULATORY INFORMATION****Japanese regulations**

**Fire Service Act** Category IV, alcohols, dangerous grade 2 water-soluble  
**Poisonous and Deleterious Substances Control Law** Not applicable  
**Industrial Safety and Health Act** Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)  
 Notifiable Substances (Law Art.57-2)  
 Class 2 Organic Solvents (Enforcement Order Attached Table No.6-2, Ordinance on Prevention of Organic Solvent Poisoning Art.1, Para.1, Item 5)  
 Working Environment Evaluation Standards, Administrative Control Levels (Law Art.65-2, Para.1)  
 Dangerous Substances - Flammable Substance (Enforcement Order Attached Table 1 Item 4)  
**Industrial Safety and Health Act (2024-)** 【2024.4.1~】 Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)  
**Act on the Evaluation of Chemical Substances and Regulation of Their Manufacture, etc** Priority Assessment Chemical Substances (Law Article 2, Para.5)  
**Regulations for the carriage and storage of dangerous goods in ship** Flammable Liquids (Ordinance Art.3, Ministry of Transportation Ordinance Regarding Transport by Ship and Storage, Attached Table 1)  
**Civil Aeronautics Law** Flammable Liquids (Ordinance Art.194, MITL Notification for Air Transportation of Explosives etc., Attached Table 1)  
**Marine Pollution Prevention Law** Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Y  
**Pollutant Release and Transfer Register Law (2023.4.1-)** Not applicable  
**Export Trade Control Order** Not applicable  
**Air Pollution Control Law** Specified Substances

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
Methanol 67-56-1 (<100)	-	Applicable	-
Ethanol 64-17-5 (0.5)	-	Applicable	-

**Section 16: OTHER INFORMATION****Key literature references and sources for data etc.**

NITE: National Institute of Technology and Evaluation (JAPAN)  
<http://www.safe.nite.go.jp/japan/db.html>  
IATA dangerous Goods Regulations  
RTECS:Registry of Toxic Effects of Chemical Substances  
Japan Industrial Safety and Health Association GHS Model SDS  
Dictionary of Synthetic Organic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.  
Chemical Dictionary, Kyouritsu Publishing Co., Ltd.  
etc

**Record of SDS revisions**

The following contents were revised. Regulatory information.

**Disclaimer**

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. \*JIS: Japanese Industrial Standards

**End of Safety Data Sheet**