



SAFETY DATA SHEET

According to JIS Z 7253:2019 **Revision date** 26-Feb-2024 Revision Number 2.05

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	p-Phenetidine
Product Code	163-01002,167-01005
Supplier	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741
Emergency telephone number Recommended uses Restrictions on use	Fax: +81-6-6203-2029 +81-6-6203-3741 / +81-3-3270-8571 For research use only Seek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification <u>Classification of the substance or mixture</u> Serious eye damage/eye irritation Skin sensitization Germ cell mutagenicity Reproductive Toxicity Specific target organ toxicity (repeated exposure) Category 1 blood system Acute aquatic toxicity Chronic aquatic toxicity

Category 2A	
Category 1	
Category 2	
Category 2	
Category 1	

Category 2 Category 2

Pictograms



Hazard statements

- H319 Causes serious eye irritation
- H341 Suspected of causing genetic defects
- H361 Suspected of damaging fertility or the unborn child
- H317 May cause an allergic skin reaction
- H411 Toxic to aquatic life with long lasting effects
- H401 Toxic to aquatic life
- H372 Causes damage to the following organs through prolonged or repeated exposure: blood system

Precautionary statements-(Prevention)

- · Obtain special instructions before use
- · Do not handle until all safety precautions have been read and understood
- Use personal protective equipment as required
- · Contaminated work clothing should not be allowed out of the workplace
- Wear protective gloves
- Do not breathe dust/fume/gas/mist/vapors/spray

- Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product
- Avoid release to the environment

Precautionary statements-(Response)

• IF exposed or concerned: Get medical advice/attention

• IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

- · If eye irritation persists: Get medical advice/attention
- IF ON SKIN: Wash with plenty of soap and water
- If skin irritation or rash occurs: Get medical advice/attention
- · Wash contaminated clothing before reuse
- Collect spillage

Precautionary statements-(Storage)

Store locked up

Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

Others

Formula

Other hazards

Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

C2H5OC6H4NH2

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
p-Phenetidine	98.0	137.18	(3)-682	公表	156-43-4

Note on ISHL No.:

* in the table means announced chemical substances.

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

....

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

<u>Storage</u>

Safe storage conditions	Keep container protect from light, store
Storage conditions	in well-ventilated place at room temperature (preferably cool). Keep container tightly
Safe packaging material Incompatible substances	closed. Packed with an inert gas. Glass Strong oxidizing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits	This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.
Personal protective equipment Respiratory protection Hand protection Eye protection Skin and body protection	Protective mask chemical protective gloves (JIS T 8116) protective eyeglasses or chemical safety goggles (JIS T 8147) Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice. If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form	
Color	Colorless - dark reddish brown
Turbidity	clear - slightly muddy
Appearance	liquid
Odor	no data available
Melting point/freezing point	4.0 °C
Boiling point, initial boiling point and boiling range	255 °C
Flammability	no data available
Evaporation rate:	no data available
Flammability (solid, gas):	no data available
Upper/lower flammability or explosive limits	
Upper:	no data available
Lower:	no data available
Flash point	116 °C
Auto-ignition temperature:	no data available
Decomposition temperature:	no data available
рН	no data available
Viscosity (coefficient of viscosity)	no data available
Dynamic viscosity	no data available
Solubilities	hydrochloric acid : soluble . water : practically insoluble,or insoluble .
n-Octanol/water partition coefficient:(log Pow)	no data available
Vapour pressure	no data available
Specific Gravity / Relative density	1.062-1.067g/mL
Vapour density	no data available
Particle characteristics	no data available

Section 10: STABILITY AND REACTIVITY

Stability

 Reactivity
 no data available

 Chemical stability
 May be altered by light.

 Hazardous reactions
 None under normal processing

 Conditions to avoid
 Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

 Incompatible materials
 Strong oxidizing agents

 Hazardous decomposition products
 Carbon monooxide (CO), Carbon dioxide (CO2), Nitrogen oxides (NOx)

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
p-Phenetidine	540 mg/kg (Rat)	2353 mg/kg (Rabbit)	> 5085 mg/m ³ (Rat)4 h
Chemical Name	Acute toxicity -oral- source	Acute toxicity -dermal- source	Acute toxicity -inhalation gas-
	information	information	source information
p-Phenetidine	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS

[
	classification results.	classification results.	classification results.		
.					
Chemical Name	Acute toxicity -inhalation vapor- source information	source information	Acute toxicity -inhalation mist- source information		
p-Phenetidine	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS		
	classification results.	classification results.	classification results.		
Skin irritation/corrosion					
	ical Name	Skin corrosion/irritat	Skin corrosion/irritation source information		
p-Ph	enetidine	Based on the NITE GHS classification results.			
Serious eye damage/ irritation		•			
	ical Name	Serious eye damage/irr	itation source information		
p-Ph	enetidine	Based on the NITE GHS classi	fication results.		
Respiratory or skin sensitization					
Chemical Name		Respiratory or Skin sens	Respiratory or Skin sensitization source information		
p-Phenetidine		Based on the NITE GHS classi	fication results.		
Reproductive cell mutagenicit	у				
Chemical Name		germ cell mutagend	ity source information		
p-Phenetidine		Based on the NITE GHS classi	fication results.		
Carcinogenicity					
Chemical Name			source information		
p-Phenetidine		Based on the NITE GHS classi	fication results.		
Reproductive toxicity					
	ical Name	Reproductive toxic	ity source information		
p-Ph	enetidine	Based on the NITE GHS classification results.			
STOT-single exposure		•			
Chemical Name		STOT -single exposure- source information			
p-Phenetidine		Based on the NITE GHS classification results.			
STOT-repeated exposure					
Chemical Name		STOT -repeated exposure- source information			
p-Ph	enetidine	Based on the NITE GHS classification results.			
Aspiration hazard					
	ical Name	Aspiration Hazard	I source information		
	<i>e</i> . P	Describes the NITE OUO stars'			

p-Phenetidine Based on the NITE GHS classification results.

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
p-Phenetidine	EC50 : 5.1mg/l 72h,	LC50:Oryzias latipes	N/A
	Monoraphidium convolutum	100 mg/L 48 h	

Other data

Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the
	aquatic environment source information	aquatic environment source information
p-Phenetidine	Based on the NITE GHS classification	Based on the NITE GHS classification
	results.	results.

Persistence and degradability	
Bioaccumulative potential	
Mobility in soil	
Hazard to the ozone layer	

Degree of decomposition: 0 % by BOD No information available No information available No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations. Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID	
UN number	UN3082
Proper shipping name:	Environmentally hazardous substance, liquid, n.o.s. (p-Phenetidine)
UN classfication	9
Subsidiary hazard class	
Packing group	
Marine pollutant	Yes
IMDG	
UN number	UN3082
Proper shipping name:	Environmentally hazardous substance, liquid, n.o.s. (p-Phenetidine)
UN classfication	9
Subsidiary hazard class	5
Packing group	
Marine pollutant (Sea)	Yes
Transport in bulk according to	No information available
Annex II of MARPOL 73/78 and	
the IBC Code	
ΙΑΤΑ	
UN number	UN3082
Proper shipping name:	Environmentally hazardous substance, liquid, n.o.s. (p-Phenetidine)
UN classfication	9
Subsidiary hazard class	
Packing group	
Environmentally Hazardous	Yes
Substance	

Section 15: REGULATORY INFORMATION

<u>Japanese regulations</u> Fire Service Act Poisonous and Deleterious Substances Control Law	Category IV, Class III petroleums, dangerous grade 3 Not applicable
Industrial Safety and Health Act Mutagens - Existing Chemicals	
Industrial Safety and Health Act (2024~)	[2024.4.1~] Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)
Regulations for the carriage and storage of dangerous goods in ship	Noxious Substances (Ordinance Art.3, Ministry of Transportation Ordinance Regarding Transport by Ship and Storage, Attached Table 1)
Civil Aeronautics Law	Misellaneous Dangerous Substances and Articles (Ordinance Art.194, MITL Nortification for Air Transportation of Explosives etc., Attached Table 1)
Pollutant Release and Transfer Register Law (2023.4.1-)	Not applicable
Export Trade Control Order Air Pollution Control Law	Not applicable Hazardous Air Pollutants

Section 16: OTHER INFORMATION

Key literature references and	NITE: National Institute of Technology and Evaluation (JAPAN)
sources for data etc.	http://www.safe.nite.go.jp/japan/db.html
	IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd. Chemical Dictionary, Kyouritsu Publishing Co., Ltd. etc

Record of SDS revisions

The following contents were revised. Regulatory information.

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet