



# SAFETY DATA SHEET

According to JIS Z 7253:2019 **Revision date** 14-Feb-2023 Revision Number 2.04

### Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	1-Propanethiol
Product Code	163-05142
Manufacturer	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 Fax: +81-6-6203-5964
Supplier	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 Fax: +81-6-6203-2029
Emergency telephone number Recommended uses and restrictions on use	+81-6-6203-3741 / +81-3-3270-8571 For research use only

### Section 2: HAZARDS IDENTIFICATION

GHS classification <u>Classification of the substance or mixture</u> Flammable liquids Acute toxicity - Oral Acute toxicity - Inhalation (Vapors) Serious eye damage/eye irritation Specific target organ toxicity (single exposure) Category 3 Respiratory irritation Acute aquatic toxicity Chronic aquatic toxicity

Category 2 Category 4 Category 4 Category 2A Category 3

Category 1 Category 1

## Pictograms



Signal word

Danger

### Hazard statements

- H225 Highly flammable liquid and vapor
- H319 Causes serious eye irritation
- H302 Harmful if swallowed
- H332 Harmful if inhaled
- H335 May cause respiratory irritation
- H400 Very toxic to aquatic life
- H410 Very toxic to aquatic life with long lasting effects

### **Precautionary statements-(Prevention)**

- Wash face, hands and any exposed skin thoroughly after handling
- · Do not eat, drink or smoke when using this product

- Avoid breathing dust/fume/gas/mist/vapors/spray
- · Use only outdoors or in a well-ventilated area
- · Wear protective gloves/protective clothing/eye protection/face protection
- Avoid release to the environment
- . Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- Keep container tightly closed
- · Ground/bond container and receiving equipment
- Use explosion-proof electrical/ ventilating / lighting / equipment
- Use only non-sparking tools
- · Take precautionary measures against static discharge
- Keep cool

#### **Precautionary statements-(Response)**

• IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsina

- · If eye irritation persists: Get medical advice/attention
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- Call a POISON CENTER or doctor/physician if you feel unwell
- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
- Rinse mouth
- · In case of fire: Use CO2, dry chemical, or foam for extinction
- Collect spillage

Precautionary statements-(Storage)

- Store in a well-ventilated place. Keep container tightly closed
- Store locked up

#### **Precautionary statements-(Disposal)**

Dispose of contents/container to an approved waste disposal plant

#### Others Other hazards

Not available

Substance

### Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

**Single Substance or Mixture** 

Formula

### CH3CH2CH2SH

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
1-Propanethiol	95.0	76.16	(2)-464	*	107-03-9
Note on ISHL No.:	* in the	table means announ	ced chemical substa	ances.	

Impurities and/or Additives:

## Not applicable

### Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

#### Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

#### Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

#### **Protection of first-aiders**

Use personal protective equipment as required.

### Section 5: FIRE FIGHTING MEASURES

#### Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

### Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Vapors may form explosive mixtures with air

#### Special extinguishing method

No information available

### Special protective actions for

### fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

### Section 6: ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

#### **Environmental precautions**

To be careful not discharged to the environment without being properly handled waste water contaminated.

### Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

### Recoverly, neutralization

### No information available

### Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

### Section 7: HANDLING AND STORAGE

### Handling

### Technical measures

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Use with local exhaust ventilation.

### Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle In places other than those specified, should not be smoking or eating and drinking Should not be brought contaminated protective equipment and gloves to rest stops Deny unnecessary entry of non-emergency personnel to the handling area

### Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

#### Storage

### Safe storage conditions

 

 Storage conditions
 Keep container protect from light, store in well-ventilated place at room temperature (preferably cool). Keep container tightly closed.

 Safe packaging material Incompatible substances
 Glass

### Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Engineering controls**

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly. Exposure limitsThis product, as supplied, does not contain any hazardous materials with occupational<br/>exposure limits established by the region specific regulatory bodies.Personal protective equipment<br/>Respiratory protection<br/>Hand protection<br/>Eye protection<br/>Skin and body protectiongas mask for organic gas<br/>Impermeable protective gloves<br/>protective eyeglasses or chemical safety goggles<br/>Long-sleeved work clothesGeneral hygiene considerations<br/>Handle in accordance with good industrial hygiene and safety practice.Jona Supplied, does not contain any hazardous materials with occupational<br/>exposure limits established by the region specific regulatory bodies.

### Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form Color Turbidity Appearance Odor Melting point/freezing point Boiling point, initial boiling point and boiling range Flammability **Evaporation rate:** Flammability (solid, gas): Upper/lower flammability or explosive limits Upper: Lower: Flash point Auto-ignition temperature: **Decomposition temperature:** рΗ Viscosity (coefficient of viscosity) **Dynamic viscosity** Solubilities n-Octanol/water partition coefficient:(log Pow) Vapour pressure Specific Gravity / Relative density Vapour density Particle characteristics

Colorless - nearly colorless clear liquid unpleasant no data available 68 °C no data available -20 °C no data available water : slightly soluble . Ethanol , ether : free soluble . no data available no data available 0.841 - 0.848 a/mL no data available no data available

### Section 10: STABILITY AND REACTIVITY

#### Stability

 Reactivity
 no data available

 Chemical stability
 May be altered by light.

 Hazardous reactions
 None under normal processing

 Conditions to avoid
 Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

 Incompatible materials
 Strong oxidizing agents

 Hazardous decomposition products
 Carbon monooxide (CO), Carbon dioxide (CO2), Sulfur oxides (SOx)

### Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity			
Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50

1-Propanethiol	1730 mg/kg (Rat) 1790 mg/kg (Rat)	>2,000 mg/kg (Rabbit)	7300 ppm (Rat)4 h

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
1-Propanethiol	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.
Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
1-Propanethiol	Based on the NITE GHS	Dased on the NITE GHS	based on the NTTE GHS

#### Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information	
1-Propanethiol	Based on the NITE GHS classification results.	
Serious eye damage/ irritation		
Chemical Name	Serious eye damage/irritation source information	
1-Propanethiol	Based on the NITE GHS classification results.	
Respiratory or skin sensitization		
Chemical Name	Respiratory or Skin sensitization source information	
1-Propanethiol	Based on the NITE GHS classification results.	
Reproductive cell mutagenicity		
Chemical Name	germ cell mutagencity source information	
1-Propanethiol	Based on the NITE GHS classification results.	
Carcinogenicity		
Chemical Name	Carcinogenicity source information	
1-Propanethiol	Based on the NITE GHS classification results.	

### **Reproductive toxicity**

Chemical Name	Reproductive toxicity source information
1-Propanethiol	Based on the NITE GHS classification results.
STOT-single exposure	
Chemical Name	STOT -single exposure- source information
1-Propanethiol Based on the NITE GHS classification results.	
STOT-repeated exposure	
Chemical Name	STOT -repeated exposure- source information
1-Propanethiol	Based on the NITE GHS classification results.
Aspiration hazard	
Chemical Name	Aspiration Hazard source information
1-Propanethiol	Based on the NITE GHS classification results.

### Section 12: ECOLOGICAL INFORMATION

### Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
1-Propanethiol	N/A	N/A	LC50:Daphnia magna
			0.06 ma/L 48h

#### Other data

Chemical Name	Short-term (acute) hazardous to the aquatic environment source information	Long-term (chronic) hazardous to the aquatic environment source information
1-Propanethiol	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.

#### Persistence and degradability Bioaccumulative potential Mobility in soil

No information available No information available No information available Hazard to the ozone layer

No information available

### Section 13: DISPOSAL CONSIDERATIONS

#### Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations. **Contaminated container and contaminated packaging** 

Disposal should be in accordance with applicable regional, national and local laws and regulations.

### Section 14: TRANSPORT INFORMATION

ADR/RID	
UN number	UN2402
Proper shipping name:	Propanethiols
UN classfication	3
Subsidiary hazard class	
Packing group	11
Marine pollutant	Yes
IMDG	
UN number	UN2402
Proper shipping name:	Propanethiols
UN classfication	3
	5
Subsidiary hazard class	П
Packing group	Yes
Marine pollutant (Sea)	
Transport in bulk according to	No information available
Annex II of MARPOL 73/78 and	
the IBC Code	
ΙΑΤΑ	
UN number	UN2402
Proper shipping name:	Propanethiols
UN classfication	3
Subsidiary hazard class	
Packing group	II
Environmentally Hazardous	Yes
Substance	

### Section 15: REGULATORY INFORMATION

International Inventories EINECS/ELINCS TSCA	Listed Listed
Japanese regulations	
Fire Service Act	Category IV, Class I petroleums, dangerous grade 2
Poisonous and Deleterious	Not applicable
Substances Control Law	
Industrial Safety and Health Ac	t Dangerous Substances - Flammable Substance (Enforcement Order Attached Table 1 Item 4)
Regulations for the carriage and storage of dangerous goods in ship	Flammable Liquids (Ordinance Art.3, Ministry of Transportation Ordinance Regarding Transport by Ship and Storage, Attached Table 1)
Civil Aeronautics Law	Flammable Liquids (Ordinance Art.194, MITL Nortification for Air Transportation of Explosives etc., Attached Table 1)
Pollutant Release and Transfer	· Not applicable
Register Law	
(~2023.3.31)	
Pollutant Release and Transfer	Not applicable
Register Law	
<u>(2023/4/1~)</u>	

Export Trade Control Order	Not applicable
	Section 16: OTHER INFORMATION
Key literature references and sources for data etc.	NITE: National Institute of Technology and Evaluation (JAPAN) http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd. Chemical Dictionary, Kyouritsu Publishing Co., Ltd. etc

#### Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z7252(2019). \*JIS: Japanese Industrial Standards

End of Safety Data Sheet