



SAFETY DATA SHEET

According to JIS Z 7253:2019

Revision date 31-Mar-2022

Revision Number 7.06

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	0.2mol/L Potassium Permanganate Solution	
Product Code	167-07085	
Manufacturer	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 Fax: +81-6-6203-5964	
Supplier	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan	

Phone: +81-6-6203-3741

Emergency telephone number Recommended uses and

restrictions on use

+81-6-6203-3741 / +81-3-3270-8571

For research use only

Fax: +81-6-6203-2029

Section 2: HAZARDS IDENTIFICATION

GHS classification

Classification of the substance or mixture

Skin corrosion/irritationCategory 2Serious eye damage/eye irritationCategory 1Germ cell mutagenicityCategory 2Reproductive ToxicityCategory 2Specific target organ toxicity (repeated exposure)Category 1Category 1nervous system, respiratory system

Acute aquatic toxicity
Chronic aquatic toxicity
Category 2
Category 2

Pictograms



Hazard statements

H315 - Causes skin irritation

H318 - Causes serious eye damage

H341 - Suspected of causing genetic defects

H361 - Suspected of damaging fertility or the unborn child

H401 - Toxic to aquatic life

H411 - Toxic to aquatic life with long lasting effects

H372 - Causes damage to the following organs through prolonged or repeated exposure: nervous system, respiratory system

Precautionary statements-(Prevention)

· Obtain special instructions before use

- Do not handle until all safety precautions have been read and understood
- Use personal protective equipment as required
- · Wash face, hands and any exposed skin thoroughly after handling
- Do not breathe dust/fume/gas/mist/vapors/spray
- Do not eat, drink or smoke when using this product
- Avoid release to the environment

Precautionary statements-(Response)

- IF exposed or concerned: Get medical advice/attention
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- Immediately call a POISON CENTER or doctor/physician
- IF ON SKIN: Wash with plenty of soap and water
- If skin irritation occurs: Get medical advice/attention
- Take off contaminated clothing and wash before reuse
- · Collect spillage

Precautionary statements-(Storage)

Store locked up

Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Mixture

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Water	96.84	18.02	N/A	N/A	7732-18-5
Potassium	3.16	158.03	(1)-446	*	7722-64-7
permanganate					

Note on ISHL No.: * in the table means announced chemical substances.

Impurities and/or Additives: Not applicable

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for

fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Avoid contact with reducing agents. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle In places other than those specified, should not be smoking or eating and drinking Should not be brought contaminated protective equipment and gloves to rest stops Deny unnecessary entry of non-emergency personnel to the handling area

Safety handling precautions

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Storage

Safe storage conditions

Storage conditions Keep container protect from light, store

in well-ventilated place at room temperature (preferably cool). Keep container tightly

closed. Glass

Safe packaging material

Incompatible substances Strong reducing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

Ī	Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
ĺ	Potassium permanganate	0.2mg/m³ Mn	ISHL/ACL: 0.2 mg/m ³	TWA: 0.02 mg/m ³ Mn
	7722-64-7	3		respirable particulate matter
				TWA: 0.1 mg/m ³ Mn inhalable
				particulate matter

Personal protective equipment

Respiratory protection Protective mask

Hand protection Impermeable protective gloves

Eye protection protective eyeglasses or chemical safety goggles

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

Color dark reddish purple

Turbidity clear
Appearance liquid
Odor Odorless

Melting point/freezing pointno data availableBoiling point, initial boiling point and boiling rangeno data availableFlammabilityno data availableEvaporation rate:no data availableFlammability (solid, gas):no data available

Upper/lower flammability or

explosive limits

no data available Upper: Lower: no data available Flash point no data available Auto-ignition temperature: no data available no data available **Decomposition temperature:** рΗ no data available Viscosity (coefficient of viscosity) no data available Dynamic viscosity no data available Solubilities water: miscible. n-Octanol/water partition coefficient:(log Pow) no data available Vapour pressure no data available Specific Gravity / Relative density 1.024 Vapour density no data available

Particle characteristics no data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available
Chemical stability May be altered by light.

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight

Incompatible materials

Strong reducing agents

Hazardous decomposition products

Metal oxides

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Potassium permanganate	379 mg/kg (Rat)	N/A	N/A

Chemical Name	Acute toxicity -oral- source	Acute toxicity -dermal- source	Acute toxicity -inhalation gas-
	information	information	source information
Potassium permanganate	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.

Chemical Name	Acute toxicity -inhalation	Acute toxicity -inhalation dust- Acute toxicity -inhala	
	vapor- source information	source information	source information
Potassium permanganate	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.

Skin irritation/corrosion	
Chemical Name	Skin corrosion/irritation source information
Potassium permanganate	Based on the NITE GHS classification results.
Serious eye damage/ irritation	
Chemical Name	Serious eye damage/irritation source information
Potassium permanganate	Based on the NITE GHS classification results.
Respiratory or skin sensitization	<u>.</u>
Chemical Name	Respiratory or Skin sensitization source information
Potassium permanganate	Based on the NITE GHS classification results.
Reproductive cell mutagenicity	<u>.</u>
Chemical Name	germ cell mutagencity source information
Potassium permanganate	Based on the NITE GHS classification results.
Carcinogenicity	<u> </u>
Chemical Name	Carcinogenicity source information
Potassium permanganate	Based on the NITE GHS classification results.

Reproductive toxicity

Chemical Name	Reproductive toxicity source information	
Potassium permanganate	Based on the NITE GHS classification results.	
STOT-single exposure		
Chemical Name	STOT -single exposure- source information	
Potassium permanganate	Based on the NITE GHS classification results.	
STOT-repeated exposure		
Chemical Name	STOT -repeated exposure- source information	
Potassium permanganate	Based on the NITE GHS classification results.	
Aspiration hazard		
Chamical Name	Assistation Usered source information	

ASPITATION NAZATU				
Chemical Name	Aspiration Hazard source information			
Potassium permanganate	Based on the NITE GHS classification results.			

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Potassium permanganate	N/A	LC50:Oncorhynchus mykiss	EC50 : Eudiaptomus padanus
		1.08 - 1.38 mg/L 96 h	0.185 mg/L
		_	(0.0765 mg Mn/L)

Other data

Otti	ici data			
	Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the	
		aquatic environment source	aquatic environment source	
		information	information	
	Potassium permanganate	Based on the NITE GHS classification	Based on the NITE GHS classification	
		results.	results.	

No information available Persistence and degradability No information available Bioaccumulative potential Mobility in soil No information available No information available Hazard to the ozone layer

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID

UN number UN3082

Proper shipping name: Environmentally hazardous substance, liquid, n.o.s. (Potassium Permanganate Solution)

UN classfication

Subsidiary hazard class Ш Packing group Marine pollutant Yes

IMDG

UN number UN3082

Proper shipping name: Environmentally hazardous substance, liquid, n.o.s. (Potassium Permanganate Solution)

UN classfication

Subsidiary hazard class

Packing group Ш Marine pollutant (Sea) Yes

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

IATA

UN number UN3082

Environmentally hazardous substance, liquid, n.o.s. (Potassium Permanganate Solution) Proper shipping name:

UN classfication

Subsidiary hazard class

Packing group Ш **Environmentally Hazardous** Yes

Substance

Section 15: REGULATORY INFORMATION

International Inventories

EINECS/ELINCS TSCA

Japanese regulations

Fire Service Act Not applicable Poisonous and Deleterious Not applicable

Substances Control Law

Industrial Safety and Health Act Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57,

Para.1, Enforcement Order Art.18)

Notifiable Substances (Law Art.57-2, Enforcement Oder Art.18-2 Attached Table

No.9)No.550

Group 2 Specified Chemical Substance

Working Environment Evaluation Standards, Administrative Control Levels (Law

Art.65-2, Para.1)

Regulations for the carriage and storage of dangerous

goods in ship

Noxious Substances (Ordinance Art.3, Ministry of Transportation Ordinance Regarding

Transport by Ship and Storage, Attached Table 1)

Civil Aeronautics Law Misellaneous Dangerous Substances and Articles (Ordinance Art.194, MITL Nortification

for Air Transportation of Explosives etc., Attached Table 1)

Pollutant Release and Transfer Class 1

Register Law $(\sim 2023.3.31)$

Class 1 - No. 412 Pollutant Release and Transfer Class 1

Register Law

(2023/4/1~)

412 Class 1 - No.

Water Pollution Control Act Export Trade Control Order Air Pollution Control Law Specified substances(Law Art.2 Para.4, Enforcement Order Art.3-3)

Not applicable

Hazardous Air Pollutants

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2) (~2024.3.31)	Pollutant Release and Transfer Register Law (~2023.3.31)
Potassium permanganate 7722-64-7 (3.16)	-	Applicable	Applicable

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances
Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z7252(2019). *JIS: Japanese Industrial Standards

End of Safety Data Sheet