



SAFETY DATA SHEET

According to JIS Z 7253:2019

Revision date 11-Sep-2024

Revision Number 10.08

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	0.1mol/L Perchloric Acid (Acetic Acid Solution)	
Product Code	161-07505	
Supplier	FUJIFILM Wako Pure Chemical Corporation	

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571 For research use only

Restrictions on use Seek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification

Classification of the substance or mixture

Category 3 Flammable liquids Corrosive to metals Category 1 Category 4 **Acute toxicity - Dermal** Skin corrosion/irritation Category 1 Serious eye damage/eye irritation Category 1 Carcinogenicity Category 2 **Reproductive Toxicity** Category 2 Specific target organ toxicity (single exposure) Category 1

Category 1 blood, respiratory system

Specific target organ toxicity (repeated exposure)

Category 1 thyroid gland

Acute aquatic toxicity Category 3

Pictograms









Signal word

None

Hazard statements

- H226 Flammable liquid and vapour
- H290 May be corrosive to metals
- H314 Causes severe skin burns and eye damage
- H318 Causes serious eye damage
- H312 Harmful in contact with skin
- H351 Suspected of causing cancer
- H361 Suspected of damaging fertility or the unborn child
- H402 Harmful to aquatic life
- H370 Causes damage to the following organs: blood, respiratory system
- H372 Causes damage to the following organs through prolonged or repeated exposure: thyroid gland

Category 1

Precautionary statements-(Prevention)

- · Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood
- Use personal protective equipment as required
- · Do not breathe dust/fume/gas/mist/vapors/spray
- · Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product
- · Avoid release to the environment
- · Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- · Keep container tightly closed
- · Ground/bond container and receiving equipment
- Use explosion-proof electrical/ ventilating / lighting / equipment
- Use only non-sparking tools
- · Take precautionary measures against static discharge
- · Keep only in original container

Precautionary statements-(Response)

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- Immediately call a POISON CENTER or doctor/physician
- Call a POISON CENTER or doctor/physician if you feel unwell
- · Wash contaminated clothing before reuse
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
- In case of fire: Use suitable extinguishing media for extinction
- Absorb spillage to prevent material damage

Precautionary statements-(Storage)

- · Store locked up
- Store in a well-ventilated place. Keep cool
- · Store in corrosive resistant/ container with a resistant inner liner

Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Mixture

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Acetic Acid	99	60.05	(2)-688	*	64-19-7
Perchloric Acid	1.0	100.46	(1)-221	*	7601-90-3

Note on ISHL No.: * in the table means announced chemical substances.

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Vapors may form explosive mixtures with air

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Storage

Safe storage conditions

Storage conditions Store away from sunlight in well-ventilated place at room temperature (preferably cool).

Keep container tightly closed.

Safe packaging material Glass

Incompatible substances Strong oxidizing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Acetic Acid	TWA: 10 ppm OEL	N/A	STEL: 15 ppm
64-19-7	TWA: 25 mg/m ³ OEL		TWA: 10 ppm

Personal protective equipment

Respiratory protection gas mask for organic gas (JIS T 8152) Hand protection chemical protective gloves (JIS T 8116)

Eye protection protective eyeglasses or chemical safety goggles (JIS T 8147)

Long-sleeved work clothes Skin and body protection

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

colorless Color **Turbidity** clear **Appearance** liquid Odor Pungent odor Melting point/freezing point 16 °C

118 °C Boiling point, initial boiling point and boiling range

Flammability Flammable liquid and vapor **Evaporation rate:** no data available

Flammability (solid, gas): no data available

Upper/lower flammability or explosive limits

no data available Upper: Lower: no data available

Flash point 43 °C

Auto-ignition temperature: no data available **Decomposition temperature:** no data available Strongly acidic pН Viscosity (coefficient of viscosity) no data available

Dynamic viscosity no data available

water and Ethanol Miscible at any arbitrary ratio . **Solubilities**

n-Octanol/water partition coefficient:(log Pow) no data available Vapour pressure no data available Specific Gravity / Relative density 1.1 g/mL

Vapour density no data available Particle characteristics no data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available

Chemical stability Stable under recommended storage conditions.

Hazardous reactions

Corrodes metals to generate hydrogen gas.

Conditions to avoid

Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark, Moisture

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Carbon monooxide (CO), Carbon dioxide (CO2), Halides

Section 11: TOXICOLOGICAL INFORMATION

*NITE: National Institute of Technology and Evaluation (JAPAN) https://www.chem-info.nite.go.jp/en/chem/chrip/chrip_search/srhInput

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Acetic Acid	3310 mg/kg (Rat)	1060 mg/kg (Rabbit)	11.4 mg/L (Rat) 4 h
Perchloric Acid	1100 mg/kg (Rat)	N/A	N/A

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
, ,			Based on the NITE GHS
	classification results.	classification results.	classification results.
Perchloric Acid	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
710011071010			Based on the NITE GHS classification results.
1 01011107101			Based on the NITE GHS classification results.

Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information
Acetic Acid	Based on the NITE GHS classification results.
Perchloric Acid	Based on the NITE GHS classification results.

Serious eye damage/ irritation

	Chemical Name	Serious eye damage/irritation source information
I	Acetic Acid	Based on the NITE GHS classification results.
	Perchloric Acid	Based on the NITE GHS classification results.
- 7		

Respiratory or skin sensitization

Respiratory of skill sensitization		
Chemical Name	Respiratory or Skin sensitization source information	
Acetic Acid	Based on the NITE GHS classification results.	
Perchloric Acid	Based on the NITE GHS classification results.	

Reproductive cell mutagenicity

Chemical Name	germ cell mutagencity source information
Acetic Acid	Based on the NITE GHS classification results.
Perchloric Acid	Based on the NITE GHS classification results.

Carcinogenicity

Chemical Name	Carcinogenicity source information
Acetic Acid	Based on the NITE GHS classification results.
Perchloric Acid	Based on the NITE GHS classification results.

Reproductive toxicity

Chemical Name	Reproductive toxicity source information
Acetic Acid	Based on the NITE GHS classification results.
Perchloric Acid	Based on the NITE GHS classification results.
CTOT single synasure	

STOT-single exposure

Chemical Name	STOT -single exposure- source information	
Acetic Acid	Based on the NITE GHS classification results.	
Perchloric Acid Based on the NITE GHS classification results.		

STOT-repeated exposure

Chemical Name Acetic Acid		STOT -repeated exposure- source information	
		Based on the NITE GHS classification results.	

Perchloric Acid	Based on the NITE GHS classification results.	
Aspiration hazard		
Chemical Name	Aspiration Hazard source information	
Acetic Acid	Based on the NITE GHS classification results.	
Perchloric Acid	Based on the NITE GHS classification results.	

Section 12: ECOLOGICAL INFORMATION

*NITE: National Institute of Technology and Evaluation (JAPAN) https://www.chem-info.nite.go.jp/en/chem/chrip/chrip_search/srhInput

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Acetic Acid	N/A	LC50 : Pimephales promelas 79 mg/L 96 h	EC50 : Daphnia magna 65000 ug/L 48 h
Perchloric Acid	N/A	LC50 : Danio rerio 1131 mg/L 96 h	LC50 : Daphnia magna 495 mg/L 48 h

Other data

Chemical Name	Short-term (acute) hazardous to the aquatic environment source information	Long-term (chronic) hazardous to the aquatic environment source information
Acetic Acid	Based on the NITE GHS classification	Based on the NITE GHS classification
	results.	results.
Perchloric Acid	Based on the NITE GHS classification	Based on the NITE GHS classification
	results.	results.

Persistence and degradability
Bioaccumulative potential
Mobility in soil
Hazard to the ozone layer

No information available
No information available
No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID

UN number UN2789

Proper shipping name: ACETIC ACID SOLUTION

UN classfication 8
Subsidiary hazard class 3
Packing group ||

Marine pollutant Not applicable

IMDG

UN number UN2789

Proper shipping name: ACETIC ACID SOLUTION

UN classfication 8
Subsidiary hazard class 3
Packing group ||

Marine pollutant (Sea) Not applicable

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

2025/4/1

IATA

UN2789 **UN** number

Proper shipping name: ACETIC ACID SOLUTION

UN classfication Subsidiary hazard class 3 Packing group

Environmentally Hazardous

Substance

Not applicable

Section 15: REGULATORY INFORMATION

Japanese regulations

Fire Service Act Category IV, Class II petroleums, dangerous grade 3 water-soluble

Poisonous and Deleterious Substances Control Law

Not applicable

Industrial Safety and Health Act Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)

【2025.4.1~】Notifiable Substances (Law Art.57-2)

Transport by Ship and Storage, Attached Table 1)

Notifiable Substances (Law Art.57-2)

Dangerous Substances - Flammable Substance (Enforcement Order Attached Table 1

Item 4)

Corrosive Liquids (Ordinance on Industrial Safety and Health Law Art. 326)

Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1) [2025.4.1~] Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)

Corrosive Substances (Ordinance Art.3, Ministry of Transportation Ordinance Regarding

Industrial Safety and Health Act (2025~)

Regulations for the carriage

and storage of dangerous

goods in ship **Civil Aeronautics Law**

Corrosive Substances (Ordinance Art.194, MITL Nortification for Air Transportation of

Weight %

1.0

Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Z

Explosives etc., Attached Table 1)

Chemical Name in Regulation

Perchloric acid

Marine Pollution Prevention

Law Name

Notifiable Substances (Law Art.57-2)

7601-90-3 (1.0)

Pollutant Release and Transfer Class 1

Register Law (2023.4.1-)

Class 1 - No. 602

Export Trade Control Order Not applicable

Industrial Safety and Health Law

Chemical Name	Poisonous and Deleterious	Industrial Safety and Health Act	Pollutant Release and Transfer
	Substances Control Law	Substances	Register Law
		(Law Art.57-2)	(2023.4.1-)
Acetic Acid	-	Applicable	-
64-19-7 (99)			
Perchloric Acid	-	-	Applicable

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN) https://www.chem-info.nite.go.jp/en/chem/chrip/chrip_search/srhInput

IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry, SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

Record of SDS revisions Disclaimer

The following contents were revised. Regulatory information.

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet