



# SAFETY DATA SHEET

According to JIS Z 7253:2019 **Revision date** 26-Feb-2024 Revision Number 3.04

# Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Propylene Oxide
Product Code	167-11076
Supplier	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 Fax: +81-6-6203-2029
Emergency telephone number Recommended uses Restrictions on use	+81-6-6203-3741 / +81-3-3270-8571 For research use only Seek expert judgment when using for purposes other than those recommended.

### Section 2: HAZARDS IDENTIFICATION

GHS classification Classification of the substance or mixture Flammable liquids Acute toxicity - Oral Acute toxicity - Dermal Acute toxicity - Inhalation (Vapors) Skin corrosion/irritation Serious eye damage/eye irritation Skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive Toxicity Specific target organ toxicity (single exposure) Category 3 Respiratory irritation, Narcotic effects Acute aquatic toxicity

Category 1
Category 4
Category 3
Category 4
Category 2
Category 1
Category 1
Category 2
Category 2
Category 2
Category 3

Category 3



0

Dang

#### **Hazard statements**

- H224 Extremely flammable liquid and vapor
- H315 Causes skin irritation
- H318 Causes serious eye damage
- H302 Harmful if swallowed
- H311 Toxic in contact with skin
- H332 Harmful if inhaled
- H341 Suspected of causing genetic defects
- H351 Suspected of causing cancer
- H361 Suspected of damaging fertility or the unborn child
- H335 May cause respiratory irritation

- H336 May cause drowsiness or dizziness
- H317 May cause an allergic skin reaction
- H402 Harmful to aquatic life

#### Precautionary statements-(Prevention)

- Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood
- · Use personal protective equipment as required
- Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product
- Avoid breathing dust/fume/gas/mist/vapors/spray
- · Use only outdoors or in a well-ventilated area
- · Contaminated work clothing should not be allowed out of the workplace
- Wear protective gloves
- Avoid release to the environment
- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- Keep container tightly closed
- · Ground/bond container and receiving equipment
- · Use explosion-proof electrical/ ventilating / lighting / equipment
- Use only non-sparking tools
- Take precautionary measures against static discharge
- Keep cool

#### Precautionary statements-(Response)

- · IF exposed or concerned: Get medical advice/attention
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- Immediately call a POISON CENTER or doctor/physician
- Call a POISON CENTER or doctor/physician if you feel unwell
- · Wash contaminated clothing before reuse
- · If skin irritation or rash occurs: Get medical advice/attention
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
- Rinse mouth
- In case of fire: Use suitable extinguishing media for extinction
- Precautionary statements-(Storage)
  - Store locked up
  - Store in a well-ventilated place. Keep container tightly closed

#### **Precautionary statements-(Disposal)**

· Dispose of contents/container to an approved waste disposal plant

Others Other hazards

Not available

### Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula

#### C3H6O

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Propylene oxide	98.0	58.08	(2)-219	*	75-56-9
Note on ISHI No : * in the table means announced chemical substances					

Note on ISHL No.: \* in the table means announced chemical substances.

### Section 4: FIRST AID MEASURES

#### Inhalation

Remove to fresh air. If symptoms persist, call a physician.

#### Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

#### Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

#### Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

### Protection of first-aiders

Use personal protective equipment as required.

### Section 5: FIRE FIGHTING MEASURES

#### Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

### Unsuitable extinguishing media

No information available

#### Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Vapors may form explosive mixtures with air

#### Special extinguishing method

No information available

### Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

### Section 6: ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

#### **Environmental precautions**

To be careful not discharged to the environment without being properly handled waste water contaminated.

### Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

### Recoverly, neutralization

No information available

# Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

# Section 7: HANDLING AND STORAGE

#### Handling

#### **Technical measures**

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Use with local exhaust ventilation.

#### Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

#### Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

<u>Storage</u> Safe storage conditions Storage conditions

Safe packaging material Incompatible substances

Keep container protect from light, store in well-ventilated place at room temperature (preferably cool). Keep container tightly closed. Glass Strong oxidizing agents

# Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Engineering controls**

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

#### Exposure limits

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Propylene oxide	ISHL/ACL: 2 ppm	ISHL/ACL: 2 ppm	TWA: 2 ppm
75-56-9			

#### Personal protective equipment

Respiratory protection Hand protection Eye protection Skin and body protection gas mask for organic gas (JIS T 8152) chemical protective gloves (JIS T 8116) protective eyeglasses or chemical safety goggles (JIS T 8147) Long-sleeved work clothes

# General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice. If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

# Section 9: PHYSICAL AND CHEMICAL PROPERTIES

#### Form

Color	colorless
Turbidity	clear
Appearance	liquid
Odor	characteristic odor
Melting point/freezing point	-112 °C
Boiling point, initial boiling point and boiling range	35 °C
Flammability	Extremely flammable liquid and vapor
Evaporation rate:	no data available
Flammability (solid, gas):	no data available
Upper/lower flammability or explosive limits	
Upper:	37.0 vol%
Lower:	2.8 vol%
Flash point	-37 °C
Auto-ignition temperature:	449 °C
Decomposition temperature:	no data available
рН	no data available
Viscosity (coefficient of viscosity)	no data available
Dynamic viscosity	no data available
Solubilities	Ethanol, acetone: Very soluble. water: slightly soluble.
n-Octanol/water partition coefficient:(log Pow)	0.03
Vapour pressure	59kPa
Specific Gravity / Relative density	0.828 - 0.835 g/mL
Vapour density	2.0(air=1)
Particle characteristics	no data available

# Section 10: STABILITY AND REACTIVITY

#### Stability

Reactivityno data availableChemical stabilityMay be altered by light.Hazardous reactionsNone under normal processingConditions to avoidKenter State

Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

# Incompatible materials

# Strong oxidizing agents

Hazardous decomposition products Carbon monooxide (CO), Carbon dioxide (CO2)

# Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Propylene oxide	520 mg/kg (Rat)	950 mg/kg (Rabbit)	4000 ppm (Rat) 4 h

information         information         source information           Propylene oxide         Based on the NITE GHS         Based on the NITE GHS         Based on the NITE GHS           classification results         classification results         classification results         classification results	Chemical Name	Acute toxicity -oral- source	Acute toxicity -dermal- source	Acute toxicity -inhalation gas-
		information	information	source information
classification results classification results classification results	Propylene oxide	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	.,,	classification results.	classification results.	classification results.

Chemical Name	Acute toxicity -inhalation	Acute toxicity -inhalation dust-	Acute toxicity -inhalation mist-
	vapor- source information	source information	source information
Propylene oxide	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.

#### Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information	
Propylene oxide	Based on the NITE GHS classification results.	
Serious eye damage/ irritation		
Chemical Name	Serious eye damage/irritation source information	
Propylene oxide	Based on the NITE GHS classification results.	
Respiratory or skin sensitization		
Chemical Name	Respiratory or Skin sensitization source information	
Propylene oxide	Based on the NITE GHS classification results.	
Reproductive cell mutagenicity		
Chemical Name	germ cell mutagencity source information	
Propylene oxide	Based on the NITE GHS classification results.	
Carcinogenicity		
Chemical Name	Carcinogenicity source information	
Propylene oxide	Based on the NITE GHS classification results.	

Chemical Name NTP		IARC	ACGIH	JSOH (Japan)		
Propylene oxide	Reasonably	Group 2B	A3	Group 2B		
75-56-9						
Reproductive toxicity	Reproductive toxicity					
Chemical Name	Reproducti	ve toxicity source	information			
Propylene oxide	Based on the NITE GHS classification results.					
STOT-single exposure						
Chemical Name	STOT -single	exposure- sourc	e information			
Propylene oxide		Based on the NITE GHS classification results.				
STOT-repeated exposure						
Chemical Name		STOT -repeated exposure- source information				
Propylene oxide		Based on the NITE GHS classification results.				

Aspiration hazard

Chemical Name	Aspiration Hazard source information
Propylene oxide	Based on the NITE GHS classification results.

# Section 12: ECOLOGICAL INFORMATION

#### Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Propylene oxide	EC50 : Pseudokirchneriella	LC50 : Oncorhynchus mykiss	EC50 : Daphnia magna
	subcapitata	52 mg/L 96 h	350 mg/L 48 h
	240 mg/L 96 h	-	2

#### Other data

Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the
	aquatic environment source information	aquatic environment source information
Propylene oxide	Based on the NITE GHS classification	Based on the NITE GHS classification
	results.	results.

Persistence and degradability	
Bioaccumulative potential	
Mobility in soil	
Hazard to the ozone layer	

No information available No information available No information available No information available

# Section 13: DISPOSAL CONSIDERATIONS

#### Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

# Section 14: TRANSPORT INFORMATION

UN1280 Propylene oxide 3 I Not applicable
UN1280
Propylene oxide
3
Not applicable
No information available
UN1280
Propylene oxide
3
I
Not applicable

Substance

Section 15: REGULATORY INFORMATION		
Japanese regulations		
Fire Service Act	Category IV, special inflammable materials, dangerous grade 1	
Poisonous and Deleterious	Not applicable	
Substances Control Law		
Industrial Safety and Health Act	t Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57) Notifiable Substances (Law Art.57-2)	
	Group 2 Specified Chemical Substance	
	Mutagens - Existing Chemicals	
	Dangerous Substances - Flammable Substance (Enforcement Order Attached Table 1 Item 4)	
	Working Environment Evaluation Standards, Administrative Control Levels (Law Art.65-2, Para.1)	
Industrial Safety and Health Act( 2024~)	[2024.4.1~] Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)	
Regulations for the carriage	Flammable Liquids (Ordinance Art.3, Ministry of Transportation Ordinance Regarding	
and storage of dangerous	Transport by Ship and Storage, Attached Table 1)	
goods in ship		
Civil Aeronautics Law	Flammable Liquids (Ordinance Art.194, MITL Nortification for Air Transportation of Explosives etc., Attached Table 1)	
Marine Pollution Prevention Law	Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Y	
Pollutant Release and Transfer	Class 1	
Register Law		
(2023.4.1-)		
Class 1 - No.	68	
Export Trade Control Order	Not applicable	
Air Pollution Control Law	Hazardous Air Pollutants	

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
Propylene oxide 75-56-9(98.0)	-	Applicable	Applicable

Section 16: OTHER INFORMATION		
Key literature references and sources for data etc.	NITE: National Institute of Technology and Evaluation (JAPAN) http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS Dictionary of Synthetic Oraganic Chemistry, SSOCJ, Koudansha Scientific Co.Ltd. Chemical Dictionary, Kyouritsu Publishing Co., Ltd. etc	
Record of SDS revisions	The following contents were revised. Regulatory information.	

# Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. \*JIS: Japanese Industrial Standards

End of Safety Data Sheet