



SAFETY DATA SHEET

According to JIS Z 7253:2019

Revision date 14-Feb-2023

Revision Number 4.04

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Phenoldisulfonic Acid Solution		
Product Code	164-11961,162-11962		
Manufacturer	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome		
	Chuo-ku, Osaka 540-8605, Japan		
	Phone: +81-6-6203-3741 Fax: +81-6-6203-5964		
Supplier	FUJIFILM Wako Pure Chemical Corporation		
••	1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan		
	Phone: +81-6-6203-3741		
	Fax: +81-6-6203-2029		
Emergency telephone number	+81_6_6203_3741 / +81_3_3270_8571		

Emergency telephone number Recommended uses and restrictions on use

+81-6-6203-3741 / +81-3-3270-8571

For research use only

Section 2: HAZARDS IDENTIFICATION

GHS classification

Classification of the substance or mixture

Acute toxicity - Inhalation (Dusts/Mists)Category 2Skin corrosion/irritationCategory 1Serious eye damage/eye irritationCategory 1Specific target organ toxicity (single exposure)Category 1

Category 1 respiratory system

Specific target organ toxicity (repeated exposure)

Category 1

Category 1 respiratory system

Acute aquatic toxicity Category 3

Pictograms



Hazard statements

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

H330 - Fatal if inhaled

H402 - Harmful to aquatic life

H370 - Causes damage to the following organs: respiratory system

H372 - Causes damage to the following organs through prolonged or repeated exposure: respiratory system

Precautionary statements-(Prevention)

- Wear protective gloves/protective clothing/eye protection/face protection
- Do not breathe dust/fume/gas/mist/vapors/spray
- · Wash face, hands and any exposed skin thoroughly after handling

- Do not eat, drink or smoke when using this product
- · Avoid release to the environment

Precautionary statements-(Response)

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- Immediately call a POISON CENTER or doctor/physician
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- · Wash contaminated clothing before reuse
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

Precautionary statements-(Storage)

· Store locked up

Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Mixture

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Sulfuric Acid	85.0	98.08	(1)-430	*	7664-93-9
Phenol-2,4-disulfonic acid	15.0	254.24	N/A	N/A	96-77-5

Note on ISHL No.: * in the table means announced chemical substances.

Impurities and/or Additives: Not applicable

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for

fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full

firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Avoid contact with alkaline substances. Avoid contact with organic substance Avoid contact with reducing agents and combustible materials. Avoid contact with metal. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle In places other than those specified, should not be smoking or eating and drinking Should not be brought contaminated protective equipment and gloves to rest stops Deny unnecessary entry of non-emergency personnel to the handling area

Safety handling precautions

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Storage

Safe storage conditions

Storage conditions Keep container protect from light, store

in well-ventilated place at room temperature (preferably cool). Keep container tightly

closed. Store locked up.

Safe packaging material

Incompatible substances

Organic substance, Combustible materials, Bases, Reducing agent, Metals

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Sulfuric Acid	1mg/m ³	N/A	TWA 0.2mg/m ³
7664-93-9			

Personal protective equipment

Respiratory protection
Hand protection
Gas mask for acidic gas
Impermeable protective gloves

Eye protection protective eyeglasses or chemical safety goggles

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

Color slightly yellow - reddish brown

Turbidity clear liquid **Appearance**

Odor no data available no data available Melting point/freezing point Boiling point, initial boiling point and boiling range no data available no data available **Flammability Evaporation rate:** no data available Flammability (solid, gas): no data available

Upper/lower flammability or

explosive limits

no data available Upper: no data available Lower: Flash point no data available **Auto-ignition temperature:** no data available **Decomposition temperature:** no data available рΗ Strongly acidic Viscosity (coefficient of viscosity) no data available **Dynamic viscosity** no data available Solubilities water: soluble. n-Octanol/water partition coefficient:(log Pow) no data available Vapour pressure no data available 1.821 −1.828 g/m L (20°C) Specific Gravity / Relative density

Vapour density no data available

Particle characteristics no data available

Section 10: STABILITY AND REACTIVITY

Stability

no data available Reactivity **Chemical stability** May be altered by light.

Hazardous reactions

Corrodes metals to generate hydrogen gas.

Conditions to avoid

Extremes of temperature and direct sunlight, Moisture

Incompatible materials

Organic substance, Combustible materials, Bases, Reducing agent, Metals

Hazardous decomposition products

Carbon monooxide (CO), Carbon dioxide (CO2), Sulfur oxides (SOx)

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Sulfuric Acid	2140 mg/kg (Rat)	N/A	347 ppm (Rat) 4 h

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
			Based on the NITE GHS classification results.

Chemical Name	3	Acute toxicity -inhalation dust-	,
	vapor- source information	source information	source information
Sulfuric Acid	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.

Skin irritation/corrosion

Chemical Name		Skin corrosion/irritation source information			e information
Sulfuric Acid		Based on the NITE GHS classification results.		ults.	
Serious eye damage/ irritation					
Chemical Name			Serious eye dan	nage/irritation soເ	rce information
Sulfuric Acid		Based	on the NITE GH	S classification res	ults.
Respiratory or skin sensitization					
Chemical Name		R	espiratory or Sk	in sensitization se	ource information
Sulfuric Acid		Based	on the NITE GH	S classification res	ults.
Reproductive cell mutagenicity					
Chemical Name			germ cell mu	utagencity source	information
Sulfuric Acid		Based	on the NITE GH	S classification res	ults.
Carcinogenicity					
Chemical Name			Carcinog	enicity source inf	ormation
Sulfuric Acid		Based	on the NITE GH	S classification res	ults.
Chemical Name	NTP		IARC	ACGIH	JSOH (Japan)
Sulfuric Acid	-		Group 1	A2	-
7664-93-9					
Reproductive toxicity					
Chemical Name				e toxicity source	
Sulfuric Acid		Based	on the NITE GH	S classification res	ults.
STOT-single exposure					
Chemical Name			STOT -single exposure- source information		
Sulfuric Acid	Sulfuric Acid		Based on the NITE GHS classification results.		
STOT-repeated exposure					
Chemical Name			STOT -repeated exposure- source information		
Sulfuric Acid		Based	Based on the NITE GHS classification results.		
Aspiration hazard					
100114110111142414					
Chemical Name			•	Hazard source in	
		Based	•	Hazard source in S classification res	

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Sulfuric Acid	N/A	LC50:Lepomis macrochirus 16 - 28 mg/L 96 h	LC50:Daphnia magna 29 mg/L 24 h

Other data

Chemical Name	Short-term (acute) hazardous to the aquatic environment source information	Long-term (chronic) hazardous to the aquatic environment source information
		Based on the NITE GHS classification results

Persistence and degradability
Bioaccumulative potential
Mobility in soil
Hazard to the ozone layer

No information available
No information available
No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID

UN number UN1830 Proper shipping name: Sulphuric acid

UN classfication Subsidiary hazard class

Packing group

Marine pollutant Not applicable

IMDG

UN number UN1830 Proper shipping name: Sulphuric acid

UN classfication

Subsidiary hazard class Packing group

Marine pollutant (Sea) Not applicable

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

IATA

UN1830 **UN** number Proper shipping name: Sulphuric acid

UN classfication Subsidiary hazard class

Packing group

Not applicable **Environmentally Hazardous**

Substance

Section 15: REGULATORY INFORMATION

International Inventories

EINECS/ELINCS TSCA

Japanese regulations

Fire Service Act Firefighting Inhibitor

Poisonous and Deleterious Deleterious Substances 2nd. Grade

8

Substances Control Law

Industrial Safety and Health Act Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57,

Para.1, Enforcement Order Art.18)

Notifiable Substances (Law Art.57-2, Enforcement Oder Art.18-2 Attached Table

No.9)No.613

Group 3 Specified Chemical Substance, (Ordinance on Prevention of Hazards Due to

Specified Chemical Substances Art.2 Para.1, Item 6) Corrosive Substances (Ordinance Art.3, Ministry of Transportation Ordinance Regarding

Regulations for the carriage and storage of dangerous

Civil Aeronautics Law

goods in ship

Transport by Ship and Storage, Attached Table 1)

Corrosive Substances (Ordinance Art.194, MITL Nortification for Air Transportation of

Explosives etc., Attached Table 1)

Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Y **Marine Pollution Prevention**

Law

Pollutant Release and Transfer Not applicable

Register Law (~2023.3.31)

Pollutant Release and Transfer

Not applicable

Register Law (2023/4/1~)

Water Pollution Control Act **Export Trade Control Order**

Specified substances(Law Art.2 Para.4, Enforcement Order Art.3-3)

Narcotics and Psychotropics

Appendix 2 Export Approval Item

Control Law

Air Pollution Control Law Specified Substances

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2) (~2024.3.31)	Pollutant Release and Transfer Register Law (~2023.3.31)
Sulfuric Acid 7664-93-9 (85.0)	Applicable	Applicable	-

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z7252(2019). *JIS: Japanese Industrial Standards

End of Safety Data Sheet