



SAFETY DATA SHEET

According to JIS Z 7253:2019 Issue Date 18-Jul-2025 Revision Number 3.05

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name 2-Phenoxyethanol	
Product Code	169-12072,163-12075
Supplier	FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571

Recommended uses For research use only

Restrictions on useSeek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification
Classification of the substance or mixture

Acute toxicity - Oral
Serious eye damage/eye irritation

Specific target organ toxicity (single exposure)

Category 3 Narcotic effects

Category 4

Category 1

Category 3

Pictograms



Signal word

Danger

Hazard statements

H318 - Causes serious eye damage

H302 - Harmful if swallowed

H336 - May cause drowsiness or dizziness

Precautionary statements-(Prevention)

- · Wash face, hands and any exposed skin thoroughly after handling
- · Do not eat, drink or smoke when using this product
- Wear protective gloves/protective clothing/eye protection/face protection
- Avoid breathing dust/fume/gas/mist/vapors/spray
- Use only outdoors or in a well-ventilated area

Precautionary statements-(Response)

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- Immediately call a POISON CENTER or doctor/physician
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- Call a POISON CENTER or doctor/physician if you feel unwell
- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
- Rinse mouth

Precautionary statements-(Storage)

- Store in a well-ventilated place. Keep container tightly closed
- Store locked up

Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula C6H5OCH2CH2OH

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
2-Phenoxyethanol	99.0	138.16	(3)-558,(7)-78 (9)-1277	*	122-99-6

Note on ISHL No.:

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. Immediate medical attention is required.

Skin contact

Wash off immediately with soap and plenty of water. Get medical attention if irritation develops and persists

Eve contact

Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Immediate medical attention is required.

Ingestion

Rinse mouth. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

^{*} in the table means announced chemical substances.

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.Use with local exhaust ventilation. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Storage

Safe storage conditions

Storage conditions Store away from sunlight in well-ventilated place at room temperature (preferably cool).

Keep container tightly closed.

Safe packaging material Glass

Incompatible substances Strong oxidizing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

Personal protective equipment

Respiratory protection Protective mask

Hand protection chemical protective gloves (JIS T 8116)

Eye protection protective eyeglasses or chemical safety goggles (JIS T 8147)

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

ColorcolorlessTurbidityclearAppearanceliquid

Odor characteristic odor

Melting point/freezing point 11 - 13 °C Boiling point, initial boiling point and boiling range 240 °C

Flammability no data available
Evaporation rate: no data available
Flammability (solid, gas): no data available

Upper/lower flammability or explosive limits

Upper: 9.0 % Lower: 1.4 %

Flash point

Auto-ignition temperature:

Decomposition temperature:

pH

No data available

Viscosity (coefficient of viscosity)

Dynamic viscosity

no data available
no data available

Solubilities water : sparingly soluble . Ethanol : Very soluble.

n-Octanol/water partition coefficient:(log Pow)
no data available

Vapour pressure 5.2 kPa
Specific Gravity / Relative density 1.105 - 1.112 g/mL
Vapour density 4.8 (air=1)

Particle characteristics 4.8 (air=1) no data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available

Chemical stability Stable under recommended storage conditions.

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Carbon monooxide (CO), Carbon dioxide (CO2)

Section 11: TOXICOLOGICAL INFORMATION

*NITE: National Institute of Technology and Evaluation (JAPAN) https://www.chem-info.nite.go.jp/en/chem/chrip/chrip_search/srhInput

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
2-Phenoxyethanol	1394 mg/kg (Rat)	2251 mg/kg (Rabbit)	176.5 mg/L (Rat) 4 h

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
2-Phenoxyethanol	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
,	classification results.	classification results.	classification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
2-Phenoxyethanol	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
_	classification results.	classification results.	classification results.

Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information	
2-Phenoxyethanol	Based on the NITE GHS classification results.	

Serious eye damage/ irritation

Chemical Name	Serious eye damage/irritation source information	
2-Phenoxyethanol	Based on the NITE GHS classification results.	

Respiratory or skin sensitization

Aspiration Hazard source information

Based on the NITE GHS classification results.

Chemical Name	Chemical Name Respiratory or Skin sensitization source information			
2-Phenoxyethanol	2-Phenoxyethanol Based on the NITE GHS classification results.			
Reproductive cell mutagenicity				
Chemical Name	germ cell mutagencity source information			
2-Phenoxyethanol	Based on the NITE GHS classification results.			
Carcinogenicity				
Chemical Name	Carcinogenicity source information			
2-Phenoxyethanol	Based on the NITE GHS classification results.			
Reproductive toxicity Chemical Name Reproductive toxicity source information				
Chemical Hame	Reproductive toxicity source information			
2-Phenoxyethanol	Reproductive toxicity source information Based on the NITE GHS classification results.			
2-Phenoxyethanol STOT-single exposure	' '			
2-Phenoxyethanol STOT-single exposure Chemical Name	' '			
STOT-single exposure	Based on the NITE GHS classification results.			
STOT-single exposure Chemical Name	Based on the NITE GHS classification results. STOT -single exposure- source information			
STOT-single exposure Chemical Name 2-Phenoxyethanol	Based on the NITE GHS classification results. STOT -single exposure- source information			

Section 12: ECOLOGICAL INFORMATION

Chemical Name

2-Phenoxyethanol

Ecotoxicity

Aspiration hazard

Chemical Name	Algae/aquatic plants	Fish	Crustacea
2-Phenoxyethanol	ErC50 : Scenedesmus subspicatus 625 mg/L 72 h	LC50 : Danio rerio 154 mg/L 96 h	LC50 : Daphnia magna 488 mg/L 48 h

Other data

Other data			
Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the	
	aquatic environment source information	aquatic environment source information	
2-Phenoxyethanol	Based on the NITE GHS classification	Based on the NITE GHS classification	
	results.	results.	

Persistence and degradability No information available Bioaccumulative potential No information available Mobility in soil No information available Hazard to the ozone layer No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID Not regulated

Proper shipping name:

UN classfication

UN number

Page 5/7

^{*}NITE: National Institute of Technology and Evaluation (JAPAN) https://www.chem-info.nite.go.jp/en/chem/chrip/chrip_search/srhInput

Subsidiary hazard class

Packing group

Marine pollutant Not applicable

IMDG Not regulated

UN number -

Proper shipping name: UN classfication Subsidiary hazard class

Packing group

Marine pollutant (Sea) Not applicable

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

IATA Not regulated

UN number -

Proper shipping name: UN classfication Subsidiary hazard class

Packing group

Environmentally Hazardous Not applicable

Substance

Section 15: REGULATORY INFORMATION

Japanese regulations

Fire Service Act Category IV, Class III petroleums, dangerous grade 3

Poisonous and Deleterious Not applicable

Substances Control Law

Industrial Safety and Health Act Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)
Industrial Safety and Health Act (2026.4.1~ Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)

<u>2026~)</u>

【2026.4.1~】 Notifiable Substances (Law Art.57-2)
Not applicable

Regulations for the carriage and storage of dangerous

goods in ship

Civil Aeronautics Law Not applicable

Marine Pollution Prevention Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Z

Law

Pollutant Release and Transfer Not applicable

Register Law (2023.4.1-)

Industrial Safety and Health Law

made in a carety and recall in a carety			
Law Name	Chemical Name in Regulation	Weight %	Scheduled enforcement date
Notifiable Substances (Law Art.57-2)	2-Phenoxyethanol	99.0	2026/4/1

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN) https://www.chem-info.nite.go.jp/en/chem/chrip/chrip_search/srhInput

IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

Record of SDS revisions

Disclaimer

The following contents were revised. Ecological information. Regulatory information.

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our

knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet