



SAFETY DATA SHEET

According to JIS Z 7253:2019 **Revision date** 17-May-2023 Revision Number 3.03

Section 1: PRODUCT AND COMPANY IDENTIFICATION

| Product Name | Paraffin (m.p. 58-60 degrees C) |
|----------------------------|--|
| Product Code | 167-13335,165-13331 |
| | |
| Manufacturer | FUJIFILM Wako Pure Chemical Corporation |
| | 1-2 Doshomachi 3-Chome |
| | Chuo-ku, Osaka 540-8605, Japan |
| | Phone: +81-6-6203-3741 |
| | Fax: +81-6-6203-5964 |
| Supplier | FUJIFILM Wako Pure Chemical Corporation |
| | 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan |
| | Phone: +81-6-6203-3741 |
| | Fax: +81-6-6203-2029 |
| Emergency telephone number | +81-6-6203-3741 / +81-3-3270-8571 |
| Recommended uses | For research use only |
| Restrictions on use | |
| Restrictions on use | Seek expert judgment when using for purposes other than those recommended. |

Section 2: HAZARDS IDENTIFICATION

GHS classification <u>Classification of the substance or mixture</u> Serious eye damage/eye irritation Specific target organ toxicity (single exposure) <u>Category 3</u> Respiratory irritation

Category 2B Category 3

Pictograms



Warning

Hazard statements

- H320 Causes eye irritation
- H335 May cause respiratory irritation

Precautionary statements-(Prevention)

- Wash face, hands and any exposed skin thoroughly after handling
- Avoid breathing dust/fume/gas/mist/vapors/spray
- Use only outdoors or in a well-ventilated area

Precautionary statements-(Response)

• IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

• If eye irritation persists: Get medical advice/attention

- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- Call a POISON CENTER or doctor/physician if you feel unwell

Precautionary statements-(Storage)

Store in a well-ventilated place. Keep container tightly closed

Store locked up

Precautionary statements-(Disposal)

· Dispose of contents/container to an approved waste disposal plant

CnH2n+2

Others Other hazards

Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula

| Chemical Name | Weight-% | Molecular weight | ENCS | ISHL No. | CAS RN |
|---------------|----------|------------------|-------------------|----------|-----------|
| Paraffin | =<100 | N/A | (8)-430, (8)-414, | * | 8002-74-2 |
| | | | (2)-10 | | |

Note on ISHL No.:

* in the table means announced chemical substances.

Impurities and/or Additives: Not applicable

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for

fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up Sweep up and gather scattered particles, and collect it in an empty airtight container.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Avoid contact with strong oxidizing agents. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle In places other than those specified, should not be smoking or eating and drinking Should not be brought contaminated protective equipment and gloves to rest stops Deny unnecessary entry of non-emergency personnel to the handling area

Safety handling precautions

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Storage

| Safe storage | conditions |
|--------------|------------|
|--------------|------------|

Storage conditions

Safe packaging material Incompatible substances Store away from sunlight in well-ventilated place at room temperature (preferably cool). Keep container tightly closed. Polyethylene

Strong oxidizing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

| Chemical Name | JSOH (Japan) | ISHL (Japan) | ACGIH |
|---------------|--------------|--------------|-------------------------------|
| Paraffin | N/A | N/A | TWA: 2 mg/m ³ fume |
| 8002-74-2 | | | |

Personal protective equipment

Respiratory protection Hand protection Eye protection Skin and body protection

Dust mask (JIS T 8151) chemical protective gloves (JIS T 8116) protective eyeglasses or chemical safety goggles Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form Color Appearance Odor Melting point/freezing point Boiling point, initial boiling point and boiling range Flammability Evaporation rate: Flammability (solid, gas): Upper/lower flammability or explosive limits

white mass no data available 58 - 60 °C 300 °C no data available no data available no data available Upper: Lower: Flash point Auto-ignition temperature: Decomposition temperature: pH Viscosity (coefficient of viscosity) Dynamic viscosity Solubilities

n-Octanol/water partition coefficient:(log Pow) Vapour pressure Specific Gravity / Relative density Vapour density Particle characteristics no data available no data available 149 - 232 °C 260 - 371 °C no data available no data available no data available no data available benzene , chloroform , Diethyl ether , carbon disulfide and petroleum benzine : freely soluble . Ethanol : slightly soluble . water : practically insoluble, or insoluble . no data available no data available 0.9 no data available no data available

Section 10: STABILITY AND REACTIVITY

Stability

 Reactivity
 no data available

 Chemical stability
 Stable under recommended storage conditions.

 Hazardous reactions
 Stable under recommended storage conditions.

 None under normal processing
 Conditions to avoid

 Extremes of temperature and direct sunlight
 Incompatible materials

 Strong oxidizing agents
 Hazardous decomposition products

 Carbon monooxide (CO), Carbon dioxide (CO2)

Section 11: TOXICOLOGICAL INFORMATION

| cute toxicity | | | | |
|--|---|--|---|--|
| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 | |
| Paraffin | > 5000 mg/kg (Rat) | > 3600 mg/kg (Rabbit) | N/A | |
| | | | | |
| Chemical Name | Acute toxicity -oral- source information | Acute toxicity -dermal- source information | Acute toxicity -inhalation gas- source information | |
| Paraffin | Based on the NITE GHS | Based on the NITE GHS | Based on the NITE GHS | |
| | classification results. | classification results. | classification results. | |
| | | | | |
| Chemical Name | Acute toxicity -inhalation | Acute toxicity -inhalation dust- | | |
| | vapor- source information | source information | source information | |
| Paraffin | Based on the NITE GHS | Based on the NITE GHS | Based on the NITE GHS | |
| | classification results. | classification results. | classification results. | |
| kin irritation/corrosion | | | | |
| Chemical Name Skin corrosion/irritation source information | | | tion source information | |
| F | Paraffin | Based on the NITE GHS classif | Based on the NITE GHS classification results. | |
| erious eye damage/ irritatio | n | · | | |
| Chemical Name | | Serious eye damage/irritation source information | | |
| Paraffin | | Based on the NITE GHS classification results. | | |
| espiratory or skin sensitizat | lion | | | |
| Chemical Name | | Respiratory or Skin sensitization source information | | |
| Paraffin | | Based on the NITE GHS classification results. | | |
| eproductive cell mutagenici | ty | • | | |
| Chen | nical Name | germ cell mutagenc | ity source information | |
| Paraffin | | Based on the NITE GHS classification results. | | |

Carcinogenicity

| caroniogenioty | |
|----------------|---|
| Chemical Name | Carcinogenicity source information |
| Paraffin | Based on the NITE GHS classification results. |

Reproductive toxicity

| Chemical Name | Reproductive toxicity source information |
|------------------------|---|
| Paraffin | Based on the NITE GHS classification results. |
| STOT-single exposure | |
| Chemical Name | STOT -single exposure- source information |
| Paraffin | Based on the NITE GHS classification results. |
| STOT-repeated exposure | |
| Chemical Name | STOT -repeated exposure- source information |
| Paraffin | Based on the NITE GHS classification results. |
| Aspiration hazard | |
| Chemical Name | Aspiration Hazard source information |
| Paraffin | Based on the NITE GHS classification results. |
| | |

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

No information available

Other data

| Chemical Name | Short-term (acute) hazardous to the aquatic environment source information | Long-term (chronic) hazardous to the aquatic environment source information |
|---------------|--|---|
| Paraffin | | Based on the NITE GHS classification results. |

| Persistence and degradability |
|-------------------------------|
| Bioaccumulative potential |
| Mobility in soil |
| Hazard to the ozone layer |

No information available No information available No information available No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

| ADR/RID UN number Proper shipping name: UN classfication Subsidiary hazard class Packing group | Not regulated - |
|--|--------------------------------------|
| Marine pollutant | Not applicable |
| IMDG UN number Proper shipping name: UN classfication Subsidiary hazard class Packing group Marine pollutant (Sea) | Not regulated - Not applicable |
| Transport in bulk according to | No information available |

| Annex II of MARPOL 73/78 and the IBC Code IATA UN number Proper shipping name: UN classfication Subsidiary hazard class Packing group Environmentally Hazardous Substance | Not regulated - Not applicable |
|--|---|
| | |
| Se | ection 15: REGULATORY INFORMATION |
| International Inventories | |
| EINECS/ELINCS | Listed |
| TSCA | Listed |
| Japanese regulations | |
| Fire Service Act | Not applicable |
| Poisonous and Deleterious Substances Control Law | Not applicable |
| Industrial Safety and Health A | tHarmful Substances Whose Names Are to be Indicated on the Label (Law Art.57, |
| | Para.1, Enforcement Order Art.18) |
| | Notifiable Substances (Law Art.57-2, Enforcement Oder Art.18-2 Attached Table No.9)No.170 |
| Regulations for the carriage | Not applicable |
| and storage of dangerous | |
| goods in ship | |
| Civil Aeronautics Law | Not applicable |
| Marine Pollution Prevention Law | Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Y |
| Pollutant Release and Transfe | r Not applicable |
| Register Law (2023.4.1-) | |
| Export Trade Control Order | Not applicable |

| Chemical Name | Poisonous and Deleterious Substances Control Law | Industrial Safety and Health Act Substances (Law Art.57-2) (~2024.3.31) | Pollutant Release and Transfer Register Law (2023.4.1-) |
|------------------------------|---|--|---|
| Paraffin 8002-74-2(=<100) | - | Applicable | - |

| Section 16: OTHER INFORMATION | |
|---|---|
| Key literature references and sources for data etc. | NITE: National Institute of Technology and Evaluation (JAPAN) http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd. Chemical Dictionary, Kyouritsu Publishing Co., Ltd. etc |
| Record of SDS revisions | The following contents were revised. Prodauct and company Identification. Exposure controls/personal protection. Regulatory information. |

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless

specified in the text. GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet