



SAFETY DATA SHEET

According to JIS Z 7253:2019

Revision date 25-May-2023

Revision Number 2.05

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Prometryn Standard
Product Name	
Product Code	167-15373
Manufacturer	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome
	Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 Fax: +81-6-6203-5964
Supplier	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 Fax: +81-6-6203-2029
Emergency telephone number Recommended uses Restrictions on use	+81-6-6203-3741 / +81-3-3270-8571 For research use only Seek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification

Classification of the substance or mixture

Acute toxicity - OralCategory 4Acute toxicity - Inhalation (Dusts/Mists)Category 4Serious eye damage/eye irritationCategory 2BSpecific target organ toxicity (repeated exposure)Category 2

Category 2 blood system, liver, kidneys

Acute aquatic toxicity
Chronic aquatic toxicity
Category 1
Category 1









Signal word

Warning

Hazard statements

H320 - Causes eye irritation

H302 - Harmful if swallowed

H332 - Harmful if inhaled

H410 - Very toxic to aquatic life with long lasting effects

H400 - Very toxic to aquatic life

H373 - May cause damage to the following organs through prolonged or repeated exposure: blood system, liver, kidneys

Precautionary statements-(Prevention)

- Do not eat, drink or smoke when using this product
- · Use only outdoors or in a well-ventilated area
- · Wash face, hands and any exposed skin thoroughly after handling
- Do not breathe dust/fume/gas/mist/vapors/spray

· Avoid release to the environment

Precautionary statements-(Response)

- · Get medical advice/attention if you feel unwell
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- Call a POISON CENTER or doctor/physician if you feel unwell
- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
- · Rinse mouth
- · Collect spillage

Precautionary statements-(Storage)

· Not applicable

Precautionary statements-(Disposal)

· Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula C10H19N5S

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Prometryn	98.0	241.36	(5)-3850	*	7287-19-6

Note on ISHL No.: * in the table means announced chemical substances.

Impurities and/or Additives: Not applicable

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for

fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Sweep up and gather scattered particles, and collect it in an empty airtight container.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Avoid contact with strong oxidizing agents. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle In places other than those specified, should not be smoking or eating and drinking Should not be brought contaminated protective equipment and gloves to rest stops Deny unnecessary entry of non-emergency personnel to the handling area

Safety handling precautions

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Storage

Safe storage conditions

Storage conditions Keep container protect from light tightly closed. Store in a cool (2-10 °C) place. Packed

with an inert gas.

Safe packaging material

Glass

Incompatible substances Strong oxidizing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

	Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Ī	Prometryn	N/A	N/A	TWA: 2 mg/m³ inhalable
Į	7287-19-6			particulate matter

Personal protective equipment

Respiratory protection Dust mask (JIS T 8151)

Hand protectionchemical protective gloves (JIS T 8116)Eye protectionprotective eyeglasses or chemical safety goggles

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

Color white

Appearance crystals - powder no data available Melting point/freezing point 118 - 122 °C Boiling point, initial boiling point and boiling range crystals - powder no data available 118 - 122 °C 300 °C

Flammability no data available
Evaporation rate: no data available
Flammability (solid, gas): no data available

Upper/lower flammability or

explosive limits

Upper:
Lower:
no data available
no data available
Flash point
no data available
Auto-ignition temperature:
no data available
Decomposition temperature:
no data available
pH
no data available
Viscosity (coefficient of viscosity)
no data available
Dynamic viscosity
no data available

Solubilities water: practically insoluble, or insoluble. Ethanol, acetone:

soluble .

n-Octanol/water partition coefficient:(log Pow) 3.51

Vapour pressureno data availableSpecific Gravity / Relative densityno data availableVapour densityno data availableParticle characteristicsno data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available
Chemical stability May be altered by light.

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Carbon monooxide (CO), Carbon dioxide (CO2), Nitrogen oxides (NOx), Sulfur oxides (SOx)

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Prometryn	1450 mg/kg (Rat)	> 2000 mg/kg (Rat)	> 2.17 mg/L (Rat) 4 h mist

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
Prometryn	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
,	classification results.	classification results.	classification results.

Chemical Name	•	·	Acute toxicity -inhalation mist-
	vapor- source information	source information	source information
Prometryn	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
,	classification results.	classification results.	classification results.

Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information	L
---------------	--	---

STOT -single exposure- source information

Based on the NITE GHS classification results.

Dromotryn		Based on the NITE GI	4S classification re-	eulte	
Prometryn Based on the NITE C Serious eye damage/ irritation		Dased on the NITE Of	10 Classification re-	suits.	
Chemical Name		Serious eve da	mage/irritation so	urce information	
Prometryn		Based on the NITE GI			
Respiratory or skin sensitization					
Chemical Name		Respiratory or S	kin sensitization s	source information	
Prometryn		Based on the NITE GI	HS classification re	sults.	
Reproductive cell mutagenicity		•			
Chemical Name		germ cell mutagencity source information		e information	
Prometryn		Based on the NITE GI	HS classification re	sults.	
Carcinogenicity					
Chemical Name		Carcino	Carcinogenicity source information		
Prometryn		Based on the NITE GI	HS classification re	sults.	
Chemical Name	NTP	IARC	ACGIH	JSOH (Japan)	
Prometryn 7287-19-6			A3		
Reproductive toxicity		•		•	
Chemical Name		Reproductive toxicity source information			
Prometryn	Prometryn Based on the NITE GHS classification results.		sults.		
STOT-single exposure	•				

ST

FOT-repeated exposure	
Chemical Name	STOT -repeated exposure- source information
Prometryn	Based on the NITE GHS classification results.

Aspiration hazard Aspiration Hazard source information **Chemical Name** Based on the NITE GHS classification results. Prometryn

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Prometryn	EC50 : navicula	N/A	N/A
-	0.001 mg/L 5 d		

Other data

Chemical Name	Short-term (acute) hazardous to the aquatic environment source information	Long-term (chronic) hazardous to the aquatic environment source information
Prometryn	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.

Persistence and degradability No information available Bioaccumulative potential No information available Mobility in soil No information available No information available Hazard to the ozone layer

Chemical Name

Prometryn

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID

UN number UN3077

Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (Prometryn)

UN classfication

Subsidiary hazard class

Packing group III
Marine pollutant Yes

IMDG

UN number UN3077

Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (Prometryn)

UN classfication 9

Subsidiary hazard class

Packing group III
Marine pollutant (Sea) Yes

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

IATA

UN number UN3077

Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (Prometryn)

UN classfication 9

Subsidiary hazard class

Packing group III Environmentally Hazardous Yes

Substance

Section 15: REGULATORY INFORMATION

International Inventories

EINECS/ELINCS Listed
TSCA -

Japanese regulations

Fire Service Act Not applicable Poisonous and Deleterious Not applicable

Substances Control Law

Industrial Safety and Health Act Not applicable

Regulations for the carriage Noxious Substances (Ordinance Art.3, Ministry of Transportation Ordinance Regarding

and storage of dangerous

s Transport by Ship and Storage, Attached Table 1)

goods in ship

Civil Aeronautics Law Misellaneous Dangerous Substances and Articles (Ordinance Art.194, MITL Nortification

for Air Transportation of Explosives etc., Attached Table 1)

Pollutant Release and Transfer Class 1

Register Law (2023.4.1-)

Class 1 - No. 701

Export Trade Control Order Not applicable

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2) (~2024.3.31)	Pollutant Release and Transfer Register Law (2023.4.1-)
Prometryn 7287-19-6 (98.0)	-	-	Applicable

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances
Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

Record of SDS revisions

The following contents were revised. Prodauct and company Identification. Exposure

controls/personal protection. Regulatory information.

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet