



SAFETY DATA SHEET

According to JIS Z 7253:2019 Revision date 26-Feb-2024 Revision Number 4.04

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Pyridate Standard
Product Code	163-17771
Supplier	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741
Emergency telephone number Recommended uses Restrictions on use	Fax: +81-6-6203-2029 +81-6-6203-3741 / +81-3-3270-8571 For research use only Seek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification Classification of the substance or mixture Acute toxicity - Oral Skin corrosion/irritation Skin sensitization Acute aquatic toxicity Chronic aquatic toxicity

Category 4 Category 2 Category 1 Category 1 Category 1

Pictograms



Signal word

Warning

Hazard statements

- H315 Causes skin irritation
- H302 Harmful if swallowed
- H317 May cause an allergic skin reaction
- H410 Very toxic to aquatic life with long lasting effects
- H400 Very toxic to aquatic life

Precautionary statements-(Prevention)

- Do not eat, drink or smoke when using this product
- · Wash face, hands and any exposed skin thoroughly after handling
- Wear protective gloves/protective clothing/eye protection/face protection
- Avoid breathing dust/fume/gas/mist/vapors/spray
- · Contaminated work clothing should not be allowed out of the workplace

· Avoid release to the environment

Precautionary statements-(Response)

- · Take off contaminated clothing and wash before reuse
- · IF ON SKIN: Wash with plenty of soap and water
- If skin irritation or rash occurs: Get medical advice/attention
- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

- Rinse mouth
- Collect spillage

Precautionary statements-(Storage)

Not applicable

Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

Others

Other hazards

Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula

C19H23CIN2O2S

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Pyridate	98.0	378.92	N/A	8-(2)-1619	55512-33-9
Note on ISHI. No :	* in the	table means announ	cod chomical subst	ances	

Note on ISHL No.: * in the table means announced chemical substances.

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin,

or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Storage

Safe storage conditions	
Storage conditions	Container protected from light, and store tightly closed in freez

Safe packaging material Incompatible substances Container protected from light, and store tightly closed in freezer (-20°C). Packed with an inert gas. Glass

Strong oxidizing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Personal protective equipment Respiratory protection

Hand protection

Eye protection

Protective mask chemical protective gloves (JIS T 8116) protective eyeglasses or chemical safety goggles (JIS T 8147) Long-sleeved work clothes

Skin and body protection General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice. If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form Color Turbidity

white or upon melting , Colorless - yellow clear

Appearance mass or upon melting liquid Odor no data available Melting point/freezing point 27 °C Boiling point, initial boiling point and boiling range 220 °C Flammability no data available Evaporation rate: no data available Flammability (solid, gas): no data available Upper/lower flammability or explosive limits no data available Upper: no data available Lower: Flash point no data available Auto-ignition temperature: no data available no data available **Decomposition temperature:** no data available рΗ Viscosity (coefficient of viscosity) no data available Dynamic viscosity no data available Solubilities acetone : soluble . water : practically insoluble, or insoluble . n-Octanol/water partition coefficient:(log Pow) 5.73 Vapour pressure no data available Specific Gravity / Relative density 1.16 g/mL (20°C) Vapour density no data available **Particle characteristics** no data available

Section 10: STABILITY AND REACTIVITY

Stability

 Reactivity
 no data available

 Chemical stability
 May be altered by light.

 Hazardous reactions
 None under normal processing

 Conditions to avoid
 Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

 Incompatible materials
 Strong oxidizing agents

 Hazardous decomposition products
 Carbon monooxide (CO), Carbon dioxide (CO2), Halides, Nitrogen oxides (NOx), Sulfur oxides (SOx)

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Pyridate	1431 mg/kg(Rat)	3400 mg/kg (Rabbit)	> 4.37 mg/L (Rat)4 h

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
			Based on the NITE GHS classification results.

Chemical Name	Acute toxicity -inhalation	Acute toxicity -inhalation dust-	Acute toxicity -inhalation mist-
	vapor- source information	source information	source information
. j. aato			Based on the NITE GHS classification results.

Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information
Pyridate Based on the NITE GHS classification results.	
Serious eye damage/ irritation	
Chemical Name	Serious eye damage/irritation source information

Pyridate	Based on the NITE GHS classification results.	
Respiratory or skin sensitization		
Chemical Name	Respiratory or Skin sensitization source information	
Pyridate	Based on the NITE GHS classification results.	
Reproductive cell mutagenicity		
Chemical Name	germ cell mutagencity source information	
Pyridate	Based on the NITE GHS classification results.	
Carcinogenicity		
Chemical Name	Carcinogenicity source information	
Pyridate	Based on the NITE GHS classification results.	
Poproductivo tovicitu		
Reproductive toxicity		
Chemical Name	Reproductive toxicity source information	
Chemical Name Pyridate	Reproductive toxicity source information Based on the NITE GHS classification results.	
Chemical Name Pyridate		
Chemical Name Pyridate		
Chemical Name Pyridate STOT-single exposure	Based on the NITE GHS classification results.	
Chemical Name Pyridate STOT-single exposure Chemical Name Pyridate	Based on the NITE GHS classification results. STOT -single exposure- source information	
Chemical Name Pyridate STOT-single exposure Chemical Name Pyridate	Based on the NITE GHS classification results. STOT -single exposure- source information	
Chemical Name Pyridate STOT-single exposure Chemical Name Pyridate STOT-repeated exposure	Based on the NITE GHS classification results. STOT -single exposure- source information Based on the NITE GHS classification results.	
Chemical Name Pyridate STOT-single exposure Chemical Name Pyridate STOT-repeated exposure Chemical Name	Based on the NITE GHS classification results. STOT -single exposure- source information Based on the NITE GHS classification results. STOT -repeated exposure- source information	
Chemical Name Pyridate STOT-single exposure Chemical Name Pyridate STOT-repeated exposure Chemical Name Pyridate	Based on the NITE GHS classification results. STOT -single exposure- source information Based on the NITE GHS classification results. STOT -repeated exposure- source information	

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Pyridate	EC50:Pseudokirchneriella	LC50:Oncorhynchus mykiss	EC50:Daphnia magna
	subcapitata	1.2 mg/L 96 h	0.83 mg/L 48 h
	4.93 mg/L 96 h	LC50:Lepomis macrochirus	
	EC50:Desmodesmus	140 mg/L 96 h	
	subspicatus	LC50:Cyprinus carpio	
	82 mg/L 96 h	61.1 mg/L 96 h	
	-	LC50:Lepomis macrochirus	
		2 mg/L 96 h	
		LC50:Lepomis macrochirus	
		2.1 mg/L 96 h	
		LC50:Oncorhynchus mykiss	
		20 mg/L 96 h	

Other data

Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the
	aquatic environment source information	aquatic environment source information
Pyridate	Based on the NITE GHS classification	Based on the NITE GHS classification
	results.	results.

Persistence and degradability Bioaccumulative potential Mobility in soil Hazard to the ozone layer No information available No information available No information available No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID UN number Proper shipping name: UN classfication Subsidiary hazard class Packing group Marine pollutant	UN3077 Environmentally hazardous substance, solid, n.o.s. (Pyridate) 9 III Yes
IMDG	
UN number	UN3077
Proper shipping name:	Environmentally hazardous substance, solid, n.o.s. (Pyridate)
UN classfication	9
Subsidiary hazard class	
Packing group	
Marine pollutant (Sea) Transport in bulk according to	Yes
Annex II of MARPOL 73/78 and	
the IBC Code	
IATA	
UN number	UN3077
Proper shipping name:	Environmentally hazardous substance, solid, n.o.s. (Pyridate)
UN classfication	9
Subsidiary hazard class	
Packing group	
Environmentally Hazardous Substance	Yes

Section 15: REGULATORY INFORMATION

Japanese regulations	
Fire Service Act	Category IV, Class IV petroleums, dangerous grade 3
Poisonous and Deleterious	Not applicable
Substances Control Law	
Industrial Safety and Health Act	Not applicable
Industrial Safety and Health Act ([2024.4.1~] Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)
<u>2024~)</u>	
Regulations for the carriage	Noxious Substances (Ordinance Art.3, Ministry of Transportation Ordinance Regarding
and storage of dangerous	Transport by Ship and Storage, Attached Table 1)
goods in ship	
Civil Aeronautics Law	Misellaneous Dangerous Substances and Articles (Ordinance Art.194, MITL Nortification
	for Air Transportation of Explosives etc., Attached Table 1)
Pollutant Release and Transfer	Not applicable
Register Law	
(2023.4.1-)	
Export Trade Control Order	Not applicable

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.	NITE: National Institute of Technology and Evaluation (JAPAN) http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations
	RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS Dictionary of Synthetic Oraganic Chemistry, SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd. etc

Record of SDS revisions Disclaimer

The following contents were revised. Regulatory information.

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet