



SAFETY DATA SHEET

According to JIS Z 7253:2019

Revision date 12-Sep-2024

Revision Number 2.06

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	1,2-Propanediamine
Product Code	163-18832,167-18835

Supplier FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571

Recommended uses For research use only

Restrictions on useSeek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification

Classification of the substance or mixture

Flammable liquids

Acute toxicity - Dermal

Skin corrosion/irritation

Category 3

Category 3

Category 3

Category 3

Category 1

Category 1

Category 1





Hazard statements

H226 - Flammable liquid and vapour

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

H311 - Toxic in contact with skin

Precautionary statements-(Prevention)

- Wear protective gloves/protective clothing/eye protection/face protection
- Do not breathe dust/fume/gas/mist/vapors/spray
- · Wash face, hands and any exposed skin thoroughly after handling
- · Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- · Keep container tightly closed
- Ground/bond container and receiving equipment
- Use explosion-proof electrical/ ventilating / lighting / equipment
- · Use only non-sparking tools
- Take precautionary measures against static discharge

Precautionary statements-(Response)

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- Immediately call a POISON CENTER or doctor/physician

- Call a POISON CENTER or doctor/physician if you feel unwell
- · Wash contaminated clothing before reuse
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
- In case of fire: Use suitable extinguishing media for extinction

Precautionary statements-(Storage)

- · Store locked up
- Store in a well-ventilated place. Keep cool

Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula CH3CH(NH2)CH2NH2

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
1,2-Diaminopropane	99.0	74.12	(2)-149	*	78-90-0

Note on ISHL No.:

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Vapors may form explosive mixtures with air

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

^{*} in the table means announced chemical substances.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Storage

Safe storage conditions

Storage conditions Keep container protect from light, store

in well-ventilated place at room temperature (preferably cool). Keep container tightly

closed.

Safe packaging material Glass

Incompatible substances Strong oxidizing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limitsThis product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

Personal protective equipment

Respiratory protection gas mask for organic gas (JIS T 8152) **Hand protection** gas mask for organic gas (JIS T 8152)

chemical protective gloves (JIS T 8116)

Eye protection protective eyeglasses or chemical safety goggles (JIS T 8147)

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

W01W0116-1883 JGHEEN 1,2-Propanediamine

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

Color Colorless - slightly yellow

Turbidity Appearance

Odor

Melting point/freezing point

Boiling point, initial boiling point and boiling range

Flammability

Evaporation rate:

Flammability (solid, gas):

Upper/lower flammability or explosive limits

11.1% Upper: 2.2% Lower: Flash point

Auto-ignition temperature:

Decomposition temperature: рΗ

Viscosity (coefficient of viscosity)

Dynamic viscosity

Solubilities

n-Octanol/water partition coefficient:(log Pow) Vapour pressure

Specific Gravity / Relative density

Vapour density **Particle characteristics**

clear

liquid

characteristic odor

-372 °C 120 °C

Flammable liquid and vapor

no data available no data available

33 °C 416 °C

no data available basic (aq.)

no data available no data available

water, Ethanol, acetone: Very soluble.

-1.8 19hPa

 $0.860 - 0.866 \text{ g/m L } (20^{\circ}\text{C})$

2.57(air=1) no data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available **Chemical stability** May be altered by light.

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Carbon monooxide (CO), Carbon dioxide (CO2), Nitrogen oxides (NOx)

Section 11: TOXICOLOGICAL INFORMATION

*NITE: National Institute of Technology and Evaluation (JAPAN)

https://www.chem-info.nite.go.jp/en/chem/chrip/chrip_search/srhInput

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
1,2-Diaminopropane	= 1300 mg/kg (Rat)	= 430 mg/kg (Rabbit)	N/A

Chemical Name	Acute toxicity -oral- source	Acute toxicity -dermal- source	Acute toxicity -inhalation gas-
	information	information	source information
1,2-Diaminopropane	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
1,2-Diaminopropane	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS

classific	ation results.	classification results.	classification results.	
Obin installanta ana aira				
Skin irritation/corrosion Chemical Name		Skin corrosion/irritation source information		
1,2-Diaminopropane		Based on the NITE GHS		
Serious eye damage/ irritation	•	Bused on the 14172 One	olassination results.	
Chemical Name		Serious eve dama	age/irritation source information	
1,2-Diaminopropane		Based on the NITE GHS		
Respiratory or skin sensitization		_		
Chemical Name		Respiratory or Skin	sensitization source information	
1,2-Diaminopropane		Based on the NITE GHS	classification results.	
Reproductive cell mutagenicity		<u> </u>		
Chemical Name		germ cell mutagencity source information		
1,2-Diaminopropane		Based on the NITE GHS classification results.		
Carcinogenicity		·		
Chemical Name		Carcinogenicity source information		
1,2-Diaminopropane	!	Based on the NITE GHS classification results.		
Reproductive toxicity				
Chemical Name		Reproductive	toxicity source information	
1,2-Diaminopropane		Based on the NITE GHS classification results.		
STOT-single exposure				
Chemical Name		STOT -single exposure- source information		
1,2-Diaminopropane		Based on the NITE GHS	classification results.	
STOT-repeated exposure				
Chemical Name		STOT -repeated exposure- source information		
1,2-Diaminopropane		Based on the NITE GHS classification results.		
Aspiration hazard				
Chemical Name		-	lazard source information	
1,2-Diaminopropane		Based on the NITE GHS	classification results.	

Section 12: ECOLOGICAL INFORMATION

*NITE: National Institute of Technology and Evaluation (JAPAN) https://www.chem-info.nite.go.jp/en/chem/chrip/chrip_search/srhInput

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
1,2-Diaminopropane	N/A	LC50 : Pimephales promelas	N/A
		1180 mg/L 96 h	

Other data

Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the	
	aquatic environment source information	aquatic environment source information	
1,2-Diaminopropane	Based on the NITE GHS classification	Based on the NITE GHS classification	
	results.	results.	

Persistence and degradability
Bioaccumulative potential
Mobility in soil
Hazard to the ozone layer

No information available
No information available
No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID

UN number UN2258

1,2-PROPYLENEDIAMINE Proper shipping name:

UN classfication Subsidiary hazard class Packing group Ш

Marine pollutant Not applicable

IMDG

UN number UN2258

Proper shipping name: 1,2-PROPYLENEDIAMINE

UN classfication Subsidiary hazard class 3 Packing group Ш

Marine pollutant (Sea) Not applicable

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

IATA

UN number UN2258

Proper shipping name: 1,2-Propylenediamines

UN classfication 3 Subsidiary hazard class Packing group Ш

Environmentally Hazardous Not applicable

Substance

Section 15: REGULATORY INFORMATION

Japanese regulations

Fire Service Act Category IV, Class II petroleums, dangerous grade 3 water-soluble

Poisonous and Deleterious Not applicable

Substances Control Law

Industrial Safety and Health Act Dangerous Substances - Flammable Substance (Enforcement Order Attached Table 1

Item 4)

Industrial Safety and Health Act (

2024~)

Industrial Safety and Health Act (

2025~)

Regulations for the carriage

goods in ship

and storage of dangerous

[2025.4.1~] Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57) 【2025.4.1~】Notifiable Substances (Law Art.57-2)

【2024.4.1~】Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)

Corrosive Substances (Ordinance Art.3, Ministry of Transportation Ordinance Regarding

Transport by Ship and Storage, Attached Table 1)

Civil Aeronautics Law Corrosive Substances (Ordinance Art.194, MITL Nortification for Air Transportation of

Explosives etc., Attached Table 1)

Pollutant Release and Transfer Not applicable

Register Law

(2023.4.1-)

Export Trade Control Order Not applicable

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN) https://www.chem-info.nite.go.jp/en/chem/chrip/chrip_search/srhInput

IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances

Japan Industrial Safety and Health Association GHS Model SDS Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd. Chemical Dictionary, Kyouritsu Publishing Co., Ltd. etc.

Record of SDS revisions Disclaimer

The following contents were revised. Regulatory information.

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet