



# **SAFETY DATA SHEET**

According to JIS Z 7253:2019

Revision date 17-May-2023

Revision Number 3.04

### Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Paraffin, Pellet
Product Code	169-23241

Manufacturer FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 Fax: +81-6-6203-5964

**Supplier** FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571

**Recommended uses** For research use only

Restrictions on use Seek expert judgment when using for purposes other than those recommended.

### **Section 2: HAZARDS IDENTIFICATION**

GHS classification
Classification of the substance or mixture
Serious eye damage/eye irritation
Specific target organ toxicity (single exposure)

Category 3 Respiratory irritation

Category 2B Category 3

**Pictograms** 



Signal word Warning

#### **Hazard statements**

H320 - Causes eye irritation

H335 - May cause respiratory irritation

### **Precautionary statements-(Prevention)**

- · Wash face, hands and any exposed skin thoroughly after handling
- Avoid breathing dust/fume/gas/mist/vapors/spray
- · Use only outdoors or in a well-ventilated area

#### Precautionary statements-(Response)

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- Call a POISON CENTER or doctor/physician if you feel unwell

### **Precautionary statements-(Storage)**

- Store in a well-ventilated place. Keep container tightly closed
- · Store locked up

### Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

**Others** 

Other hazards Not available

### **Section 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Single Substance or Mixture Substance

Formula CnH2n+2

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Paraffin	=<100	N/A	(8)-430, (8)-414,	*	8002-74-2
			(2)-10		

Note on ISHL No.: \* in the table means announced chemical substances.

Impurities and/or Additives: Not applicable

### **Section 4: FIRST AID MEASURES**

#### Inhalation

Remove to fresh air. If symptoms persist, call a physician.

#### Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

#### Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

#### Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

#### Protection of first-aiders

Use personal protective equipment as required.

# **Section 5: FIRE FIGHTING MEASURES**

## Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

#### Unsuitable extinguishing media

No information available

### Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

#### Special extinguishing method

No information available

#### Special protective actions for

#### fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

### **Section 6: ACCIDENTAL RELEASE MEASURES**

# Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

#### **Environmental precautions**

To be careful not discharged to the environment without being properly handled waste water contaminated.

#### Methods and materials for contaminent and methods and materials for cleaning up

Sweep up and gather scattered particles, and collect it in an empty airtight container.

#### Recoverly, neutralization

No information available

#### Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

### **Section 7: HANDLING AND STORAGE**

#### Handling

#### **Technical measures**

Avoid contact with strong oxidizing agents. Use with local exhaust ventilation.

#### **Precautions**

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle In places other than those specified, should not be smoking or eating and drinking Should not be brought contaminated protective equipment and gloves to rest stops Deny unnecessary entry of non-emergency personnel to the handling area

### Safety handling precautions

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Storage

Safe storage conditions

Storage conditions Store away from sunlight in well-ventilated place at room temperature (under 25 °C).

Keep container tightly closed.

Safe packaging material Polyethylene

Incompatible substances Strong oxidizing agents

### Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Engineering controls**

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

**Exposure limits** 

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Paraffin	N/A	N/A	TWA: 2 mg/m <sup>3</sup> fume
8002-74-2			_

Personal protective equipment

**Respiratory protection** Dust mask ( JIS T 8151 )

**Hand protection** chemical protective gloves (JIS T 8116) **Eye protection** protective eyeglasses or chemical safety goggles

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

# **Section 9: PHYSICAL AND CHEMICAL PROPERTIES**

Form

ColorwhiteAppearanceshot

Odor no data available

Melting point/freezing point 54 - 57 °C

Boiling point, initial boiling point and boiling range 300 °C

Boiling point, initial boiling point and boiling range
Flammability
Evaporation rate:
Flammability (solid, gas):

300 °C
no data available
no data available
no data available

Upper/lower flammability or

explosive limits

Upper: no data available
Lower: no data available
Flash point 149 - 232 °C
Auto-ignition temperature: 260 - 371 °C
Decomposition temperature: no data available
pH no data available
Viscosity (coefficient of viscosity) no data available

Viscosity (coefficient of viscosity) no data available Dynamic viscosity no data available

**Solubilities** Ethanol , water : practically insoluble, or insoluble . benzene ,

ether : soluble . no data available no data available

Vapour pressure no data
Specific Gravity / Relative density 0.9

Vapour density no data available Particle characteristics no data available

# **Section 10: STABILITY AND REACTIVITY**

#### **Stability**

Reactivity no data available

Chemical stability Stable under recommended storage conditions.

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight

n-Octanol/water partition coefficient:(log Pow)

Incompatible materials

Strong oxidizing agents

**Hazardous decomposition products** 

Carbon monooxide (CO), Carbon dioxide (CO2)

# **Section 11: TOXICOLOGICAL INFORMATION**

**Acute toxicity** 

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Paraffin	> 5000 mg/kg (Rat)	> 3600 mg/kg (Rabbit)	N/A

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
Paraffin	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
Paraffin	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.

### Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information
Paraffin	Based on the NITE GHS classification results.

Serious eye damage/ irritation

Chemical Name	Serious eye damage/irritation source information
Paraffin	Based on the NITE GHS classification results.

Respiratory or skin sensitization

Chemical Name	Respiratory or Skin sensitization source information
Paraffin	Based on the NITE GHS classification results.

Reproductive cell mutagenicity

Chemical Name	germ cell mutagencity source information
Paraffin	Based on the NITE GHS classification results.

Carcinogenicity

\_\_\_\_\_\_

Chemical Name	Carcinogenicity source information
Paraffin	Based on the NITE GHS classification results.

Reproductive toxicity

Chemical Name	Reproductive toxicity source information
Paraffin	Based on the NITE GHS classification results.

STOT-single exposure

Chemical Name	STOT -single exposure- source information	
Paraffin	Based on the NITE GHS classification results.	

STOT-repeated exposure

OTOT TOPOULOU OXPOOUTO				
Chemical Name	STOT -repeated exposure- source information			
Paraffin	Based on the NITE GHS classification results.			

**Aspiration hazard** 

Chemical Name	Aspiration Hazard source information	
Paraffin	Based on the NITE GHS classification results.	

# **Section 12: ECOLOGICAL INFORMATION**

**Ecotoxicity** No information available

Other data

Julio wata				
Chemical Name	Short-term (acute) hazardous to the aquatic environment source	Long-term (chronic) hazardous to the aquatic environment source		
	information	information		
Paraffin	Based on the NITE GHS classification	Based on the NITE GHS classification		
	results.	results.		

Persistence and degradability Bioaccumulative potential Mobility in soil

Mobility in soil Hazard to the ozone layer No information available No information available No information available No information available

### **Section 13: DISPOSAL CONSIDERATIONS**

#### Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

### Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

### **Section 14: TRANSPORT INFORMATION**

ADR/RID Not regulated

UN number Proper shipping name:

UN classfication

Subsidiary hazard class

Packing group

Marine pollutant Not applicable

IMDG Not regulated

**UN** number

Proper shipping name: UN classfication

Subsidiary hazard class

Packing group

Marine pollutant (Sea) Not applicable

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

IATA Not regulated

UN number

Proper shipping name: UN classfication Subsidiary hazard class

Packing group

**Environmentally Hazardous** 

**Substance** 

Not applicable

# **Section 15: REGULATORY INFORMATION**

**International Inventories** 

EINECS/ELINCS Listed
TSCA Listed

Japanese regulations

Fire Service Act Not applicable Poisonous and Deleterious Not applicable

**Substances Control Law** 

Industrial Safety and Health Act Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57,

Para.1, Enforcement Order Art.18)

Notifiable Substances (Law Art.57-2, Enforcement Oder Art.18-2 Attached Table

No.9)No.170 Not applicable

Regulations for the carriage and storage of dangerous

goods in ship

Civil Aeronautics Law

Not applicable

Marine Pollution Prevention

Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Y

Law

Pollutant Release and Transfer Not applicable

Register Law (2023.4.1-)

**Export Trade Control Order** Not applicable

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2) (~2024.3.31)	Pollutant Release and Transfer Register Law (2023.4.1-)
Paraffin 8002-74-2 ( =<100 )	-	Applicable	-

### **Section 16: OTHER INFORMATION**

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry, SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

**Record of SDS revisions**The following contents were revised. Prodauct and company Identification. Exposure

controls/personal protection. Regulatory information.

**Disclaimer** 

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. \*JIS: Japanese Industrial Standards

**End of Safety Data Sheet**