



SAFETY DATA SHEET

According to JIS Z 7253:2019 Issue Date 06-Aug-2025 Revision Number 3.03

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Protease Inhibitor Cocktail Set VII DMSO Solution(for	
	Histidine-tagged Protein) (×100)	
Product Code	167-26101,163-26103	

Supplier FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571

Recommended uses For research use only

Restrictions on use Seek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification
Classification of the substance or mixture
Skin corrosion/irritation
Specific target organ toxicity (single exposure)
Category 2 respiratory system

Category 2 Category 2

Pictograms



Signal word

Warning

Hazard statements

H315 - Causes skin irritation

H371 - May cause damage to the following organs: respiratory system

Precautionary statements-(Prevention)

- · Wash face, hands and any exposed skin thoroughly after handling
- Wear protective gloves/protective clothing/eye protection/face protection
- Do not breathe dust/fume/gas/mist/vapors/spray
- Do not eat, drink or smoke when using this product

Precautionary statements-(Response)

- IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician
- IF ON SKIN: Wash with plenty of soap and water
- If skin irritation occurs: Get medical advice/attention
- · Take off contaminated clothing and wash before reuse

Precautionary statements-(Storage)

· Store locked up

Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Mixture

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Dimethyl Sulfoxide	97.59	78.13	(2)-1553	*	67-68-5
4-(2-Aminoethyl)benzen esulfonyl Fluoride Hydrochloride	2.2	239.69	N/A	N/A	30827-99-7
Bestatin	0.14	308.37	N/A	4-(4)-1000	58970-76-6
E-64	0.048	357.41	N/A	N/A	66701-25-5
Pepstatin A	0.012	685.89	N/A	N/A	26305-03-3
Phosphoramidon, Disodium Salt	0.010	N/A	N/A	N/A	119942-99-3

Note on ISHL No.: * in the table means announced chemical substances.

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin,

or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use with local exhaust ventilation. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Storage

Safe storage conditions

Storage conditions Store away from sunlight in cold (-20°C). Keep container tightly closed.

Safe packaging material Polypropylene

Incompatible substances Strong oxidizing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

Personal protective equipment

Respiratory protection Protective mask

Hand protection chemical protective gloves (JIS T 8116)

Eye protection protective eyeglasses or chemical safety goggles (JIS T 8147)

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

Appearance lic

Odor no data available

Melting point/freezing pointno data availableBoiling point, initial boiling point and boiling rangeno data availableFlammabilityno data availableEvaporation rate:no data availableFlammability (solid, gas):no data available

Upper/lower flammability or explosive limits

Upper:
Lower:
no data available
no data available
Flash point
no data available
Auto-ignition temperature:
no data available
Decomposition temperature:
no data available
pH
no data available
Viscosity (coefficient of viscosity)
no data available
Dynamic viscosity
no data available

Solubilities dimethyl sulfoxide: miscible.

n-Octanol/water partition coefficient:(log Pow)
No data available
no data available
specific Gravity / Relative density
Napour density
Napour density
No data available
Particle characteristics
No data available
no data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available

Chemical stability Stable under recommended storage conditions.

Hazardous reactions

The substance decomposes on burning producing toxic or corrosive gases and fumes.

Conditions to avoid

Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Carbon monooxide (CO), Carbon dioxide (CO2), Sulfur oxides (SOx), Nitrogen oxides (NOx), Halides

Section 11: TOXICOLOGICAL INFORMATION

*NITE: National Institute of Technology and Evaluation (JAPAN) https://www.chem-info.nite.go.jp/en/chem/chrip/chrip_search/srhInput

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Dimethyl Sulfoxide	14,500 mg/kg (Rat)	40,000 mg/kg (Rat)	> 5,330 mg/m ³ (Rat) 4 h
Bestatin	> 2 g/kg (Rat)	N/A	N/A
Pepstatin A	> 2 g/kg (Rat)	N/A	N/A

Chemical Name	Acute toxicity -oral- source	Acute toxicity -dermal- source	Acute toxicity -inhalation gas-
	information	information	source information
Dimethyl Sulfoxide	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
·	classification results.	classification results.	classification results.

Chemical Name	Acute toxicity -inhalation	Acute toxicity -inhalation dust-	Acute toxicity -inhalation mist-
	vapor- source information	source information	source information
Dimethyl Sulfoxide	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.

Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information	
Dimethyl Sulfoxide	Based on the NITE GHS classification results.	

Serious eye damage/ irritation

Serious eye damage/ irritation			
Chemical Name	Serious eye damage/irritation source information		
Dimethyl Sulfoxide	Based on the NITE GHS classification results.		
Respiratory or skin sensitization			
Chemical Name	Respiratory or Skin sensitization source information		
Dimethyl Sulfoxide	Based on the NITE GHS classification results.		
Reproductive cell mutagenicity			
Chemical Name	germ cell mutagencity source information		
Dimethyl Sulfoxide	Based on the NITE GHS classification results.		
Carcinogenicity	•		
Chemical Name	Carcinogenicity source information		
Dimethyl Sulfoxide	Based on the NITE GHS classification results.		
-	·		

Reproductive toxicity		
Chemical Name	Reproductive toxicity source information	
Dimethyl Sulfoxide	Based on the NITE GHS classification results.	
STOT-single exposure		
Chemical Name	STOT -single exposure- source information	
Dimethyl Sulfoxide	Based on the NITE GHS classification results.	
STOT-repeated exposure		
Chemical Name	STOT -repeated exposure- source information	
Dimethyl Sulfoxide	Based on the NITE GHS classification results.	
Aspiration hazard		
Chemical Name	Aspiration Hazard source information	
Dimethyl Sulfoxide	Based on the NITE GHS classification results.	

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Dimethyl Sulfoxide	N/A	LC50 : Pimephales promelas	EC50 : Artemia
·		34000 mg/L 96 h	6830 mg/L 24 h
		LC50 : Oncorhynchus mykiss	
		33 - 37 g/L 96 h	
		LC50 : Lepomis macrochirus	
		> 40 g/L 96 h	
		LC50 : Cyprinus carpio	
		41.7 g/L 96 h	

Other data

Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the
	aquatic environment source information	aquatic environment source information
Dimethyl Sulfoxide	Based on the NITE GHS classification	Based on the NITE GHS classification
	results.	results.

Persistence and degradability
Bioaccumulative potential
Mobility in soil
Hazard to the ozone layer
No in
No in
No in

No information available No information available No information available No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

^{*}NITE: National Institute of Technology and Evaluation (JAPAN) https://www.chem-info.nite.go.jp/en/chem/chrip/chrip_search/srhInput

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID Not regulated

UN number

Proper shipping name: **UN classfication**

Subsidiary hazard class

Packing group

Marine pollutant Not applicable

IMDG Not regulated

UN number

Proper shipping name: **UN classfication**

Subsidiary hazard class

Packing group

Marine pollutant (Sea) Not applicable

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

IATA Not regulated

UN number

Proper shipping name: **UN classfication** Subsidiary hazard class

Packing group

Environmentally Hazardous Not applicable

Substance

Section 15: REGULATORY INFORMATION

Japanese regulations

Fire Service Act Category IV, Class III petroleums, dangerous grade 3 water-soluble

Not applicable Poisonous and Deleterious

Substances Control Law

Industrial Safety and Health Act Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1) Industrial Safety and Health Act ([2026.4.1~] Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)

【2026.4.1~】Notifiable Substances (Law Art.57-2) Not applicable

Regulations for the carriage

and storage of dangerous

goods in ship

Civil Aeronautics Law Not applicable Pollutant Release and Transfer Not applicable

Register Law (2023.4.1-)

Industrial Safety and Health Law

Law Name	Chemical Name in Regulation	Weight %	Scheduled enforcement date
Notifiable Substances (Law Art.57-2)	Dimethyl sulfoxide	97.59	2026/4/1

Section 16: OTHER INFORMATION

Key literature references and

sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN) https://www.chem-info.nite.go.jp/en/chem/chrip/chrip_search/srhInput

IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd. Chemical Dictionary, Kyouritsu Publishing Co., Ltd. etc

Record of SDS revisions

The following contents were revised. Composition/information on ingredients. Stability and reactivity. Ecological information. Regulatory information.

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet