



# SAFETY DATA SHEET

According to JIS Z 7253:2019 **Revision date** 29-Feb-2024 Revision Number 1.05

## Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	2-Propanol
Product Code	164-27515
Supplier	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 Fax: +81-6-6203-2029
Emergency telephone number Recommended uses Restrictions on use	+81-6-6203-3741 / +81-3-3270-8571 For research use only Seek expert judgment when using for purposes other than those recommended.

## Section 2: HAZARDS IDENTIFICATION

GHS classification <u>Classification of the substance or mixture</u> Flammable liquids Serious eye damage/eye irritation Reproductive Toxicity Specific target organ toxicity (single exposure) Category 1 central nervous system, systemic toxicity Category 3 Respiratory irritation Specific target organ toxicity (repeated exposure) Category 1 blood system Category 2 respiratory system, liver, spleen

Category 2 Category 2A Category 2 Category 1, Category 3

Category 1, Category 2



Signal word

Danger

#### Hazard statements

H225 - Highly flammable liquid and vapor

- H319 Causes serious eye irritation
- H361 Suspected of damaging fertility or the unborn child
- H335 May cause respiratory irritation
- H370 Causes damage to the following organs: central nervous system, systemic toxicity
- H372 Causes damage to the following organs through prolonged or repeated exposure: blood system

H373 - May cause damage to the following organs through prolonged or repeated exposure: respiratory system, liver, spleen

## **Precautionary statements-(Prevention)**

- Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood
- Use personal protective equipment as required
- Do not breathe dust/fume/gas/mist/vapors/spray

- · Wash face, hands and any exposed skin thoroughly after handling
- · Do not eat, drink or smoke when using this product
- · Use only outdoors or in a well-ventilated area
- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- · Keep container tightly closed
- · Ground/bond container and receiving equipment
- Use explosion-proof electrical/ ventilating / lighting / equipment
- · Use only non-sparking tools
- Take precautionary measures against static discharge
- Keep cool

#### **Precautionary statements-(Response)**

• IF exposed: Call a POISON CENTER or doctor/physician

• IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsina

- · If eye irritation persists: Get medical advice/attention
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- · Call a POISON CENTER or doctor/physician if you feel unwell
- · In case of fire: Use suitable extinguishing media for extinction

## Precautionary statements-(Storage)

- Store in a well-ventilated place. Keep container tightly closed
- Store locked up
- **Precautionary statements-(Disposal)** 
  - Dispose of contents/container to an approved waste disposal plant

#### Others Other hazards

Not available

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula

## (CH3)2CHOH

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
2-Propanol	99.7	60.10	(2)-207	2-(8)-319	67-63-0
Note on ISHL No.:	* in the	table means announ	ced chemical substa	ances.	

in the table means announced chemical substances.

## Section 4: FIRST AID MEASURES

#### Inhalation

Remove to fresh air. If symptoms persist, call a physician.

#### Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

#### Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

#### Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

#### **Protection of first-aiders**

Use personal protective equipment as required.

## Section 5: FIRE FIGHTING MEASURES

#### Suitable extinguishing media

Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

## Unsuitable extinguishing media

## No information available

### Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Vapors may form explosive mixtures with air

## Special extinguishing method

## No information available

## Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

## Section 6: ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

#### **Environmental precautions**

To be careful not discharged to the environment without being properly handled waste water contaminated.

#### Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

## Recoverly, neutralization

No information available

## Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

## Section 7: HANDLING AND STORAGE

#### Handling

#### Technical measures

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Use with local exhaust ventilation.

#### Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

#### Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

### Storage

## Safe storage conditions Keep container protect from light, store in well-ventilated place at room temperature (preferably cool). Keep container tightly closed. Packed with an inert gas. Safe packaging material Incompatible substances Glass

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Engineering controls**

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

#### Exposure limits

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
2-Propanol	Ceiling: 400 ppm	ISHL/ACL: 200 ppm	STEL: 400 ppm
67-63-0	Ceiling: 980 mg/m <sup>3</sup>		TWA: 200 ppm
	ISHL/ACL: 200 ppm		

#### Personal protective equipment

Respiratory protectiongas mask for organic gas (JIS T 8152)Hand protectionchemical protective gloves (JIS T 8116)Eye protectionprotective eyeglasses or chemical safety goggles (JIS T 8147)Skin and body protectionLong-sleeved work clothes

#### General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form Color Turbidity Appearance Odor Melting point/freezing point Boiling point, initial boiling point and boiling range Flammability **Evaporation rate:** Flammability (solid, gas): Upper/lower flammability or explosive limits Upper: Lower: Flash point Auto-ignition temperature: **Decomposition temperature:** pН Viscosity (coefficient of viscosity) **Dynamic viscosity** Solubilities n-Octanol/water partition coefficient:(log Pow) Vapour pressure Specific Gravity / Relative density Vapour density **Particle characteristics** 

colorless clear liquid characteristic odor -88.5 °C 82 °C Highly flammable liquid and vapor no data available no data available

no data available 12 °C 460 °C no data available no data available no data available no data available water , Ethanol and Diethyl ether : Very soluble. no data available no data available  $0.784 - 0.787 \text{ g/m L} (20^{\circ}\text{C})$ no data available no data available no data available

## Section 10: STABILITY AND REACTIVITY

#### Stability

 Reactivity
 no data available

 Chemical stability
 May be altered by light.

 Hazardous reactions
 None under normal processing

 Conditions to avoid
 Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

 Incompatible materials
 Strong oxidizing agents

 Hazardous decomposition products
 Carbon monooxide (CO), Carbon dioxide (CO2)

## Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
2-Propanol	4384 mg/kg ( Rat )	12870 mg/kg(Rabbit)	27908 ppmV ( Rat ) 4 h
Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
2-Propanol	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.
Chemical Name	Acute toxicity -inhalation vapor- source information		- Acute toxicity -inhalation mist- source information
2-Propanol	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.

Chemical Name	Skin corrosion/irritation source information
2-Propanol	Based on the NITE GHS classification results.
Serious eye damage/ irritation	
Chemical Name	Serious eye damage/irritation source information
2-Propanol	Based on the NITE GHS classification results.
Respiratory or skin sensitization	
Chemical Name	Respiratory or Skin sensitization source information
2-Propanol	Based on the NITE GHS classification results.
Reproductive cell mutagenicity	
Chemical Name	germ cell mutagencity source information
2-Propanol	Based on the NITE GHS classification results.
Carcinogenicity	
Chemical Name	Carcinogenicity source information
2-Propanol	Based on the NITE GHS classification results.

Chemical Name	NTP	IARC	ACGIH	JSOH (Japan)	
2-Propanol	-	Group 3		-	
67-63-0					
Reproductive toxicity					
Chemical Name		Reproductiv	e toxicity source	e information	
2-Propanol		Based on the NITE GH	Based on the NITE GHS classification results.		
STOT-single exposure					
Chemical Name		STOT -single exposure- source information			
2-Propanol		Based on the NITE GHS classification results.			
STOT-repeated exposure					
Chemical Name		STOT -repeate	d exposure- sou	rce information	
2-Propanol		Based on the NITE GHS classification results.			
Aspiration hazard		·			
Chemical Name		Aspiration	Hazard source i	information	
2-Propanol		Based on the NITE GHS classification results.			

## Section 12: ECOLOGICAL INFORMATION

## Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
2-Propanol	ErC50 : Pseudokirchneriella subcapitata > 1000 mg/L 72 h	LC50 : Orange-red Killish > 100 mg/L 96 h	EC50 : Daphinia magna > 1000 mg/L 48 h

Other data

Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the
	aquatic environment source information	aquatic environment source information
		Based on the NITE GHS classification
	results.	results.

Persistence and degradability	No information available
Bioaccumulative potential	No information available
Mobility in soil	No information available
Hazard to the ozone layer	No information available

## Section 13: DISPOSAL CONSIDERATIONS

#### Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations. Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

## Section 14: TRANSPORT INFORMATION

ADR/RID	
UN number	UN1219
Proper shipping name:	isopropanol
UN classfication	3
Subsidiary hazard class	
Packing group	11
Marine pollutant	Not applicable
IMDG	
UN number	UN1219
Proper shipping name:	isopropanol
UN classfication	3
Subsidiary hazard class	
Packing group	
Marine pollutant (Sea)	Not applicable
Transport in bulk according to	No information available
Annex II of MARPOL 73/78 and	
the IBC Code	
ΙΑΤΑ	
UN number	UN1219
Proper shipping name:	isopropanol
UN classfication	3
Subsidiary hazard class	
Packing group	II
Environmentally Hazardous	Not applicable
Substance	

## Section 15: REGULATORY INFORMATION

Japanese regulations	
Fire Service Act	Category IV, alcohols, dangerous grade 2 water-soluble
Poisonous and Deleterious	Not applicable
Substances Control Law	
Industrial Safety and Health A	t Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)
-	Notifiable Substances (Law Art.57-2)
	Class 2 Organic Solvents (Enforcement Order Attached Table No.6-2, Ordinance on
	Prevention of Organic Solvent Poisoning Art.1, Para.1, Item 5) Working Environment Evaluation Standards, Administrative Control Levels (Law Art.65-2,

	Para.1) Dangerous Substances - Flammable Substance (Enforcement Order Attached Table 1
	Item 4)
Industrial Safety and Health Act ( 2024~)	[2024.4.1~] Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)
Act on the Evaluation of Chemical Substances and Regulation of Their Manufacture, etc	Priority Assessment Chemical Substances (Law Article 2, Para.5)
Regulations for the carriage and storage of dangerous goods in ship	Flammable Liquids (Ordinance Art.3, Ministry of Transportation Ordinance Regarding Transport by Ship and Storage, Attached Table 1)
Civil Aeronautics Law	Flammable Liquids (Ordinance Art.194, MITL Nortification for Air Transportation of Explosives etc., Attached Table 1)
Marine Pollution Prevention Law	Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Z
Pollutant Release and Transfer Register Law (2023.4.1-)	Not applicable
Export Trade Control Order	Not applicable

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
2-Propanol 67-63-0(99.7)	-	Applicable	-

Section 16: OTHER INFORMATION		
Key literature references and sources for data etc.	NITE: National Institute of Technology and Evaluation (JAPAN) http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd. Chemical Dictionary, Kyouritsu Publishing Co., Ltd. etc	
Record of SDS revisions	The following contents were revised. Regulatory information.	

#### Record of S Disclaimer

The following contents were revised. Regulatory information.

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. \*JIS: Japanese Industrial Standards

### End of Safety Data Sheet