



# SAFETY DATA SHEET

According to JIS Z 7253:2019 Revision date 29-Feb-2024 Revision Number 1.03

# Section 1: PRODUCT AND COMPANY IDENTIFICATION

| Product Name | Platinum Standard Solution (Pt 1000)   |  |
|--------------|--|--|
| Product Code | 165-28341  |  |
| Supplier     | FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan |  |

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

+81-6-6203-3741 / +81-3-3270-8571 **Emergency telephone number** 

Recommended uses For research use only

Restrictions on use Seek expert judgment when using for purposes other than those recommended.

# Section 2: HAZARDS IDENTIFICATION

**GHS** classification

Classification of the substance or mixture

Category 1 Corrosive to metals **Acute toxicity - Oral** Category 4 Skin corrosion/irritation Category 1 Category 1 Serious eye damage/eye irritation Respiratory sensitization Category 1 Specific target organ toxicity (single exposure) Category 2

Category 2 respiratory system

Specific target organ toxicity (repeated exposure)

Category 2 respiratory system, teeth

Category 2 Acute aquatic toxicity

### **Pictograms**



# **Hazard statements**

Signal word

H290 - May be corrosive to metals

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

H302 - Harmful if swallowed

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

Danger

H401 - Toxic to aquatic life

H371 - May cause damage to the following organs: respiratory system

H373 - May cause damage to the following organs through prolonged or repeated exposure: respiratory system, teeth

# **Precautionary statements-(Prevention)**

- Wear protective gloves/protective clothing/eye protection/face protection
- · In case of inadequate ventilation wear respiratory protection
- Do not breathe dust/fume/gas/mist/vapors/spray

Category 2

- · Wash face, hands and any exposed skin thoroughly after handling
- · Do not eat, drink or smoke when using this product
- Avoid release to the environment
- · Keep only in original container

### Precautionary statements-(Response)

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- Immediately call a POISON CENTER or doctor/physician
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- · Wash contaminated clothing before reuse
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
- Rinse mouth
- · Do NOT induce vomiting
- · Absorb spillage to prevent material damage

### Precautionary statements-(Storage)

- · Store locked up
- Store in corrosive resistant/ container with a resistant inner liner

### Precautionary statements-(Disposal)

Dispose of contents/container to an approved waste disposal plant

**Others** 

Other hazards Not available

# Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Mixture

| Chemical Name           | Weight-% | Molecular weight | ENCS    | ISHL No. | CAS RN     |
|-------------------------|----------|------------------|---------|----------|------------|
| Water                   | 94.7     | 18.02            | -       | N/A      | 7732-18-5  |
| Hydrogen Chloride       | 5        | 36.46            | (1)-215 | *        | 7647-01-0  |
| Hydrogen                | 0.3      | 517.90           | (1)-223 | *        | 18497-13-7 |
| Hexachloroplatinate(IV) |          |                  |         |          |            |
| Hexahydrate             |          |                  |         |          |            |

Note on ISHL No.: \* in the table means announced chemical substances.

# **Section 4: FIRST AID MEASURES**

# Inhalation

Remove to fresh air. If symptoms persist, call a physician.

### Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

# Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

### Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

### **Protection of first-aiders**

Use personal protective equipment as required.

# **Section 5: FIRE FIGHTING MEASURES**

# Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

### Unsuitable extinguishing media

No information available

# Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

# Special extinguishing method

No information available

### Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

## Section 6: ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

## **Environmental precautions**

To be careful not discharged to the environment without being properly handled waste water contaminated.

### Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

### Recoverly, neutralization

No information available

### Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

### Section 7: HANDLING AND STORAGE

### Handling

### **Technical measures**

Avoid contact with alkaline substances. Avoid contact with metal. Use with local exhaust ventilation.

### **Precautions**

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

# Safety handling precautions

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

# **Storage**

# Safe storage conditions

Storage conditions Store away from sunlight in well-ventilated place at room temperature (under 25 °C).

Keep container tightly closed.

Safe packaging material

Polyethylene

Incompatible substances

Metals, alkaline substances

# Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

# **Engineering controls**

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

### **Exposure limits**

| Chemical Name     | JSOH (Japan)                     | ISHL (Japan) | ACGIH                           |
|-------------------|----------------------------------|--------------|---------------------------------|
| Hydrogen Chloride | Ceiling: 2 ppm                   | N/A          | Ceiling: 2 ppm                  |
| 7647-01-0         | Ceiling: 3.0 mg/m <sup>3</sup>   |              |                                 |
| Hydrogen          | TWA: 0.001 mg/m <sup>3</sup> OEL | N/A          | TWA: 0.002 mg/m <sup>3</sup> Pt |

| Hexachloroplatinate(IV) |  |  |
|-------------------------|--|--|
| Hexahydrate             |  |  |
| 18497-13-7              |  |  |

Personal protective equipment

**Respiratory protection**Gas mask for acidic gas (JIS T 8152)

Hand protection

chemical protective gloves (JIS T 8116)

Eye protection protective eyeglasses or chemical safety goggles (JIS T 8147)

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

# **Section 9: PHYSICAL AND CHEMICAL PROPERTIES**

**Form** 

ColoryellowTurbidityclearAppearanceliquid

Odor

Melting point/freezing point

Boiling point, initial boiling point and boiling range
Flammability

Evaporation rate:

Flammability (solid, gas):

no data available
no data available
no data available
no data available

Upper/lower flammability or explosive limits

no data available Upper: no data available Lower: Flash point no data available **Auto-ignition temperature:** no data available **Decomposition temperature:** no data available no data available no data available Viscosity (coefficient of viscosity) Dynamic viscosity no data available **Solubilities** No data available no data available n-Octanol/water partition coefficient:(log Pow) Vapour pressure no data available Specific Gravity / Relative density no data available no data available Vapour density **Particle characteristics** no data available

# Section 10: STABILITY AND REACTIVITY

### **Stability**

**Reactivity** no data available

**Chemical stability** Stable under recommended storage conditions.

Hazardous reactions

None under normal processing

**Conditions to avoid** 

Extremes of temperature and direct sunlight

Incompatible materials

Metals, alkaline substances

**Hazardous decomposition products** 

Halides, Metal oxides

# **Section 11: TOXICOLOGICAL INFORMATION**

| Αςι |  |  |
|-----|--|--|
|     |  |  |

| Chemical Name     | Oral LD50               | Dermal LD50            | Inhalation LC50      |
|-------------------|-------------------------|------------------------|----------------------|
| Hydrogen Chloride | 238 - 277 mg/kg ( Rat ) | >5010 mg/kg ( Rabbit ) | 1411 ppm ( Rat ) 4 h |

| Chemical Name     | Acute toxicity -oral- source | Acute toxicity -dermal- source | Acute toxicity -inhalation gas- |
|-------------------|------------------------------|--------------------------------|---------------------------------|
|                   | information                  | information                    | source information              |
| Hydrogen Chloride | Based on the NITE GHS        | Based on the NITE GHS          | Based on the NITE GHS           |
|                   | classification results.      | classification results.        | classification results.         |

| Chemical Name     | Acute toxicity -inhalation | Acute toxicity -inhalation dust- | Acute toxicity -inhalation mist- |
|-------------------|----------------------------|----------------------------------|----------------------------------|
|                   | vapor- source information  | source information               | source information               |
| Hydrogen Chloride | Based on the NITE GHS      | Based on the NITE GHS            | Based on the NITE GHS            |
|                   | classification results.    | classification results.          | Classification results.          |

### Skin irritation/corrosion

| Chemical Name     | Skin corrosion/irritation source information  |
|-------------------|---|
| Hydrogen Chloride | Based on the NITE GHS classification results. |
|                   |   |

# Serious eye damage/ irritation

| Chemical Name     | Serious eye damage/irritation source information |
|-------------------|--|
| Hydrogen Chloride | Based on the NITE GHS classification results.    |

### Respiratory or skin sensitization

| Chemical Name     | Respiratory or Skin sensitization source information |
|-------------------|--|
| Hydrogen Chloride | Based on the NITE GHS classification results.        |

### Reproductive cell mutagenicity

| Chemical Name     | germ cell mutagencity source information      |
|-------------------|---|
| Hydrogen Chloride | Based on the NITE GHS classification results. |

# Carcinogenicity

| Chemical Name     | Carcinogenicity source information            |  |
|-------------------|---|--|
| Hydrogen Chloride | Based on the NITE GHS classification results. |  |

| Chemical Name     | NTP | IARC    | ACGIH | JSOH (Japan) |
|-------------------|-----|---------|-------|--------------|
| Hydrogen Chloride | N/A | Group 3 |       | N/A          |
| 7647-01-0         |     |         |       |              |

## Reproductive toxicity

| Chemical Name     | Reproductive toxicity source information      |
|-------------------|---|
| Hydrogen Chloride | Based on the NITE GHS classification results. |

# STOT-single exposure

| Cnemical Name          | 5101 -single exposure- source information     |
|------------------------|---|
| Hydrogen Chloride      | Based on the NITE GHS classification results. |
| STOT-repeated exposure |   |

### S101-repeated exposure

| Chemical Name     | STOT -repeated exposure- source information   |  |
|-------------------|---|--|
| Hydrogen Chloride | Based on the NITE GHS classification results. |  |
| A 1 (1 1          |   |  |

# **Aspiration hazard**

| Chemical Name     | Aspiration Hazard source information          |  |
|-------------------|---|--|
| Hydrogen Chloride | Based on the NITE GHS classification results. |  |

# **Section 12: ECOLOGICAL INFORMATION**

# **Ecotoxicity**

| Chemical Name     | Algae/aquatic plants | Fish | Crustacea             |
|-------------------|----------------------|------|-----------------------|
| Hydrogen Chloride | N/A                  | N/A  | EC50 : Daphinia magna |
|                   |                      |      | 0.492 mg/L 48 h       |

# Other data

| Chemical Name | Short-term (acute) hazardous to the    | Long-term (chronic) hazardous to the   |
|---------------|--|--|
|               | aquatic environment source information | aquatic environment source information |

Based on the NITE GHS classification Based on the NITE GHS classification Hydrogen Chloride results results

Persistence and degradability No information available **Bioaccumulative potential** No information available No information available Mobility in soil No information available Hazard to the ozone layer

# **Section 13: DISPOSAL CONSIDERATIONS**

### Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

### Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

# Section 14: TRANSPORT INFORMATION

ADR/RID

**UN** number UN1789

Proper shipping name: hydrochloric acid

**UN classfication** 

Subsidiary hazard class

Packing group

Marine pollutant Not applicable

**IMDG** 

**UN** number UN1789

Proper shipping name: hydrochloric acid

**UN classfication** 

Subsidiary hazard class

Packing group

Not applicable Marine pollutant (Sea)

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

UN1789 **UN** number

Proper shipping name: hydrochloric acid

**UN classfication** 

Subsidiary hazard class

Packing group

**Environmentally Hazardous** Not applicable

**Substance** 

# Section 15: REGULATORY INFORMATION

Japanese regulations

**Fire Service Act** Not applicable **Poisonous and Deleterious** Not applicable

**Substances Control Law** 

Industrial Safety and Health Act Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)

Notifiable Substances (Law Art.57-2)

Group 3 Specified Chemical Substance, (Ordinance on Prevention of Hazards Due to

Specified Chemical Substances Art.2 Para.1, Item 6)

Industrial Safety and Health Act (

2024~)

Corrosive Substances (Ordinance Art.3, Ministry of Transportation Ordinance Regarding

Regulations for the carriage and storage of dangerous

【2024.4.1~】Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)

Transport by Ship and Storage, Attached Table 1)

goods in ship

Civil Aeronautics Law Corrosive Substances (Ordinance Art.194, MITL Nortification for Air Transportation of

Explosives etc., Attached Table 1)

**Marine Pollution Prevention** 

.aw

Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Z

Pollutant Release and Transfer Not applicable

Register Law (2023.4.1-)

Water Pollution Control Act

Specified substances(Law Art.2 Para.4, Enforcement Order Art.3-3)

**Export Trade Control Order** Not applicable

Air Pollution Control Law Hazardous Air Pollutants, Specified Substances

| Chemical Name   | Poisonous and Deleterious<br>Substances Control Law | Industrial Safety and Health Act<br>Substances<br>(Law Art.57-2) | Pollutant Release and Transfer<br>Register Law<br>(2023.4.1-) |
|---|---|--|---|
| Hydrogen Chloride<br>7647-01-0 ( 5 )                                  | -   | Applicable   | -   |
| Hydrogen Hexachloroplatinate(IV)<br>Hexahydrate<br>18497-13-7 ( 0.3 ) | -   | Applicable   | -   |

# **Section 16: OTHER INFORMATION**

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances
Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

Record of SDS revisions Disclaimer

The following contents were revised. Regulatory information.

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. \*JIS: Japanese Industrial Standards

**End of Safety Data Sheet**