



SAFETY DATA SHEET

According to JIS Z 7253:2019

Revision date 30-Aug-2024

Revision Number 1

Section 1: PRODUCT AND COMPANY IDENTIFICATION

| Product Name | Polyacrylic Acid (1,000,000~1,600,000) |
|--------------|--|
| Product Code | 160-29751 |

Supplier FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571

Recommended uses For research use only

Restrictions on useSeek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification

Classification of the substance or mixture

Carcinogenicity
Specific target organ toxicity (repeated exposure)

Category 1 respiratory system

Category 2 Category 1

Pictograms



Signal word

Danger

Hazard statements

H351 - Suspected of causing cancer

H372 - Causes damage to the following organs through prolonged or repeated exposure: respiratory system

Precautionary statements-(Prevention)

- · Obtain special instructions before use
- · Do not handle until all safety precautions have been read and understood
- Use personal protective equipment as required
- · Do not breathe dust/fume/gas/mist/vapors/spray
- · Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product

Precautionary statements-(Response)

• IF exposed or concerned: Get medical advice/attention

Precautionary statements-(Storage)

· Store locked up

Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula [-CH2CH(COOH)-]n

| Chemical Name | Weight-% | Molecular weight | ENCS | ISHL No. | CAS RN |
|--------------------|----------|------------------|---------|----------|-----------|
| Poly(acrylic acid) | =<100 | N/A | (6)-898 | * | 9003-01-4 |

Note on ISHL No.:

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eve contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Sweep up and gather scattered particles, and collect it in an empty airtight container.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

^{*} in the table means announced chemical substances.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Avoid contact with strong oxidizing agents. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Storage

Safe storage conditions

Storage conditions Store away from sunlight in well-ventilated place at room temperature (preferably cool).

Keep container tightly closed.

Safe packaging material Polyethylene

Incompatible substances Strong oxidizing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

| Chemical Name | JSOH (Japan) | ISHL (Japan) | ACGIH |
|--------------------|--------------|--------------|-------------------------|
| Poly(acrylic acid) | N/A | N/A | TWA 10ppm(acrylic acid) |
| 9003-01-4 | | | |

Personal protective equipment

Respiratory protection Dust mask (JIS T 8151)

Hand protection chemical protective gloves (JIS T 8116)

Eye protection protective eyeglasses or chemical safety goggles (JIS T 8147)

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

Color white

Appearance crystals - powder
Odor no data available
Melting point/freezing point no data available
Boiling point, initial boiling point and boiling range no data available
Flammability no data available
Evaporation rate: no data available
Flammability (solid, gas): no data available

Upper/lower flammability or explosive limits

Upper:
Lower:
no data available
no data available
no data available
no data available

Auto-ignition temperature:no data availableDecomposition temperature:no data availablepHmild acidic (aq.)

Viscosity (coefficient of viscosity) 400 - 1000 mPa·s (10 %, 25 °C)

Dynamic viscosity no data available

Solubilities acetone: practically insoluble, or insoluble.

n-Octanol/water partition coefficient:(log Pow)
No data available
Napour pressure
No data available
Napour density
Napour density
No data available
Particle characteristics
No data available
No data available
No data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available

Chemical stability Stable under recommended storage conditions.

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Carbon monooxide (CO), Carbon dioxide (CO2)

Section 11: TOXICOLOGICAL INFORMATION

*NITE: National Institute of Technology and Evaluation (JAPAN) https://www.chem-info.nite.go.jp/en/chem/chrip/chrip_search/srhInput

Acute toxicity

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 | |
|-------------------------------------|-----------|----------------------|---------------------|--|
| Poly(acrylic acid) 2500 mg/kg (Rat) | | > 2000 mg/kg (Rat) | > 5.1 mg/L (Rat)4 h | |
| | | | | |

| Chemical Name | Acute toxicity -oral- source | Acute toxicity -dermal- source | Acute toxicity -inhalation gas- |
|---------------|------------------------------|--------------------------------|---------------------------------|
| | information | information | source information |
| () | | | Based on the NITE GHS |
| | classification results. | classification results. | classification results. |

| Chemical Name | Acute toxicity -inhalation vapor- source information | Acute toxicity -inhalation dust- source information | Acute toxicity -inhalation mist- source information |
|--------------------|--|--|--|
| Poly(acrylic acid) | Based on the NITE GHS | Based on the NITE GHS | Based on the NITE GHS |
| | classification results. | classification results. | classification results. |

Skin irritation/corrosion

| Chemical Name | Skin corrosion/irritation source information |
|-----------------------------------|--|
| Poly(acrylic acid) | Based on the NITE GHS classification results. |
| Serious eye damage/ irritation | |
| Chemical Name | Serious eye damage/irritation source information |
| Poly(acrylic acid) | Based on the NITE GHS classification results. |
| Respiratory or skin sensitization | |
| Chemical Name | Respiratory or Skin sensitization source information |
| Poly(acrylic acid) | Based on the NITE GHS classification results. |
| Reproductive cell mutagenicity | · |
| | |

| Chemical Name | germ cell mutagencity source information |
|--------------------|---|
| Poly(acrylic acid) | Based on the NITE GHS classification results. |
| Carcinogenicity | |
| Ol and the I North | Canaina namiaitu aasunaa infarmatian |

| Chemical Name | Carcinogenicity source information | |
|--------------------|---|--|
| Poly(acrylic acid) | Based on the NITE GHS classification results. | |
| | • | |

| NTP | IARC | ACGIH | JSOH | | | |
|---|---|---|---|--|--|--|
| N/A | Group 3 | N/A | N/A | | | |
| | | | | | | |
| Reproductive toxicity | | | | | | |
| Chemical Name Reproductive toxicity source information | | | | | | |
| E | Based on the NITE GHS classification results. | | | | | |
| STOT-single exposure | | | | | | |
| Chemical Name STOT -single exposure- source information | | | | | | |
| E | Based on the NITE GHS classification results. | | | | | |
| STOT-repeated exposure | | | | | | |
| Chemical Name STOT -repeated exposure- source information | | | | | | |
| Poly(acrylic acid) | | Based on the NITE GHS classification results. | | | | |
| | N/A | N/A Group 3 Reproducti Based on the NITE GH STOT -single Based on the NITE GH | Reproductive toxicity source in Based on the NITE GHS classification resul STOT -single exposure- source Based on the NITE GHS classification resul STOT -repeated exposure- source | | | |

Aspiration hazard

| Chemical Name | Aspiration Hazard source information | |
|--------------------|---|--|
| Poly(acrylic acid) | Based on the NITE GHS classification results. | |

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

| | Chemical Name | Algae/aquatic plants | Fish | Crustacea |
|---|--------------------|----------------------|--------------------------|-----------------|
| Ī | Poly(acrylic acid) | N/A | LC50:Lepomis macrochirus | EC50:water flea |
| | | | 580 mg/L 96 h | 168 mg/L 96 h |

Other data

| Chemical Name | Short-term (acute) hazardous to the Long-term (chronic) hazardous to the | |
|--------------------|--|--|
| | aquatic environment source information | aquatic environment source information |
| Poly(acrylic acid) | Based on the NITE GHS classification | Based on the NITE GHS classification |
| | results. | results. |

Persistence and degradability
Bioaccumulative potential
Mobility in soil
Hazard to the ozone layer

No information available
No information available
No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID Not regulated

UN number

Proper shipping name: UN classfication

Subsidiary hazard class

Packing group

Marine pollutant Not applicable

IMDG Not regulated

UN number -

^{*}NITE: National Institute of Technology and Evaluation (JAPAN) https://www.chem-info.nite.go.jp/en/chem/chrip/chrip_search/srhInput

Proper shipping name: UN classfication Subsidiary hazard class

Packing group

Marine pollutant (Sea) Not applicable

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

IATA Not regulated

UN number -

Proper shipping name: UN classfication Subsidiary hazard class

Packing group

Environmentally Hazardous Not applicable

Substance

Section 15: REGULATORY INFORMATION

Japanese regulations

Fire Service Act
Poisonous and Deleterious
Substances Control Law
Not applicable
Not applicable

Industrial Safety and Health Act Not applicable
Act on the Evaluation of Priority Assessment Chemical Substances (Law Article 2, Para.5)

Act on the Evaluation of Chemical Substances and Regulation of Their Manufacture, etc

Regulations for the carriage Not applicable

and storage of dangerous

goods in ship

Civil Aeronautics Law Not applicable Pollutant Release and Transfer Class 1

Register Law (2023.4.1-)

Class 1 - No. 565

Export Trade Control Order Not applicable

| Chemical Name | Poisonous and Deleterious | Industrial Safety and Health Act | Pollutant Release and Transfer |
|---|---------------------------|----------------------------------|--------------------------------|
| | Substances Control Law | Substances | Register Law |
| | | (Law Art.57-2) | (2023.4.1-) |
| Poly(acrylic acid) 9003-01-4 (=<100) | - | - | Applicable |

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN) https://www.chem-info.nite.go.jp/en/chem/chrip/chrip_search/srhInput

IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe

handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet