



SAFETY DATA SHEET

According to JIS Z 7253:2019

Revision date 15-Feb-2024

Revision Number 1.06

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	8-Quinolinol
Product Code	179-00782,171-00781,173-00785

Supplier FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571

Recommended uses For research use only

Restrictions on useSeek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification

Classification of the substance or mixture

Acute toxicity - OralCategory 4Acute toxicity - DermalCategory 3Serious eye damage/eye irritationCategory 1Skin sensitizationCategory 1Reproductive ToxicityCategory 1BAcute aquatic toxicityCategory 1Chronic aquatic toxicityCategory 1

Pictograms



Hazard statements

H318 - Causes serious eye damage

H302 - Harmful if swallowed

H311 - Toxic in contact with skin

H360 - May damage fertility or the unborn child

H317 - May cause an allergic skin reaction

H410 - Very toxic to aquatic life with long lasting effects

H400 - Very toxic to aquatic life

Precautionary statements-(Prevention)

- · Obtain special instructions before use
- · Do not handle until all safety precautions have been read and understood
- Use personal protective equipment as required
- · Wash face, hands and any exposed skin thoroughly after handling
- · Do not eat, drink or smoke when using this product
- Avoid breathing dust/fume/gas/mist/vapors/spray
- · Contaminated work clothing should not be allowed out of the workplace

- · Wear protective gloves
- · Avoid release to the environment

Precautionary statements-(Response)

- IF exposed or concerned: Get medical advice/attention
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- Immediately call a POISON CENTER or doctor/physician
- Call a POISON CENTER or doctor/physician if you feel unwell
- Remove/Take off immediately all contaminated clothing
- IF ON SKIN: Wash with plenty of soap and water
- If skin irritation or rash occurs: Get medical advice/attention
- · Wash contaminated clothing before reuse
- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
- · Rinse mouth
- Collect spillage

Precautionary statements-(Storage)

· Store locked up

Precautionary statements-(Disposal)

· Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula C9H7NO

	Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
ſ	8-Quinolinol	95.0	145.16	(5)-804	*	148-24-3

Note on ISHL No.:

* in the table means announced chemical substances.

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Sweep up and gather scattered particles, and collect it in an empty airtight container.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Avoid contact with strong oxidizing agents. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Storage

Safe storage conditions

Storage conditions Keep container protect from light, store

in well-ventilated place at room temperature (preferably cool). Keep container tightly

closed.

Safe packaging material

Glass

Incompatible substances

Strong oxidizing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

Personal protective equipment

Respiratory protection Dust mask (JIS T 8151)

Hand protection chemical protective gloves (JIS T 8116)

Eye protection protective eyeglasses or chemical safety goggles (JIS T 8147)

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

ColorWhite - dark brownAppearancecrystals - powder or flakes

Odor
Melting point/freezing point
Melting point/freezing point
Rolling point, initial boiling point and boiling range
Flammability
Flammability
Flammability (solid, gas):

no data available
no data available
no data available
no data available

Upper/lower flammability or explosive limits

Upper:
Lower:
no data available
pH
no data available
no data available
no data available
no data available
viscosity (coefficient of viscosity)

Dynamic viscosity no data available

Solubilities Ethanol and Diethyl ether: freely soluble. dilute acid: soluble.

water: Very slightly soluble.

n-Octanol/water partition coefficient:(log Pow)
No data available
Napour pressure
No data available
Napour density
Napour density
No data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available
Chemical stability May be altered by light.

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Carbon monooxide (CO), Carbon dioxide (CO2), Nitrogen oxides (NOx)

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50	
8-Quinolinol	1200 mg/kg (Rat)	200 - 300 mg/kg (Mouse)	> 1210 mg/m³ (Rat) 6 h	

١	Chemical Name	_	Acute toxicity -dermal- source	,
ı		information	information	source information
	8-Quinolinol	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS

	classification results.	classification results.	classification results.	
Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust source information	- Acute toxicity -inhalation mist source information	
8-Quinolinol	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	
Skin irritation/corrosion				
Chem	ical Name	Skin corrosion/irrita	tion source information	
8-Q	uinolinol	Based on the NITE GHS class	fication results.	
Serious eye damage/ irritation				
Chem	ical Name		ritation source information	
8-Q	uinolinol	Based on the NITE GHS class	fication results.	
Respiratory or skin sensitizati	on			
Chem	ical Name		sitization source information	
8-Q	uinolinol	Based on the NITE GHS class	fication results.	
Reproductive cell mutagenicit	у			
Chemical Name		germ cell mutagencity source information		
8-Q	uinolinol	Based on the NITE GHS class	fication results.	
Carcinogenicity				
Chem	ical Name		source information	
8-Q	uinolinol	Based on the NITE GHS class	fication results.	
Chemical Nam	ne NTP	IARC A	ACGIH JSOH (Japan)	
8-Quinolinol 148-24-3	-	Group 3		
Reproductive toxicity	•	<u> </u>		
	ical Name	Reproductive toxicity source information		
8-Q	uinolinol	Based on the NITE GHS classification results.		
STOT-single exposure				
Chem	ical Name	STOT -single exposure- source information		
8-Quinolinol		Based on the NITE GHS classification results.		
8-Q	uinolinol	Dadda dil allo 14112 di 10 diado		
8-Q	uinolinol	Dadda dir ilio 11112 dirio diado		
STOT-repeated exposure	ical Name		sure- source information	
STOT-repeated exposure Chem				
STOT-repeated exposure Chem	ical Name	STOT -repeated expo		
STOT-repeated exposure Chem 8-Q Aspiration hazard	ical Name	STOT -repeated expo		

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
8-Quinolinol	EC50 : Pseudokirchneriella subcapitata 0.52 mg/L 72 h	N/A	N/A

Other data

Other data					
	Chemical Name	Short-term (acute)	hazardous to the	Long-term (chronic)	hazardous to the
		aquatic environment	source information	aquatic environment	source information
	8-Quinolinol	Based on the NITE GH	IS classification	Based on the NITE GH	S classification
		results.		results.	ļ

Persistence and degradability
Bioaccumulative potential
Mobility in soil
Hazard to the ozone layer

No information available
No information available
No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID

UN2811 **UN** number

Proper shipping name: Toxic solid, organic, n.o.s. (8-Quinolinol)

UN classfication 6.1

Subsidiary hazard class

Packing group Ш Marine pollutant Yes

IMDG

UN number UN2811

Proper shipping name: Toxic solid, organic, n.o.s. (8-Quinolinol)

UN classfication

Subsidiary hazard class

Packing group Ш Marine pollutant (Sea) Yes

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

IATA

UN number UN2811

Proper shipping name: Toxic solid, organic, n.o.s. (8-Quinolinol)

UN classfication

Subsidiary hazard class

Ш Packing group **Environmentally Hazardous** Yes

Substance

Section 15: REGULATORY INFORMATION

Japanese regulations

Fire Service Act Not applicable Poisonous and Deleterious Not applicable

Substances Control Law

Industrial Safety and Health Act Mutagens - Existing Chemicals

Industrial Safety and Health Act ([2024.4.1~] Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57) 2024~)

[2024.4.1~] Notifiable Substances (Law Art.57-2)

【2024.4.1~】Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)

Regulations for the carriage

and storage of dangerous

goods in ship

Toxic Substances - Poison (Ordinance Art.3, Ministry of Transportation Ordinance

Regarding Transport by Ship and Storage, Attached Table 1)

Toxic and Infectious Substances (Ordinance Art.194, MITL Nortification for Air **Civil Aeronautics Law**

Transportation of Explosives etc., Attached Table 1)

Pollutant Release and Transfer Not applicable

Register Law (2023.4.1-)

Export Trade Control Order Not applicable

Industrial Safety and Health Law

Law Name	Chemical Name in Regulation	Weight %	
Notifiable Substances (Law Art.57-2)	8-hydroxyquinoline (alias:		2024/4/1

8-quinolinol)	

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances
Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

Record of SDS revisions Disclaimer

The following contents were revised. Regulatory information.

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet