



SAFETY DATA SHEET

According to JIS Z 7253:2019 Revision date 01-Apr-2022 Revision Number 4.02

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Selenium Dioxide
Product Code	190-00351,198-00352,196-00353

Manufacturer FUJIFILM Wako Pure Chemical Corporation

> 1-2 Doshomachi 3-Chome Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-5964

Supplier FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

Emergency telephone number Recommended uses and

+81-6-6203-3741 / +81-3-3270-8571 For research use only

restrictions on use

Section 2: HAZARDS IDENTIFICATION

GHS classification

Classification of the substance or mixture

Category 3 **Acute toxicity - Oral** Serious eye damage/eye irritation Category 2A Specific target organ toxicity (single exposure) Category 1

Category 1 central nervous system, respiratory system, heart, blood system, kidneys

Specific target organ toxicity (repeated exposure) Category 1, Category 2

Category 1 nervous system, respiratory system

Category 2 liver

Acute aquatic toxicity Category 1 Chronic aquatic toxicity Category 1

Pictograms



Hazard statements

H319 - Causes serious eye irritation

H301 - Toxic if swallowed

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

H370 - Causes damage to the following organs: central nervous system, respiratory system, heart, blood system, kidneys

H372 - Causes damage to the following organs through prolonged or repeated exposure: nervous system, respiratory svstem

H373 - May cause damage to the following organs through prolonged or repeated exposure: liver

Precautionary statements-(Prevention)

- · Wash face, hands and any exposed skin thoroughly after handling
- . Do not eat, drink or smoke when using this product
- Wear protective gloves/protective clothing/eye protection/face protection
- Do not breathe dust/fume/gas/mist/vapors/spray
- · Avoid release to the environment

Precautionary statements-(Response)

- IF exposed: Call a POISON CENTER or doctor/physician
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention
- IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
- Rinse mouth
- Collect spillage

Precautionary statements-(Storage)

· Store locked up

Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula SeO2

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Selenium dioxide	97.0	110.97	(1)-546	公表	7446-08-4

Note on ISHL No.: * in the table means announced chemical substances.

Impurities and/or Additives: Not applicable

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for

fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Sweep up and gather scattered particles, and collect it in an empty airtight container.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Avoid contact with strong oxidizing agents. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle In places other than those specified, should not be smoking or eating and drinking Should not be brought contaminated protective equipment and gloves to rest stops Deny unnecessary entry of non-emergency personnel to the handling area

Safety handling precautions

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Storage

Safe storage conditions

Storage conditions Keep container protect from light, store

Glass

in well-ventilated place at room temperature (preferably cool). Keep container tightly

closed. Store locked up.

Safe packaging material

Incompatible substances Strong oxidizing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Selenium dioxide	TWA: 0.1 mg/m ³ OEL	N/A	TWA: 0.2 mg/m ³ Se
7446-08-4			_

Personal protective equipment

Respiratory protection Dust mask Protection gloves

Eye protection protective eyeglasses or chemical safety goggles

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

Color white

Appearance crystals - crystalline powder

Odor Pungent odor

Melting point/freezing point 315 °C

Boiling point, initial boiling point and boiling range
Flammability
Evaporation rate:
Flammability (solid, gas):
Upper/lower flammability or

no data available
no data available
no data available

explosive limits

Upper: no data available
Lower: no data available
Flash point no data available
Auto-ignition temperature: no data available
Decomposition temperature: no data available
pH no data available

pH no data available
Viscosity (coefficient of viscosity) no data available
Dynamic viscosity no data available

Solubilities water : freely soluble . Ethanol : soluble .

n-Octanol/water partition coefficient:(log Pow) no data available Vapour pressure no data available

Specific Gravity / Relative density 3.95

Vapour densityno data availableParticle characteristicsno data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available
Chemical stability May be altered by light.

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight, Moisture

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Metal oxides

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Selenium dioxide 68.1 mg/kg (Rat)		4 mg/kg (Rabbit)	N/A
	48 mg/kg (Rat)		

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
Selenium dioxide	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
Coloniam aloxido			Based on the NITE GHS
	classification results.	classification results.	classification results.

Skin irritation/corrosion

Chemical Name		Skin corre	Skin corrosion/irritation source information		
Selenium dioxide	Selenium dioxide		Based on the NITE GHS classification results.		
Serious eye damage/ irritation					
Chemical Name		Serious eye	damage/irritation so	urce information	
Selenium dioxide		Based on the NITE	GHS classification res	sults.	
Respiratory or skin sensitization					
Chemical Name		Respiratory or	Skin sensitization s	ource information	
Selenium dioxide		Based on the NITE	GHS classification re-	sults.	
Reproductive cell mutagenicity					
Chemical Name		germ cel	I mutagencity source	e information	
Selenium dioxide		Based on the NITE	Based on the NITE GHS classification results.		
Carcinogenicity					
Chemical Name		Carci	nogenicity source in	formation	
Selenium dioxide		Based on the NITE GHS classification results.			
Chemical Name	NTP	IARC	ACGIH	JSOH (Japan)	
Selenium dioxide		Group 3			
7446-08-4					
Reproductive toxicity					
Chemical Name		Reprodu	ctive toxicity source	information	

Chemical Name	Reproductive toxicity source information
Selenium dioxide	Based on the NITE GHS classification results.
STOT single expecure	

STOT-single exposure

Chemical Name	STOT -single exposure- source information		
Selenium dioxide	Based on the NITE GHS classification results.		
STOT reposted expecure			

STOT-repeated exposure

Chemical Name	S101 -repeated exposure- source information
Selenium dioxide	Based on the NITE GHS classification results.
Aspiration hazard	

Aspiration hazard

Chemical Name	Aspiration Hazard source information
Selenium dioxide	Based on the NITE GHS classification results.

Section 12: ECOLOGICAL INFORMATION

No information available **Ecotoxicity**

Other data

Other data						
Chemical Name	Short-term (acute) hazardous to the aquatic environment source	Long-term (chronic) hazardous to the aquatic environment source				
	•	•				
	information	information				
Selenium dioxide	Based on the NITE GHS classification	Based on the NITE GHS classification				
	results.	results.				

Persistence and degradability No information available Bioaccumulative potential No information available Mobility in soil No information available Hazard to the ozone layer No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID

UN3283 **UN** number

Proper shipping name: Selenium compound, solid, n.o.s. (Selenium dioxide)

UN classfication

Subsidiary hazard class

Packing group Ш Marine pollutant Yes

IMDG

UN number UN3283

Proper shipping name: Selenium compound, solid, n.o.s. (Selenium dioxide)

UN classfication

Subsidiary hazard class

Packing group Marine pollutant (Sea) Yes

No information available Transport in bulk according to

Annex II of MARPOL 73/78 and

the IBC Code

IATA

UN3283 **UN** number

Proper shipping name: Selenium compound, solid, n.o.s. (Selenium dioxide)

UN classfication

Subsidiary hazard class

Ш Packing group **Environmentally Hazardous** Yes

Substance

Section 15: REGULATORY INFORMATION

International Inventories

EINECS/ELINCS Listed Listed **TSCA**

Japanese regulations

Fire Service Act Not applicable

Poisonous and Deleterious Poisonous Substances 1st. Grade

Substances Control Law

Industrial Safety and Health Act Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57,

Para.1, Enforcement Order Art.18)

Notifiable Substances (Law Art.57-2, Enforcement Oder Art.18-2 Attached Table

No.9)No.333

Mutagens - Existing Chemicals

Regulations for the carriage

and storage of dangerous

Toxic Substances - Poison (Ordinance Art.3, Ministry of Transportation Ordinance Regarding Transport by Ship and Storage, Attached Table 1)

goods in ship

Toxic and Infectious Substances (Ordinance Art.194, MITL Nortification for Air **Civil Aeronautics Law**

Transportation of Explosives etc., Attached Table 1)

Pollutant Release and Transfer Class 1

Register Law (~2023.3.31)

Class 1 - No.

Pollutant Release and Transfer Class 1

Register Law

(2023/4/1~)

Class 1 - No. 242

Water Pollution Control Act Harmful Substances (Law Art.2, Enforcement Order Art.2, Ordinace Designating

Wastewater Standards Art.1)

Export Trade Control Order

Not applicable

Air Pollution Control Law

Specified Substances, Hazardous Air Pollutants

Soil Contamination Control Designated Hazardous Substances Law

242

Chemical Name	Poisonous and Deleterious	Industrial Safety and Health Act	Pollutant Release and Transfer
	Substances Control Law	Substances	Register Law
		(Law Art.57-2)	(~2023.3.31)
		(~2024.3.31)	, ,
Selenium dioxide	Applicable	Applicable	Applicable
7446-08-4 (97.0)			

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z7252(2019). *JIS: Japanese Industrial Standards

End of Safety Data Sheet