



SAFETY DATA SHEET

According to JIS Z 7253:2019 **Revision date** 27-Mar-2023 Revision Number 5.02

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Silicon Dioxide
Product Code	199-00625
Manufacturer	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome
	Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 Fax: +81-6-6203-5964
Supplier	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 Fax: +81-6-6203-2029
Emergency telephone number Recommended uses Restrictions on use	+81-6-6203-3741 / +81-3-3270-8571 For research use only Seek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification <u>Classification of the substance or mixture</u> Serious eye damage/eye irritation Carcinogenicity Specific target organ toxicity (single exposure) Category 3 Respiratory irritation Specific target organ toxicity (repeated exposure) Category 1 respiratory system, immune system, kidneys

Category 2A Category 1A Category 3

Category 1

Pictograms



Danger

Hazard statements

- H319 Causes serious eye irritation
- H350 May cause cancer
- H335 May cause respiratory irritation

H372 - Causes damage to the following organs through prolonged or repeated exposure: respiratory system, immune system, kidneys

Precautionary statements-(Prevention)

- Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood
- Use personal protective equipment as required
- · Wash face, hands and any exposed skin thoroughly after handling
- · Do not breathe dust/fume/gas/mist/vapors/spray
- · Do not eat, drink or smoke when using this product

• Use only outdoors or in a well-ventilated area

Precautionary statements-(Response)

· IF exposed or concerned: Get medical advice/attention

• IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

• If eye irritation persists: Get medical advice/attention

• IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Precautionary statements-(Storage)

Store locked up

• Store in a well-ventilated place. Keep container tightly closed

Precautionary statements-(Disposal)

· Dispose of contents/container to an approved waste disposal plant

Others Other hazards

Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula

SiO2

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Silicagel	=<100 60.08 (1)-548 * 7631-86				7631-86-9
Note on ISHL No.:	* in the table means announced chemical substances.				

Impurities and/or Additives:

Not applicable

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for

fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Sweep up and gather scattered particles, and collect it in an empty airtight container.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle In places other than those specified, should not be smoking or eating and drinking Should not be brought contaminated protective equipment and gloves to rest stops Deny unnecessary entry of non-emergency personnel to the handling area

Safety handling precautions

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Storage

Safe storage conditions

Storage conditions

Store away from sunlight in well-ventilated place at room temperature (preferably cool). Keep container tightly closed. Safe packaging material Polypropylene Incompatible substances No information available

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Silicagel	TWA: 0.03 mg/m ³ OEL	N/A	TWA 10mg/m ³
7631-86-9			-

Personal protective equipment

Respiratory protection Hand protection Eye protection Skin and body protection Dust mask (JIS T8151) chemical protective gloves (JIS T 8116) protective eyeglasses or chemical safety goggles Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

Color

white

Appearance Odor Melting point/freezing point Boiling point, initial boiling point and boiling range Flammability Evaporation rate: Flammability (solid, gas): Upper/lower flammability or explosive limits	crystalline powder Odorless 1700 °C 3,000 °C no data available no data available no data available
Upper:	no data available
Lower:	no data available
Flash point	no data available
Auto-ignition temperature:	no data available
Decomposition temperature:	no data available
pH	no data available
Viscosity (coefficient of viscosity)	no data available
Dynamic viscosity	no data available
Solubilities	water : practically insoluble, or insoluble . hot sodium hydroxide
	(aq.): soluble.
n-Octanol/water partition coefficient:(log Pow)	no data available
Vapour pressure	no data available
Specific Gravity / Relative density	no data available
Vapour density	no data available
Particle characteristics	no data available

Section 10: STABILITY AND REACTIVITY

Stability

 Reactivity
 no data available

 Chemical stability
 Stable under recommended storage conditions.

 Hazardous reactions
 Stable under recommended storage conditions.

 None under normal processing
 Conditions to avoid

 Extremes of temperature and direct sunlight
 Incompatible materials

 No information available
 Hazardous decomposition products

 No information available
 No information available

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Silicagel $> 3160 \text{ mg/kg}$ (Rat) $> 2000 \text{ mg/kg}$ (Rabbit) N/A	Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
	Silicagel	> 3160 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	N/A

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
Silicagel	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
<u> </u>	classification results.	classification results.	classification results.

Chemical Name	Acute toxicity -inhalation	Acute toxicity -inhalation dust-	Acute toxicity -inhalation mist-
	vapor- source information	source information	source information
emeager			Based on the NITE GHS classification results.

Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information
Silicagel	Based on the NITE GHS classification results.
Serious eye damage/ irritation	
Chemical Name	Serious eye damage/irritation source information

Silicagel		Ba	Based on the NITE GHS classification results.		
Respiratory or skin sensitization					
Chemical Name			Respiratory or Sk	in sensitization se	ource information
Silicagel		Ba	ased on the NITE GH	S classification res	ults.
Reproductive cell mutagenicity					
Chemical Name			germ cell mu	utagencity source	information
Silicagel		Ba	ased on the NITE GH	S classification res	ults.
Carcinogenicity					
Chemical Name			Carcinog	enicity source inf	ormation
Silicagel		Ba	ased on the NITE GH	S classification res	ults.
Chemical Name	NTP		IARC	ACGIH	JSOH (Japan)
Silicagel	Known		Group 1		Group 1
7631-86-9			Group 3		
Reproductive toxicity					
Chemical Name			Reproductive toxicity source information		
Silicagel		Ba	Based on the NITE GHS classification results.		
STOT-single exposure					
Chemical Name			STOT -single exposure- source information		
Silicagel		Ba	Based on the NITE GHS classification results.		
STOT-repeated exposure					
Chemical Name			STOT -repeated exposure- source information		
Silicagel		Ba	Based on the NITE GHS classification results.		
Aspiration hazard					
Chemical Name			Aspiration Hazard source information		formation
Silicagel		Ba	ased on the NITE GH	S classification res	ults.

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

No information available

Other data

Chemical Name	Short-term (acute) hazardous to the aquatic environment source information	Long-term (chronic) hazardous to the aquatic environment source information
Silicagel		Based on the NITE GHS classification results.

Persistence and degradability Bioaccumulative potential Mobility in soil Hazard to the ozone layer No information available No information available No information available No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations. Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID

Not regulated

UN number Proper shipping name: UN classfication Subsidiary hazard class

Packing group Marine pollutant	Not applicable
IMDG UN number Proper shipping name: UN classfication Subsidiary hazard class	Not regulated -
Packing group Marine pollutant (Sea) Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable No information available
IATA UN number Proper shipping name: UN classfication Subsidiary hazard class	Not regulated -
Packing group Environmentally Hazardous Substance	Not applicable

Section 15: REGULATORY INFORMATION

International Inventories EINECS/ELINCS TSCA	Listed Listed
Japanese regulations	
Fire Service Act	Not applicable
Poisonous and Deleterious	Not applicable
Substances Control Law	
Industrial Safety and Health Ac	t Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57, Para.1, Enforcement Order Art.18)
	Notifiable Substances (Law Art.57-2, Enforcement Oder Art.18-2 Attached Table No.9)No.165-2
	Substances designated by the Minister of Health, Labor and Welfare as carcinogenic(Ordinance on Industrial Safety and Health Art.577, Para.2)
Regulations for the carriage and storage of dangerous	Not applicable
goods in ship	
Civil Aeronautics Law	Not applicable
Pollutant Release and Transfer Register Law (2023.4.1-)	
Export Trade Control Order	Not applicable

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2) (~2024.3.31)	Pollutant Release and Transfer Register Law (2023.4.1-)
Silicagel 7631-86-9(=<100)	-	Applicable	-

Section 16: OTHER INFORMATION

Key literature references and
sources for data etc.NITE: National Institute of Technology and Evaluation (JAPAN)
http://www.safe.nite.go.jp/japan/db.html
IATA dangerous Goods Regulations
RTECS:Registry of Toxic Effects of Chemical Substances
Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd. Chemical Dictionary, Kyouritsu Publishing Co., Ltd. etc

Record of SDS revisions

The following contents were revised. Prodauct and company Identification. Exposure controls/personal protection. Regulatory information.

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z7252(2019). *JIS: Japanese Industrial Standards

End of Safety Data Sheet