



SAFETY DATA SHEET

According to JIS Z 7253:2019

Revision date 19-May-2023

Revision Number 3.04

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name0.1mol/l Sodium Hydroxide SolutionProduct Code196-02195,194-02191,190-02193

Manufacturer FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-5964

Supplier FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

Emergency telephone number

+81-6-6203-3741 / +81-3-3270-8571 For research use only

Recommended uses Restrictions on use

Seek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification

Classification of the substance or mixture

Serious eye damage/eye irritation

Category 2B

Pictograms

Signal word Warning

Hazard statements

H320 - Causes eye irritation

Precautionary statements-(Prevention)

· Wash face, hands and any exposed skin thoroughly after handling

Precautionary statements-(Response)

- IF IN EYÉS: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention

Precautionary statements-(Storage)

Not applicable

Precautionary statements-(Disposal)

· Not applicable

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Mixture

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Water	99.6	18.02	-	N/A	7732-18-5
Sodium Hydroxide	0.4	40.00	(1)-410	*	1310-73-2

Note on ISHL No.:

^{*} in the table means announced chemical substances.

Impurities and/or Additives: Not applicable

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. Call a physician.

Skin contact

Wash off immediately with soap and plenty of water. Get medical attention if irritation develops and persists

Eve contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for

fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Avoid contact with acidic substances Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and

then gargle In places other than those specified, should not be smoking or eating and drinking Should not be brought contaminated protective equipment and gloves to rest stops Deny unnecessary entry of non-emergency personnel to the handling area

Safety handling precautions

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Storage

Safe storage conditions

Storage conditions Store away from sunlight in well-ventilated place at room temperature (preferably cool).

Keep container tightly closed.

Safe packaging material Polyethylene

Incompatible substances Acids

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Sodium Hydroxide 1310-73-2	2mg/m ³	N/A	Ceiling: 2 mg/m ³

Personal protective equipment

Respiratory protection Protective mask

Hand protection chemical protective gloves (JIS T 8116)

Eye protection protective eyeglasses or chemical safety goggles

Skin and body protection Long-sleeved work clothes, protective boots

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

ColorcolorlessTurbidityclearAppearanceliquidOdorOdorless

Melting point/freezing pointno data availableBoiling point, initial boiling point and boiling rangeno data availableFlammabilityno data availableEvaporation rate:no data availableFlammability (solid, gas):no data available

Upper/lower flammability or

explosive limits

Upper:
Lower:
no data available
no data available
Flash point
no data available
Auto-ignition temperature:
no data available
no data available
no data available

H basic

Viscosity (coefficient of viscosity)

no data available

Pvnamic viscosity

no data available

Solubilities water, Ethanol: miscible.

n-Octanol/water partition coefficient:(log Pow)
No data available
Napour pressure
No data available
Napour density
Napour density
No data available
Particle characteristics
No data available
No data available
No data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available

Chemical stability Easy to absorb the carbon dioxide in the air.

Hazardous reactions corrodes metals. **Conditions to avoid**

Extremes of temperature and direct sunlight

Incompatible materials

Acids

Hazardous decomposition products

No information available

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

	i toute territy				
Chemical Name Oral LD50		Dermal LD50	Inhalation LC50		
Ī	Water	> 90 mL/kg (Rat)	N/A	N/A	

Chemical Name	Acute toxicity -oral- source	Acute toxicity -dermal- source	Acute toxicity -inhalation gas-
	information	information	source information
Sodium Hydroxide	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.

Chemical Name	Acute toxicity -inhalation	Acute toxicity -inhalation dust-	Acute toxicity -inhalation mist-
	vapor- source information	source information	source information
Sodium Hydroxide	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
-	classification results.	classification results.	classification results.

Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information	
Sodium Hydroxide	Based on the NITE GHS classification results.	
Serious eye damage/ irritation		

Chemical Name	Serious eye damage/irritation source information	
Sodium Hydroxide	Based on the NITE GHS classification results.	

Respiratory or skin sensitization

Chemical Name	Respiratory or Skin sensitization source information
Sodium Hydroxide	Based on the NITE GHS classification results.
Barrier Land Control of Control of Control	

Reproductive cell mutagenicity

Chemical Name	germ cen matagenerty source information	
Sodium Hydroxide	Based on the NITE GHS classification results.	
Carcinogenicity		

our onrogonion y				
Chemical Name	Carcinogenicity source information			
Sodium Hydroxide	Based on the NITE GHS classification results.			

Reproductive toxicity

Chemical Name	Reproductive toxicity source information		
Sodium Hydroxide	Based on the NITE GHS classification results.		
STOT-single exposure			

Chemical Name	STOT -single exposure- source information	
Sodium Hydroxide	Based on the NITE GHS classification results.	

STOT-repeated exposure Chemical Name

Sodium Hydroxide	Based on the NITE GHS classification results.	
Aspiration hazard		
Chemical Name	Aspiration Hazard source information	
Sodium Hydroxide	Based on the NITE GHS classification results.	

STOT -repeated exposure- source information

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Sodium Hydroxide	N/A	N/A	LC50 : Ceriodaphnia pulchella
			40 mg/L 48 h

Other data

Chemical Name	Short-term (acute) hazardous to the aquatic environment source information	Long-term (chronic) hazardous to the aquatic environment source information
7	Based on the NITE GHS classification	Based on the NITE GHS classification results.

Persistence and degradability
Bioaccumulative potential
Mobility in soil
Hazard to the ozone layer

No information available
No information available
No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID

UN number UN1824

Proper shipping name: Sodium hydroxide solution

UN classfication Subsidiary hazard class

Packing group

Marine pollutant Not applicable

IMDG

UN number UN1824

Proper shipping name: Sodium hydroxide solution

UN classfication 8
Subsidiary hazard class

Packing group

Marine pollutant (Sea) Not applicable

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

IATA

UN number UN1824

Proper shipping name: Sodium hydroxide solution

UN classfication 8

Subsidiary hazard class

Packing group III

Environmentally Hazardous Not applicable

Substance

Section 15: REGULATORY INFORMATION

International Inventories

EINECS/ELINCS -

TSCA

Japanese regulations

goods in ship

Fire Service Act Not applicable
Poisonous and Deleterious Not applicable

Substances Control Law

Industrial Safety and Health Act Not applicable

Regulations for the carriage and storage of dangerous

Corrosive Substances (Ordinance Art.3, Ministry of Transportation Ordinance Regarding

Transport by Ship and Storage, Attached Table 1)

Civil Aeronautics Law Corrosive Substances (Ordinance Art. 194, MITL Nortification for Air Transportation of

Explosives etc., Attached Table 1)

Marine Pollution Prevention

Law

Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Y

Pollutant Release and Transfer Not applicable

Register Law (2023.4.1-)

Water Pollution Control Act Specified substances(Law Art.2 Para.4, Enforcement Order Art.3-3)

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

Record of SDS revisions

The following contents were revised. Prodauct and company Identification. Exposure

controls/personal protection. Regulatory information.

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet