



SAFETY DATA SHEET

According to JIS Z 7253:2019

Revision date 16-Feb-2023

Revision Number 2.03

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Sodium Iodate	
Product Code	192-02251,190-02252,194-02255	
Manufacturer	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 Fax: +81-6-6203-5964	
Supplier Emergency telephone number	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 Fax: +81-6-6203-2029 +81-6-6203-3741 / +81-3-3270-8571	
Emergency telephone number Recommended uses and	For research use only	

Section 2: HAZARDS IDENTIFICATION

GHS classification

restrictions on use

Classification of the substance or mixture

Oxidizing solidsCategory 2Acute toxicity - OralCategory 4Acute aquatic toxicityCategory 3Chronic aquatic toxicityCategory 3

Pictograms





Signal word

Danger

Hazard statements

H272 - May intensify fire; oxidizer

H302 - Harmful if swallowed

H402 - Harmful to aquatic life

H412 - Harmful to aquatic life with long lasting effects

Precautionary statements-(Prevention)

- Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product
- · Avoid release to the environment
- · Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- Keep/Store away from clothing/ combustible materials
- Take any precaution to avoid mixing with combustibles
- Wear protective gloves/protective clothing/eye protection/face protection

Precautionary statements-(Response)

• IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

Precautionary statements-(Storage)

Not applicable

Precautionary statements-(Disposal)

Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula NalO3

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Sodium iodate	99.5	197.89	(1)-443	公表	7681-55-2

Note on ISHL No.: * in the table means announced chemical substances.

Impurities and/or Additives: Not applicable

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Flood with water, Sand

Unsuitable extinguishing media

Powder, Foam, Carbondioxide

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for

fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Sweep up and gather scattered particles, and collect it in an empty airtight container.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Flammable. Do not give shock. Avoid contact with reducing agents and combustible materials. Avoid contact with organic substance Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle In places other than those specified, should not be smoking or eating and drinking Should not be brought contaminated protective equipment and gloves to rest stops Deny unnecessary entry of non-emergency personnel to the handling area

Safety handling precautions

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity)

Storage

Safe storage conditions

Storage conditions Keep container protect from light, store

in well-ventilated place at room temperature (preferably cool). Keep container tightly

closed.

Safe packaging material Polyethylene

Incompatible substances Organic substance, Combustible materials, Reducing agent

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

Personal protective equipment

Respiratory protectionDust maskHand protectionProtection gloves

Eye protection protective eyeglasses or chemical safety goggles

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

Color
Appearance
Odor
Melting point/freezing point
Boiling point, initial boiling point and boiling range
Flammability
No data available
Podata available
No data available

Flammability (solid, gas): no data available

Upper/lower flammability or

explosive limits

Upper:
Lower:
no data available
pH
5.0 - 8.0 (50g/L, 25°C)

Viscosity (coefficient of viscosity)

Dynamic viscosity

no data available
no data available

Solubilities water: soluble. Ethanol: practically insoluble, or insoluble.

n-Octanol/water partition coefficient:(log Pow) vapour pressureno data available
no data available

Specific Gravity / Relative density 4.277

Vapour densityno data availableParticle characteristicsno data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available

Chemical stability May be altered by light. Decomposed on heating.

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark, Shock

Incompatible materials

Organic substance, Combustible materials, Reducing agent

Hazardous decomposition products

Halides

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium iodate	505 mg/kg (Mouse)	N/A	N/A

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
Sodium iodate	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
Codiaiii iodato			Based on the NITE GHS
	classification results.	classification results.	classification results.

Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information
Sodium iodate	Based on the NITE GHS classification results.
Sorious ava damago/irritation	

Serious eye damage/ irritation

Chemical Name
Serious eye damage/irritation source information

Sodium iodate
Based on the NITE GHS classification results.

Respiratory or skin sensitization

Accountatory of Chair Conclusion		
Chemical Name	Respiratory or Skin sensitization source information	
Sodium iodate	Based on the NITE GHS classification results.	

Reproductive cell mutagenicity

	Chemical Name	germ cell mutagencity source information

Sodium iodate	Based on the NITE GHS classification results.
Carcinogenicity	
Chemical Name	Carcinogenicity source information
Sodium iodate	Based on the NITE GHS classification results.

Reproductive toxicity

Chemical Name	Reproductive toxicity source information
Sodium iodate	Based on the NITE GHS classification results.

STOT-single exposure

Chemical Name	STOT -single exposure- source information
Sodium iodate	Based on the NITE GHS classification results.

STOT-repeated exposure

Chemical Name	STOT -repeated exposure- source information	
Sodium iodate	Based on the NITE GHS classification results.	

Aspiration hazard

Chemical Name	Aspiration Hazard source information
Sodium iodate	Based on the NITE GHS classification results.

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Sodium iodate	N/A	N/A	EC50: Daphnia magna
			54.8 mg/L 48 h

Other data

Other data					
Chemical Name	Short-term (acute) hazardous to the aquatic environment source	Long-term (chronic) hazardous to the aquatic environment source			
	information	information			
Sodium iodate	Based on the NITE GHS classification	Based on the NITE GHS classification			
	results.	results.			

Persistence and degradability
Bioaccumulative potential
Mobility in soil
Hazard to the ozone layer

No information available
No information available
No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID

UN number UN1479

Proper shipping name: Oxidizing solid, n.o.s. (Sodium iodate)

UN classification 5.

Subsidiary hazard class

Packing group

Marine pollutant Not applicable

IMDG

UN number UN1479

Proper shipping name: Oxidizing solid, n.o.s. (Sodium iodate)

UN classfication 5.1

Subsidiary hazard class

Packing group

Not applicable Marine pollutant (Sea)

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

ΙΔΤΔ

UN1479 **UN** number

Proper shipping name: Oxidizing solid, n.o.s. (Sodium iodate)

UN classfication

Subsidiary hazard class

Packing group Ш

Environmentally Hazardous Not applicable

Substance

Section 15: REGULATORY INFORMATION

International Inventories

EINECS/ELINCS Listed **TSCA** Listed

Japanese regulations

Fire Service Act Category I, iodates, dangerous grade 1

Poisonous and Deleterious Not applicable

Substances Control Law

Industrial Safety and Health Act Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57,

Para.1, Enforcement Order Art.18)

Notifiable Substances (Law Art.57-2, Enforcement Oder Art.18-2 Attached Table

No.9)No.606

Dangerous Substances - Oxidizing Substance (Enforcement Order Attached Table 1

Item 3)

Regulations for the carriage

and storage of dangerous

goods in ship

Civil Aeronautics Law

Oxidizing Agents - Oxidizing Agents (Ordinance Art.3, Ministry of Transportation

Ordinance Regarding Transport by Ship and Storage, Attached Table 1)

Oxidizing Agents - Oxidizing Agents (Ordinance Art. 194, MITL Nortification for Air Transportation of Explosives etc., Attached Table 1)

Not applicable

Pollutant Release and Transfer Not applicable

Register Law (~2023.3.31)

Pollutant Release and Transfer

Register Law

(2023/4/1~)

Export Trade Control Order Not applicable

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2) (~2024.3.31)	Pollutant Release and Transfer Register Law (~2023.3.31)
Sodium iodate 7681-55-2 (99.5)	-	Applicable	-

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry, SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z7252(2019). *JIS: Japanese Industrial Standards

End of Safety Data Sheet