



SAFETY DATA SHEET

According to JIS Z 7253:2019 Revision date 20-Feb-2024 Revision Number 3.08

Category 3

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Sulfuric Acid, Fuming
Product Code	194-04715

FUJIFILM Wako Pure Chemical Corporation **Supplier**

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

+81-6-6203-3741 / +81-3-3270-8571 **Emergency telephone number**

Recommended uses For research use only

Restrictions on use Seek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification

Classification of the substance or mixture Acute toxicity - Inhalation (Dusts/Mists)

Skin corrosion/irritation Category 1 Category 1 Serious eye damage/eye irritation Carcinogenicity Category 1A Category 2

Specific target organ toxicity (single exposure)

Category 2 respiratory system, digestive system Specific target organ toxicity (repeated exposure) Category 2

Category 2 lung, teeth





Hazard statements

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

H331 - Toxic if inhaled

H350 - May cause cancer

H371 - May cause damage to the following organs: respiratory system, digestive system

H373 - May cause damage to the following organs through prolonged or repeated exposure: lung, teeth

Precautionary statements-(Prevention)

- · Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood
- Use personal protective equipment as required
- Use only outdoors or in a well-ventilated area
- Do not breathe dust/fume/gas/mist/vapors/spray
- · Wash face, hands and any exposed skin thoroughly after handling
- · Do not eat, drink or smoke when using this product

Precautionary statements-(Response)

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- Immediately call a POISON CENTER or doctor/physician
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- · Wash contaminated clothing before reuse
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

Precautionary statements-(Storage)

- Store locked up
- Store in a well-ventilated place. Keep container tightly closed

Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula H2SO4·xSO3

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Sulfuric Acid, Fuming	60.0 - 65.0	N/A	(1)-430,(1)-537	*	8014-95-7
	(as free sulfate)				

Note on ISHL No.:

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full

^{*} in the table means announced chemical substances.

firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Avoid contact with alkaline substances. Avoid contact with organic substance Avoid contact with reducing agents and combustible materials. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Storage

Safe storage conditions

Storage conditions Keep container protect from light, store

in well-ventilated place at room temperature (preferably cool). Keep container tightly

closed. Store locked up.

Safe packaging material

Polyethylene

Incompatible substances

Organic substance, Combustible materials, Bases, Reducing agent

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

Personal protective equipment

Respiratory protection Gas mask for acidic gas (JIS T 8152) Hand protection chemical protective gloves (JIS T 8116)

Eye protection protective eyeglasses or chemical safety goggles (JIS T 8147)

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to

them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

Color White - slightly brown , upon melting Colorless - slightly brown

Appearance crystals or upon melting oily liquid

Odor Pungent odor

Melting point/freezing point 3 °C

Boiling point, initial boiling point and boiling range
Flammability
Evaporation rate:
no data available

Upper/lower flammability or explosive limits

no data available Upper: no data available Lower: Flash point no data available no data available **Auto-ignition temperature:** no data available **Decomposition temperature:** рΗ no data available Viscosity (coefficient of viscosity) no data available **Dynamic viscosity** no data available

Solubilities sulfuric acid: at the rate of any miscible, water: decomposes.

n-Octanol/water partition coefficient:(log Pow)no data available **Vapour pressure**no data available

Specific Gravity / Relative density 1.925

Vapour densityno data availableParticle characteristicsno data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available
Chemical stability May be altered by light.

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight

Incompatible materials

Organic substance, Combustible materials, Bases, Reducing agent

Hazardous decomposition products

Sulfur oxides (SOx)

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Sulfuric Acid, Fuming	2140 mg/kg (Rat)	N/A	347 ppm (Rat) 1 h

Chemical Name	Acute toxicity -oral- source	Acute toxicity -dermal- source	Acute toxicity -inhalation gas-
	information	information	source information
Sulfuric Acid, Fuming			Based on the NITE GHS classification results.

Chemical Name	Acute toxicity -inhalation	Acute toxicity -inhalation dust-	Acute toxicity -inhalation mist-
	vapor- source information	source information	source information
Sulfuric Acid, Fuming	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
_	classification results.	classification results.	classification results.

Skin irritation/corrosion

STOT-repeated exposure

Aspiration hazard

Chemical Name		Skin corrosio	n/irritation sourc	e information	
Sulfuric Acid, Fuming		Based on the NITE GHS classification results.			
Serious eye damage/ irritation					
Chemical Name		Serious eye dan	nage/irritation so	urce information	
Sulfuric Acid, Fuming		Based on the NITE GH	S classification res	sults.	
Respiratory or skin sensitization					
Chemical Name		Respiratory or Sk	in sensitization s	ource information	
Sulfuric Acid, Fuming		Based on the NITE GH	S classification res	sults.	
Reproductive cell mutagenicity					
Chemical Name		germ cell mu	itagencity source	information	
Sulfuric Acid, Fuming		Based on the NITE GH	Based on the NITE GHS classification results.		
Carcinogenicity					
Chemical Name		Carcinog	enicity source in	formation	
Sulfuric Acid, Fuming		Based on the NITE GHS classification results.			
Chemical Name	NTP	IARC	ACGIH	JSOH (Japan)	
Sulfuric Acid, Fuming		Group 1			
8014-95-7					
Reproductive toxicity					
Chemical Name		Reproductiv	e toxicity source	information	
Sulfuric Acid, Fuming		Based on the NITE GHS classification results.			
STOT-single exposure				<u> </u>	
Chemical Name		STOT -single exposure- source information			
Sulfuric Acid, Fuming		Based on the NITE GH	S classification res	sults.	

Section 12: ECOLOGICAL INFORMATION	

STOT -repeated exposure- source information

Aspiration Hazard source information

Based on the NITE GHS classification results.

Based on the NITE GHS classification results.

Ecotoxicity No information available

Chemical Name
Sulfuric Acid, Fuming

Chemical Name

Sulfuric Acid, Furning

Other data

Othor data		
Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the
	aquatic environment source information	aquatic environment source information
Sulfuric Acid, Fuming	Based on the NITE GHS classification	Based on the NITE GHS classification
	results.	results.

Persistence and degradability
Bioaccumulative potential
Mobility in soil
Hazard to the ozone layer

No information available
No information available
No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID

UN number UN1831

Proper shipping name: SULPHURIC ACID, FUMING

UN classfication Subsidiary hazard class 6.1 Packing group

Not applicable Marine pollutant

IMDG

UN number UN1831

SULPHURIC ACID, FUMING Proper shipping name:

UN classfication 8 Subsidiary hazard class 6.1 Packing group

Marine pollutant (Sea) Not applicable

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

Forbidden **IATA UN** number UN1831

Proper shipping name: SULPHURIC ACID, FUMING

UN classfication 8 Subsidiary hazard class 6.1 Packing group

Environmentally Hazardous Not applicable

Substance

Section 15: REGULATORY INFORMATION

Japanese regulations

Fire Service Act Firefighting Inhibitor

Poisonous and Deleterious Deleterious Substances 1st. Grade

Substances Control Law

Industrial Safety and Health Act Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)

Notifiable Substances (Law Art.57-2)

Group 3 Specified Chemical Substance, (Ordinance on Prevention of Hazards Due to

Specified Chemical Substances Art.2 Para.1, Item 6)

Industrial Safety and Health Act (

2024~)

【2024.4.1~】 Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)

【2024.4.1~】Notifiable Substances (Law Art.57-2)

Transport by Ship and Storage, Attached Table 1)

【2024.4.1~】Substances designated by the Minister of Health, Labor and Welfare as

carcinogenic(Ordinance on Industrial Safety and Health Art.577, Para.2)

【2024.4.1~】Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1) Corrosive Substances (Ordinance Art.3, Ministry of Transportation Ordinance Regarding

Regulations for the carriage and storage of dangerous

goods in ship

Forbidden (Ordinance Art.194)

Civil Aeronautics Law Marine Pollution Prevention

I aw

Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Y

Pollutant Release and Transfer Not applicable **Register Law**

(2023.4.1-)

Water Pollution Control Act Specified substances(Law Art.2 Para.4, Enforcement Order Art.3-3) Appendix 2 Export Approval Item

Export Trade Control Order

Narcotics and Psychotropics

Control Law

Air Pollution Control Law Specified Substances

Industrial Safety and Health Law

Law Name Chemical Name in Regulation Weight %

Notifiable Substances (Law Art.57-2)	fuming sulfuric acid	60.0 - 65.0 (as free sulfate)	2024/4/1
			_

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
Sulfuric Acid, Fuming 8014-95-7 (60.0 - 65.0 (as free sulfate))	Applicable	Applicable	-

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

Record of SDS revisionsThe following contents were revised. Prodauct and company Identification.

 $Composition/information\ on\ ingredients.\ Exposure\ controls/personal\ protection.\ Physical$

and chemical properties. Regulatory information.

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet