



# SAFETY DATA SHEET

According to JIS Z 7253:2019 Revision date 26-Mar-2024 Revision Number 2.04

## Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Sodium Ethoxide
Product Code	195-05281,193-05282,197-05285
Supplier	FUJIFILM Wako Pure Chemical Corporation
	1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan
	Phone: +81-6-6203-3741 Fax: +81-6-6203-2029
Emergency telephone number	+81-6-6203-3741 / +81-3-3270-8571
Recommended uses	For research use only
Restrictions on use	Seek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification <u>Classification of the substance or mixture</u> Self-heating substances and mixtures Skin corrosion/irritation Serious eye damage/eye irritation

Pictograms



Category 2 Category 1 Category 1



Danger

#### Hazard statements

- H252 Self-heating in large quantities; may catch fire
- H314 Causes severe skin burns and eye damage
- H318 Causes serious eye damage

#### **Precautionary statements-(Prevention)**

- Do not breathe dust/fume/gas/mist/vapors/spray
- · Wash face, hands and any exposed skin thoroughly after handling
- Wear protective gloves/protective clothing/eye protection/face protection
- Keep cool. Protect from sunlight

#### Precautionary statements-(Response)

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- Immediately call a POISON CENTER or doctor/physician
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- · Wash contaminated clothing before reuse
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

### • IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

#### Precautionary statements-(Storage)

- · Store locked up
- Maintain air gap between stacks/pallets

Store away from other materials

Precautionary statements-(Disposal)

· Dispose of contents/container to an approved waste disposal plant

#### Others Other hazards

Not available

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula

C2H5ONa

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Sodium Ethoxide	90.0	68.05	(2)-204	公表	141-52-6
	* : +	4 - I- I	and all shares and a sub-		

Note on ISHL No.:

in the table means announced chemical substances.

## Section 4: FIRST AID MEASURES

#### Inhalation

Remove to fresh air. If symptoms persist, call a physician.

#### Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

## Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

#### Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

#### **Protection of first-aiders**

Use personal protective equipment as required.

## Section 5: FIRE FIGHTING MEASURES

#### Suitable extinguishing media

Extinguishing powder, Foam, Carbon dioxide (CO2), Sand

#### Unsuitable extinguishing media

Do not use straight streams

#### Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method No information available

## Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

## Section 6: ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

### **Environmental precautions**

To be careful not discharged to the environment without being properly handled waste water contaminated.

#### Methods and materials for contaminent and methods and materials for cleaning up

Sweep up and gather scattered particles, and collect it in an empty airtight container.

Recoverly, neutralization

## No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

## Section 7: HANDLING AND STORAGE

#### Handling

**Technical measures** 

Avoid contact with strong oxidizing agents. Use with local exhaust ventilation.

#### Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

#### Safety handling precautions

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

#### Storage

Safe storage conditions	
Storage conditions	

#### Safe packaging material Incompatible substances

Store away from sunlight in well-ventilated place at room temperature (preferably cool). Keep container tightly closed. Glass, Polyethylene

Strong oxidizing agents, Water

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

#### Exposure limits

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Personal protective equipment	
Respiratory protection	Dust mask ( JIS T 8151 )
Hand protection	chemical protective gloves (JIS T 8116)
Eye protection	protective eyeglasses or chemical safety goggles (JIS T 8147)
Skin and body protection	Long-sleeved work clothes
General hygiene considerations	

Handle in accordance with good industrial hygiene and safety practice. If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form Color Appearance Odor Melting point/freezing point Boiling point, initial boiling point and boiling range Flammability **Evaporation rate:** 

White - slight brown powder or mass no data available >300 °C no data available no data available no data available

Flammability (solid, gas): Upper/lower flammability or explosive limits Upper: Lower: Flash point Auto-ignition temperature: **Decomposition temperature:** рΗ Viscosity (coefficient of viscosity) Dynamic viscosity Solubilities n-Octanol/water partition coefficient:(log Pow) Vapour pressure Specific Gravity / Relative density Vapour density **Particle characteristics** 

no data available Ethanol : soluble . water decomposed with . no data available no data available

## Section 10: STABILITY AND REACTIVITY

#### Stability

 Reactivity
 no data available

 Chemical stability
 Stable under recommended storage conditions.

 Hazardous reactions
 Stable under recommended storage conditions.

 None under normal processing
 Conditions to avoid

 Conditions to avoid
 Extremes of temperature and direct sunlight, Moisture

 Incompatible materials
 Strong oxidizing agents, Water

 Hazardous decomposition products
 Carbon monooxide (CO), Carbon dioxide (CO2)

## Section 11: TOXICOLOGICAL INFORMATION

### Acute toxicity

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
Sodium Ethoxide	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.
Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
Sodium Ethoxide	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.

#### Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information
Sodium Ethoxide	Based on the NITE GHS classification results.
Serious eye damage/ irritation	
Chemical Name	Serious eye damage/irritation source information
Sodium Ethoxide	Based on the NITE GHS classification results.
Respiratory or skin sensitization	
Chemical Name	Respiratory or Skin sensitization source information
Sodium Ethoxide	Based on the NITE GHS classification results.
Reproductive cell mutagenicity	
Chemical Name	germ cell mutagencity source information
Sodium Ethoxide	Based on the NITE GHS classification results.

#### Carcinogenicity

Chemical Name	Carcinogenicity source information
Sodium Ethoxide	Based on the NITE GHS classification results.

### **Reproductive toxicity**

	Chemical Name	Reproductive toxicity source information
	Sodium Ethoxide	Based on the NITE GHS classification results.
STOT-single exposure		· · · · · · · · · · · · · · · · · · ·
	Chemical Name	STOT -single exposure- source information
	Sodium Ethoxide	Based on the NITE GHS classification results.
STOT-repeated exposu	re	
· · ·	Chemical Name	STOT -repeated exposure- source information
	Sodium Ethoxide	Based on the NITE GHS classification results.
Aspiration hazard		
	Chemical Name	Aspiration Hazard source information
	Sodium Ethoxide	Based on the NITE GHS classification results.

## Section 12: ECOLOGICAL INFORMATION

#### Ecotoxicity

no data available

#### Other data

Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the
a	aquatic environment source information	aquatic environment source information
Sodium Ethoxide	Based on the NITE GHS classification	Based on the NITE GHS classification
l r	results.	results.

Persistence and degradability	No inform
Bioaccumulative potential	No inform
Mobility in soil	No inform
Hazard to the ozone layer	No inform

No information available No information available No information available No information available

## Section 13: DISPOSAL CONSIDERATIONS

#### Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations. Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

## Section 14: TRANSPORT INFORMATION

ADR/RID UN number Proper shipping name: UN classfication Subsidiary hazard class Packing group Marine pollutant	UN3206 Alkali metal alcoholates, self-heating, corrosive, n.o.s. (Sodium Ethoxide) 4.2 8 III Not applicable
IMDG UN number Proper shipping name: UN classfication Subsidiary hazard class Packing group Marine pollutant (Sea)	UN3206 Alkali metal alcoholates, self-heating, corrosive, n.o.s. (Sodium Ethoxide) 4.2 8 III Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	No information available
ΙΑΤΑ	
UN number	UN3206
Proper shipping name:	Alkali metal alcoholates, self-heating, corrosive, n.o.s. (Sodium Ethoxide)
UN classification	4.2
Subsidiary hazard class	8
Packing group	
Environmentally Hazardous	Not applicable
Substance	

## Section 15: REGULATORY INFORMATION

Japanese regulations	
Fire Service Act	Not applicable
Poisonous and Deleterious	Not applicable
Substances Control Law	
Industrial Safety and Health Act Not applicable	
Industrial Safety and Health Act (	[2024.4.1~] Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)
<u>2024~)</u>	
Regulations for the carriage	Flammable Solids - Spontaneously Combustible Solids (Ordinance Art.3, Ministry of
and storage of dangerous	Transportation Ordinance Regarding Transport by Ship and Storage, Attached Table 1)
goods in ship	
Civil Aeronautics Law	Flammable Solids - Spontaneously Combustible Solids (Ordinance Art.194, MITL Nortification for Air Transportation of Explosives etc, Attached Table 1)
Pollutant Release and Transfer	Not applicable
Register Law (2023.4.1-)	
Export Trade Control Order	Not applicable

## **Section 16: OTHER INFORMATION**

Key literature references and sources for data etc.	NITE: National Institute of Technology and Evaluation (JAPAN) http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS Dictionary of Synthetic Oraganic Chemistry, SSOCJ, Koudansha Scientific Co.Ltd. Chemical Dictionary, Kyouritsu Publishing Co., Ltd. etc

#### Record of SDS revisions Disclaimer

The following contents were revised. Regulatory information.

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. \*JIS: Japanese Industrial Standards

End of Safety Data Sheet