



SAFETY DATA SHEET

According to JIS Z 7253:2019 Issue Date 23-Jul-2025 Revision Number 7.04

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Salithion Standard
Product Code	191-07341,195-07349

Supplier FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571

Recommended uses For research use only

Restrictions on useSeek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification

Classification of the substance or mixture

Acute toxicity - OralCategory 3Acute toxicity - DermalCategory 3

Pictograms



Signal word Danger

Hazard statements

H301 - Toxic if swallowed

H311 - Toxic in contact with skin

Precautionary statements-(Prevention)

- · Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product
- Wear protective gloves/protective clothing/eye protection/face protection

Precautionary statements-(Response)

- IF ON SKIN: Wash with plenty of soap and water
- Call a POISON CENTER or doctor/physician if you feel unwell
- · Remove/Take off immediately all contaminated clothing
- · Wash contaminated clothing before reuse
- IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
- Rinse mouth

Precautionary statements-(Storage)

· Store locked up

Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula C8H9O3PS

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Salithion	99.0	216.19	(5)-3864	8-(9)-24	3811-49-2

Note on ISHL No.:

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Sweep up and gather scattered particles, and collect it in an empty airtight container.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

^{*} in the table means announced chemical substances.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Avoid contact with strong oxidizing agents. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Storage

Safe storage conditions

Storage conditions Keep container protect from light tightly closed. Store in a cool (2-10 °C) place. Packed

with an inert gas. Store locked up.

Safe packaging material Glass

Incompatible substances Strong oxidizing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

Personal protective equipment

Respiratory protection Dust mask (JIS T 8151)

Hand protection chemical protective gloves (JIS T 8116)

Eye protection protective eyeglasses or chemical safety goggles (JIS T 8147)

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

Color white

Appearance crystals - powder
Odor no data available
Melting point/freezing point 55 - 57 °C
Boiling point, initial boiling point and boiling range 274 °C

Flammability no data available
Evaporation rate: no data available
Flammability (solid, gas): no data available

Upper/lower flammability or explosive limits

Upper:
Lower:
no data available
no data available
no data available
Auto-ignition temperature:
no data available
no data available

Decomposition temperature: no data available no data available Viscosity (coefficient of viscosity) no data available Dynamic viscosity no data available

Solubilities acetone: soluble. water: practically insoluble, or insoluble.

n-Octanol/water partition coefficient:(log Pow) no data available no data available Vapour pressure Specific Gravity / Relative density no data available no data available Vapour density Particle characteristics no data available

Section 10: STABILITY AND REACTIVITY

Stability

no data available Reactivity **Chemical stability** May be altered by light.

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Carbon monooxide (CO), Carbon dioxide (CO2), Sulfur oxides (SOx), Phosphorus oxide

Section 11: TOXICOLOGICAL INFORMATION

*NITE: National Institute of Technology and Evaluation (JAPAN) https://www.chem-info.nite.go.jp/en/chem/chrip/chrip_search/srhInput

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Salithion	102 mg/kg (Rat)	400 mg/kg (Rat)	N/A

Chemical Name	,	•	Acute toxicity -inhalation gas-
	information	information	source information
Salithion	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
Salithion	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.

Skin irritation/corrosion

OKIII II	
Chemical Name	Skin corrosion/irritation source information
Salithion	Based on the NITE GHS classification results.

Serious eye damage/ irritation

Chemical Name	Serious eye damage/irritation source information
Salithion	Based on the NITE GHS classification results.

Respiratory or skin sensitization

Cnemical Name	Respiratory or Skin sensitization source information
Salithion	Based on the NITE GHS classification results.
Demonstruction and montaneousletter	

Reproductive cell mutagenicity

	Chemical Name	germ cen matagenory source information	
Salithion		Based on the NITE GHS classification results.	
	Carcinogenicity		

garm call mutaganeity source information

Chemical Name	Carcinogenicity source information	
Salithion	Based on the NITE GHS classification results.	

Chemical Name	NTP	IARC	ACGIH	JSOH	
---------------	-----	------	-------	------	--

Salithion	N/A	N/A	N/A	-
3811-49-2				

Reproductive toxicity

Chemical Name	Reproductive toxicity source information	
Salithion	Based on the NITE GHS classification results.	

STOT-single exposure

Chemical Name	STOT -single exposure- source information	
Salithion	Based on the NITE GHS classification results.	

STOT-repeated exposure

o. o opoulou onpooulo		
Chemical Name	STOT -repeated exposure- source information	
Salithion	Based on the NITE GHS classification results.	

Aspiration hazard

Chemical Name	Aspiration Hazard source information
Salithion	Based on the NITE GHS classification results.

Section 12: ECOLOGICAL INFORMATION

*NITE: National Institute of Technology and Evaluation (JAPAN) https://www.chem-info.nite.go.jp/en/chem/chrip/chrip_search/srhInput

Ecotoxicity no data available

Other data

	Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the
ı		aquatic environment source information	aquatic environment source information
ſ	Salithion	Based on the NITE GHS classification	Based on the NITE GHS classification
		results.	results.

Persistence and degradability
Bioaccumulative potential
Mobility in soil
Hazard to the ozone layer

No information available
No information available
No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID

UN number UN2783

Proper shipping name: Organophosphorus pesticide, solid, toxic (Salithion)

UN classfication 6.1

Subsidiary hazard class

Packing group

Marine pollutant Not applicable

IMDG

UN number UN2783

Proper shipping name: Organophosphorus pesticide, solid, toxic (Salithion)

Ш

UN classfication 6

Subsidiary hazard class

Packing group

Marine pollutant (Sea) Not applicable

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

UN2783 **UN** number

Proper shipping name: Organophosphorus pesticide, solid, toxic (Salithion)

UN classfication

Subsidiary hazard class

Packing group Ш

Environmentally Hazardous Not applicable

Substance

Section 15: REGULATORY INFORMATION

Japanese regulations

Fire Service Act Not applicable

Poisonous and Deleterious

Deleterious Substances 3rd. Grade

Substances Control Law

Industrial Safety and Health Act Not applicable

2026~)

Industrial Safety and Health Act (2026.4.1~ Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)

【2026.4.1~】Notifiable Substances (Law Art.57-2)

Regulations for the carriage

Toxic Substances - Poison (Ordinance Art.3, Ministry of Transportation Ordinance

and storage of dangerous

Regarding Transport by Ship and Storage, Attached Table 1)

goods in ship **Civil Aeronautics Law**

Toxic and Infectious Substances (Ordinance Art.194, MITL Nortification for Air

Transportation of Explosives etc., Attached Table 1)

Pollutant Release and Transfer Not applicable

Register Law (2023.4.1-)

Industrial Safety and Health Law

Law Name	Chemical Name in Regulation	Weight %	Scheduled enforcement date
Notifiable Substances (Law Art.57-2)	2-Methoxy-1,3,2-benzodioxapho sphorine-2-sulfide	99.0	2026/4/1

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
Salithion 3811-49-2 (99.0)	Applicable	-	-

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN) https://www.chem-info.nite.go.jp/en/chem/chrip/chrip search/srhInput

IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

Record of SDS revisions

The following contents were revised. Exposure controls/personal protection. Ecological

information. Regulatory information.

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless

specified in the text. GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet