

SAFETY DATA SHEET

According to JIS Z 7253:2019
Revision date 19-May-2023
 Revision Number 3.03

Section 1: PRODUCT AND COMPANY IDENTIFICATION

| | |
|---------------------|-----------------------|
| Product Name | Sodium Nitrate, 99.9% |
| Product Code | 190-09393 |

| | |
|-----------------------------------|---|
| Manufacturer | FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 Fax: +81-6-6203-5964 |
| Supplier | FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 Fax: +81-6-6203-2029 |
| Emergency telephone number | +81-6-6203-3741 / +81-3-3270-8571 |
| Recommended uses | For research use only |
| Restrictions on use | Seek expert judgment when using for purposes other than those recommended. |

Section 2: HAZARDS IDENTIFICATION

GHS classification**Classification of the substance or mixture**

| | |
|---|-------------|
| Oxidizing solids | Category 3 |
| Serious eye damage/eye irritation | Category 2B |
| Germ cell mutagenicity | Category 2 |
| Specific target organ toxicity (single exposure) | Category 1 |
| Category 1 blood | |
| Specific target organ toxicity (repeated exposure) | Category 1 |
| Category 1 blood | |

Pictograms**Signal word**

Danger

Hazard statements

- H272 - May intensify fire; oxidizer
- H320 - Causes eye irritation
- H341 - Suspected of causing genetic defects
- H370 - Causes damage to the following organs: blood
- H372 - Causes damage to the following organs through prolonged or repeated exposure: blood

Precautionary statements-(Prevention)

- Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood
- Use personal protective equipment as required
- Wash face, hands and any exposed skin thoroughly after handling
- Do not breathe dust/fume/gas/mist/vapors/spray

- Do not eat, drink or smoke when using this product
- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- Keep/Store away from clothing/ combustible materials
- Take any precaution to avoid mixing with combustibles

Precautionary statements-(Response)

- IF exposed: Call a POISON CENTER or doctor/physician
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention

Precautionary statements-(Storage)

- Store locked up

Precautionary statements-(Disposal)

- Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula NaNO₃

| Chemical Name | Weight-% | Molecular weight | ENCS | ISHL No. | CAS RN |
|----------------|----------|------------------|---------|----------|-----------|
| Sodium nitrate | 99.0 | 84.99 | (1)-484 | * | 7631-99-4 |

Note on ISHL No.: * in the table means announced chemical substances.

Impurities and/or Additives: Not applicable

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Flood with water

Unsuitable extinguishing media

Powder, Foam

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminant and methods and materials for cleaning up

Sweep up and gather scattered particles, and collect it in an empty airtight container.

Recovery, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Do not give shock. Flammable. Avoid contact with reducing agents and combustible materials. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle In places other than those specified, should not be smoking or eating and drinking Should not be brought contaminated protective equipment and gloves to rest stops Deny unnecessary entry of non-emergency personnel to the handling area

Safety handling precautions

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity)

Storage

Safe storage conditions

Storage conditions

Store away from sunlight in well-ventilated place at room temperature (preferably cool).
Keep container tightly closed.

Safe packaging material

Polyethylene

Incompatible substances

Organic substance, Combustible materials, Reducing agent

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and hand- and eye-wash facility. And display their position clearly.

Exposure limits

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Personal protective equipment

Respiratory protection

Dust mask (JIS T 8151)

Hand protection

chemical protective gloves (JIS T 8116)

Eye protection

protective eyeglasses or chemical safety goggles

Skin and body protection

Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

| | |
|---|---|
| Color | white |
| Appearance | crystals - crystalline powder or mass |
| Odor | Odorless |
| Melting point/freezing point | 306 °C |
| Boiling point, initial boiling point and boiling range | 380 °C (dec.) |
| Flammability | no data available |
| Evaporation rate: | no data available |
| Flammability (solid, gas): | no data available |
| Upper/lower flammability or explosive limits | |
| Upper: | no data available |
| Lower: | no data available |
| Flash point | no data available |
| Auto-ignition temperature: | no data available |
| Decomposition temperature: | no data available |
| pH | 5.0 - 8.0(50 g/L,25 °C) |
| Viscosity (coefficient of viscosity) | no data available |
| Dynamic viscosity | no data available |
| Solubilities | water : free soluble . Ethanol : slightly soluble . |
| n-Octanol/water partition coefficient:(log Pow) | no data available |
| Vapour pressure | no data available |
| Specific Gravity / Relative density | 2.26 |
| Vapour density | no data available |
| Particle characteristics | no data available |

Section 10: STABILITY AND REACTIVITY

Stability

| | |
|---|--|
| Reactivity | no data available |
| Chemical stability | Stable under recommended storage conditions. |
| Hazardous reactions | None under normal processing |
| Conditions to avoid | Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark, Shock |
| Incompatible materials | Organic substance, Combustible materials, Reducing agent |
| Hazardous decomposition products | Nitrogen oxides (NOx) |

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|----------------|--------------------|-------------|-----------------|
| Sodium nitrate | 1267 mg/kg (Rat) | N/A | N/A |

| Chemical Name | Acute toxicity -oral- source information | Acute toxicity -dermal- source information | Acute toxicity -inhalation gas- source information |
|----------------|---|---|--|
| Sodium nitrate | Based on the NITE GHS classification results. | Based on the NITE GHS classification results. | Based on the NITE GHS classification results. |

| Chemical Name | Acute toxicity -inhalation vapor- source information | Acute toxicity -inhalation dust- source information | Acute toxicity -inhalation mist- source information |
|----------------|--|---|---|
| Sodium nitrate | Based on the NITE GHS classification results. | Based on the NITE GHS classification results. | Based on the NITE GHS classification results. |

Skin irritation/corrosion

| Chemical Name | Skin corrosion/irritation source information |
|----------------|---|
| Sodium nitrate | Based on the NITE GHS classification results. |

Serious eye damage/ irritation

| Chemical Name | Serious eye damage/irritation source information |
|---------------|--|
|---------------|--|

| | |
|----------------|---|
| Sodium nitrate | Based on the NITE GHS classification results. |
|----------------|---|

Respiratory or skin sensitization

| Chemical Name | Respiratory or Skin sensitization source information |
|----------------|--|
| Sodium nitrate | Based on the NITE GHS classification results. |

Reproductive cell mutagenicity

| Chemical Name | germ cell mutagenicity source information |
|----------------|---|
| Sodium nitrate | Based on the NITE GHS classification results. |

Carcinogenicity

| Chemical Name | Carcinogenicity source information |
|----------------|---|
| Sodium nitrate | Based on the NITE GHS classification results. |

| Chemical Name | NTP | IARC | ACGIH | JSOH (Japan) |
|-----------------------------|-----|----------|-------|--------------|
| Sodium nitrate 7631-99-4 | | Group 2A | | |

Reproductive toxicity

| Chemical Name | Reproductive toxicity source information |
|----------------|---|
| Sodium nitrate | Based on the NITE GHS classification results. |

STOT-single exposure

| Chemical Name | STOT -single exposure- source information |
|----------------|---|
| Sodium nitrate | Based on the NITE GHS classification results. |

STOT-repeated exposure

| Chemical Name | STOT -repeated exposure- source information |
|----------------|---|
| Sodium nitrate | Based on the NITE GHS classification results. |

Aspiration hazard

| Chemical Name | Aspiration Hazard source information |
|----------------|---|
| Sodium nitrate | Based on the NITE GHS classification results. |

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

| Chemical Name | Algae/aquatic plants | Fish | Crustacea |
|----------------|----------------------|--|-----------|
| Sodium nitrate | N/A | LC50: <i>Oncorhynchus mykiss</i> 994.4 - 1107 mg/L 96 h LC50: <i>Lepomis macrochirus</i> 2000 mg/L 96 h | N/A |

Other data

| Chemical Name | Short-term (acute) hazardous to the aquatic environment source information | Long-term (chronic) hazardous to the aquatic environment source information |
|----------------|--|---|
| Sodium nitrate | Based on the NITE GHS classification results. | Based on the NITE GHS classification results. |

| | |
|--------------------------------------|--------------------------|
| Persistence and degradability | No information available |
| Bioaccumulative potential | No information available |
| Mobility in soil | No information available |
| Hazard to the ozone layer | No information available |

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID

| | |
|-------------------------|----------------|
| UN number | UN1498 |
| Proper shipping name: | Sodium nitrate |
| UN classification | 5.1 |
| Subsidiary hazard class | |
| Packing group | III |
| Marine pollutant | Not applicable |

IMDG

| | |
|--|--------------------------|
| UN number | UN1498 |
| Proper shipping name: | Sodium nitrate |
| UN classification | 5.1 |
| Subsidiary hazard class | |
| Packing group | III |
| Marine pollutant (Sea) | Not applicable |
| Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code | No information available |

IATA

| | |
|-------------------------------------|----------------|
| UN number | UN1498 |
| Proper shipping name: | Sodium nitrate |
| UN classification | 5.1 |
| Subsidiary hazard class | |
| Packing group | III |
| Environmentally Hazardous Substance | Not applicable |

| |
|---|
| Section 15: REGULATORY INFORMATION |
|---|

International Inventories

| | |
|---------------|--------|
| EINECS/ELINCS | Listed |
| TSCA | Listed |

Japanese regulations

| | |
|---|---|
| Fire Service Act | Category I, nitrates, dangerous grade 3 |
| Poisonous and Deleterious Substances Control Law | Not applicable |
| Industrial Safety and Health Act | Dangerous Substances - Oxidizing Substance (Enforcement Order Attached Table 1 Item 3) |
| Regulations for the carriage and storage of dangerous goods in ship | Oxidizing Agents - Oxidizing Agents (Ordinance Art.3, Ministry of Transportation Ordinance Regarding Transport by Ship and Storage, Attached Table 1) |
| Civil Aeronautics Law | Oxidizing Agents - Oxidizing Agents (Ordinance Art.194, MITL Notification for Air Transportation of Explosives etc., Attached Table 1) |
| Marine Pollution Prevention Law | Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Z |
| Pollutant Release and Transfer Register Law (2023.4.1-) | Not applicable |
| Water Pollution Control Act | Harmful Substances (Law Art.2, Enforcement Order Art.2, Ordinance Designating Wastewater Standards Art.1) |
| Export Trade Control Order | Not applicable |

| |
|--------------------------------------|
| Section 16: OTHER INFORMATION |
|--------------------------------------|

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)
<http://www.safe.nite.go.jp/japan/db.html>
 IATA dangerous Goods Regulations
 RTECS:Registry of Toxic Effects of Chemical Substances
 Japan Industrial Safety and Health Association GHS Model SDS
 Dictionary of Synthetic Organic Chemistry, SSOCJ, Koudansha Scientific Co.Ltd.
 Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

Record of SDS revisions

The following contents were revised. Product and company Identification. Exposure controls/personal protection. Regulatory information.

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet