

SAFETY DATA SHEET

According to JIS Z 7253:2019
Revision date 08-Aug-2024
Revision Number 2.07

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Sodium Bisulfite
Product Code	198-13265,194-13267

Supplier FUJIFILM Wako Pure Chemical Corporation
1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan
Phone: +81-6-6203-3741
Fax: +81-6-6203-2029

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571

Recommended uses Pharmaceuticals raw materials

Restrictions on use Seek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification

Classification of the substance or mixture

Acute toxicity - Oral

Category 4

Respiratory sensitization

Category 1

Skin sensitization

Category 1

Specific target organ toxicity (single exposure)

Category 3

Category 3 Respiratory irritation

Specific target organ toxicity (repeated exposure)

Category 1

Category 1 respiratory system

Pictograms



Signal word

Danger

Hazard statements

H302 - Harmful if swallowed

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

H335 - May cause respiratory irritation

H317 - May cause an allergic skin reaction

H372 - Causes damage to the following organs through prolonged or repeated exposure: respiratory system

Precautionary statements-(Prevention)

- Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product
- In case of inadequate ventilation wear respiratory protection
- Contaminated work clothing should not be allowed out of the workplace
- Wear protective gloves
- Do not breathe dust/fume/gas/mist/vapors/spray
- Use only outdoors or in a well-ventilated area

Precautionary statements-(Response)

- Get medical advice/attention if you feel unwell

- IF ON SKIN: Wash with plenty of soap and water
- If skin irritation or rash occurs: Get medical advice/attention
- Wash contaminated clothing before reuse
- If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
- Rinse mouth

Precautionary statements-(Storage)

- Store in a well-ventilated place. Keep container tightly closed
- Store locked up

Precautionary statements-(Disposal)

- Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Mixture

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Sodium Hydrogen Sulfite	<100	104.06	(1)-502	*	7631-90-5
Sodium Disulfite	<100	190.11	(1)-502	*	7681-57-4

Note on ISHL No.: * in the table means announced chemical substances.

Mixture of Sodium Hydrogen Sulfite and Sodium Disulfite which contains 58.5+% as SO₂.

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminant and methods and materials for cleaning up

Sweep up and gather scattered particles, and collect it in an empty airtight container.

Recovery, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Avoid contact with strong acids. Avoid contact with strong oxidizing agents. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Storage

Safe storage conditions

Storage conditions

Keep container protect from light and tightly closed in well ventilated cool place under 25°C

Safe packaging material

Polyethylene

Incompatible substances

Strong oxidizing agents, Strong acids

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and hand- and eye-wash facility. And display their position clearly.

Exposure limits

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Sodium Hydrogen Sulfite 7631-90-5	N/A	N/A	TWA: 5 mg/m ³
Sodium Disulfite 7681-57-4	N/A	N/A	TWA: 5 mg/m ³

Personal protective equipment

Respiratory protection

Dust mask (JIS T 8151)

Hand protection

chemical protective gloves (JIS T 8116)

Eye protection

protective eyeglasses or chemical safety goggles (JIS T 8147)

Skin and body protection

Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form	
Color	white
Appearance	or powder
Odor	Sulfur dioxide odor
Melting point/freezing point	no data available
Boiling point, initial boiling point and boiling range	no data available
Flammability	no data available
Evaporation rate:	no data available
Flammability (solid, gas):	no data available
Upper/lower flammability or explosive limits	
Upper:	no data available
Lower:	no data available
Flash point	no data available
Auto-ignition temperature:	no data available
Decomposition temperature:	no data available
pH	acidic (aq.)
Viscosity (coefficient of viscosity)	no data available
Dynamic viscosity	no data available
Solubilities	water : free soluble . Ethanol , Diethyl ether : practically insoluble, or insoluble .
n-Octanol/water partition coefficient:(log Pow)	no data available
Vapour pressure	no data available
Specific Gravity / Relative density	1.48
Vapour density	no data available
Particle characteristics	no data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity	no data available
Chemical stability	May be altered by light.
Hazardous reactions	has a strong reducing action. reacts with strong acids, to generate harmful sulfur dioxide gas.
Conditions to avoid	Extremes of temperature and direct sunlight
Incompatible materials	Strong oxidizing agents, Strong acids
Hazardous decomposition products	Sulfurous acid gas, Sulfur oxides (SOx)

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium Hydrogen Sulfite	1,400 - 2,000 mg/kg(Rat)	N/A	N/A
Sodium Disulfite	1540 mg/kg (Rat)	> 2000 mg/kg (Rat)	N/A

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
Sodium Hydrogen Sulfite	Based on the NITE GHS classification results	Based on the NITE GHS classification results	Based on the NITE GHS classification results.
Sodium Disulfite	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS

	classification results	classification results	classification results.
--	------------------------	------------------------	-------------------------

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust-source information	Acute toxicity -inhalation mist-source information
Sodium Hydrogen Sulfite	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.
Sodium Disulfite	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.

Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information
Sodium Hydrogen Sulfite	Based on the NITE GHS classification results
Sodium Disulfite	Based on the NITE GHS classification results

Serious eye damage/ irritation

Chemical Name	Serious eye damage/irritation source information
Sodium Hydrogen Sulfite	Based on the NITE GHS classification results.
Sodium Disulfite	Based on the NITE GHS classification results.

Respiratory or skin sensitization

Chemical Name	Respiratory or Skin sensitization source information
Sodium Hydrogen Sulfite	Based on the NITE GHS classification results.
Sodium Disulfite	Based on the NITE GHS classification results.

Reproductive cell mutagenicity

Chemical Name	germ cell mutagenicity source information
Sodium Hydrogen Sulfite	Based on the NITE GHS classification results
Sodium Disulfite	Based on the NITE GHS classification results

Carcinogenicity

Chemical Name	Carcinogenicity source information
Sodium Hydrogen Sulfite	Based on the NITE GHS classification results
Sodium Disulfite	Based on the NITE GHS classification results

Chemical Name	NTP	IARC	ACGIH	JSOH
Sodium Hydrogen Sulfite 7631-90-5	N/A	Group 3	N/A	-
Sodium Disulfite 7681-57-4	N/A	Group 3	N/A	-

Reproductive toxicity

Chemical Name	Reproductive toxicity source information
Sodium Hydrogen Sulfite	Based on the NITE GHS classification results
Sodium Disulfite	Based on the NITE GHS classification results

STOT-single exposure

Chemical Name	STOT -single exposure- source information
Sodium Hydrogen Sulfite	Based on the NITE GHS classification results
Sodium Disulfite	Based on the NITE GHS classification results

STOT-repeated exposure

Chemical Name	STOT -repeated exposure- source information
Sodium Hydrogen Sulfite	Based on the NITE GHS classification results
Sodium Disulfite	Based on the NITE GHS classification results

Aspiration hazard

Chemical Name	Aspiration Hazard source information
Sodium Hydrogen Sulfite	Based on the NITE GHS classification results.
Sodium Disulfite	Based on the NITE GHS classification results.

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Sodium Hydrogen Sulfite	N/A	LC50: <i>Gambusia affinis</i>	EC50: <i>Daphnia magna</i>

		240 mg/L 96 h	119 mg/L 48 h
Sodium Disulfite	EC50 : <i>Scenedesmus subspicatus</i> 48.1 mg/L 72 h	LC50: <i>Lepomis macrochirus</i> 32 mg/L 96 h	EC50: <i>Daphnia magna</i> 88.76 mg/L 48 h

Other data

Chemical Name	Short-term (acute) hazardous to the aquatic environment source information	Long-term (chronic) hazardous to the aquatic environment source information
Sodium Hydrogen Sulfite	Based on the NITE GHS classification results	Based on the NITE GHS classification results
Sodium Disulfite	Based on the NITE GHS classification results	Based on the NITE GHS classification results

Persistence and degradability	No information available
Bioaccumulative potential	No information available
Mobility in soil	No information available
Hazard to the ozone layer	No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID	Not regulated
UN number	-
Proper shipping name:	
UN classification	
Subsidiary hazard class	
Packing group	
Marine pollutant	Not applicable
IMDG	Not regulated
UN number	-
Proper shipping name:	
UN classification	
Subsidiary hazard class	
Packing group	
Marine pollutant (Sea)	Not applicable
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	No information available
IATA	Not regulated
UN number	-
Proper shipping name:	
UN classification	
Subsidiary hazard class	
Packing group	
Environmentally Hazardous Substance	Not applicable

Section 15: REGULATORY INFORMATION

Japanese regulations

Fire Service Act	Not applicable
------------------	----------------

Poisonous and Deleterious Substances Control Law	Not applicable
Industrial Safety and Health Act	Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57) Notifiable Substances (Law Art.57-2) Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)
Regulations for the carriage and storage of dangerous goods in ship	Not applicable
Civil Aeronautics Law	Not applicable
Marine Pollution Prevention Law	Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Z
Pollutant Release and Transfer Register Law (2023.4.1-)	Not applicable
Export Trade Control Order Act on Securing Quality, Efficacy and Safety of Products Including Pharmaceuticals and Medical Devices	Not applicable Japanese Pharmacopoeia

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
Sodium Hydrogen Sulfite 7631-90-5 (<100)	-	Applicable	-
Sodium Disulfite 7681-57-4 (<100)	-	Applicable	-

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.	NITE: National Institute of Technology and Evaluation (JAPAN) ://www.chem-info.nite.go.jp/chem/chrip/chrip_search/systemTop IATA dangerous Goods Regulations RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS Dictionary of Synthetic Organic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd. Chemical Dictionary, Kyouritsu Publishing Co., Ltd. etc
Record of SDS revisions	The following contents were revised. Product and company Identification. Toxicological information. Regulatory information.
Disclaimer	This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet