



# SAFETY DATA SHEET

According to JIS Z 7253:2019 Revision date 26-Mar-2024 Revision Number 2.04

# Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Sodium t-Butoxide	
Product Code	197-14911,195-14912,199-14915	
Supplier	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 Fax: +81-6-6203-2029	
Emergency telephone number Recommended uses Restrictions on use	+81-6-6203-3741 / +81-3-3270-8571 For research use only Seek expert judgment when using for purposes other than those recommended.	

Section 2: HAZARDS IDENTIFICATION

GHS classification <u>Classification of the substance or mixture</u> Flammable solids Self-heating substances and mixtures Skin corrosion/irritation Serious eye damage/eye irritation

Pictograms



Category 2 Category 1 Category 1

Category 1

Signal word

Danger

#### Hazard statements

- H228 Flammable solid
- H252 Self-heating in large quantities; may catch fire
- H314 Causes severe skin burns and eye damage
- H318 Causes serious eye damage

#### **Precautionary statements-(Prevention)**

- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- · Ground/bond container and receiving equipment
- Use explosion-proof electrical/ ventilating / lighting / equipment
- · Wear protective gloves/protective clothing/eye protection/face protection
- Do not breathe dust/fume/gas/mist/vapors/spray
- · Wash face, hands and any exposed skin thoroughly after handling
- Keep cool. Protect from sunlight

#### **Precautionary statements-(Response)**

• IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

- · Immediately call a POISON CENTER or doctor/physician
- Wash contaminated clothing before reuse
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
- In case of fire: Use suitable extinguishing media for extinction
- Precautionary statements-(Storage)
  - Store locked up
  - Maintain air gap between stacks/pallets
  - Store away from other materials
- Precautionary statements-(Disposal)

Dispose of contents/container to an approved waste disposal plant

#### Others Other hazards

Not available

# Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula

(CH3)3CONa

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Sodium t-Butoxide	95.0	96.10	(2)-205	公表	865-48-5
Note on ICUL No.					

Note on ISHL No.:

\* in the table means announced chemical substances.

# Section 4: FIRST AID MEASURES

#### Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

#### Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

#### Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

#### **Protection of first-aiders**

Use personal protective equipment as required.

# Section 5: FIRE FIGHTING MEASURES

#### Suitable extinguishing media

Extinguishing powder, Sand

Unsuitable extinguishing media

Do not use straight streams

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

#### Special extinguishing method No information available

## Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

## Section 6: ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

#### Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Sweep up and gather scattered particles, and collect it in an empty airtight container.

### Recoverly, neutralization

No information available

#### Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

# Section 7: HANDLING AND STORAGE

#### Handling

#### **Technical measures**

Avoid contact with strong oxidizing agents. Make a seal or plug immediately after use, as it decomposes by moisture. Use with local exhaust ventilation.

#### Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

#### Safety handling precautions

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity)

#### Storage

# Safe storage conditions

Storage conditions	Keep container protect from light, store
	in well-ventilated place at room temperature (preferably cool). Keep container tightly
	closed. Packed with an inert gas.
Safe packaging material	Polyethylene, Glass
Incompatible substances	Strong oxidizing agents, Water

### Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

#### **Exposure limits**

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

# Personal protective equipment

Respiratory protection Hand protection Eye protection Skin and body protection Dust mask ( JIS T 8151 ) chemical protective gloves ( JIS T 8116 ) protective eyeglasses or chemical safety goggles (JIS T 8147) Long-sleeved work clothes

# General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

### Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form	
Color	White - slightly brown
Appearance	powder
Odor	no data available
Melting point/freezing point	263 °C
Boiling point, initial boiling point and boiling range	no data available
Flammability	Flammable solid
Evaporation rate:	no data available
Flammability (solid, gas):	no data available
Upper/lower flammability or explosive limits	
Upper:	no data available
Lower:	no data available
Flash point	no data available
Auto-ignition temperature:	no data available
Decomposition temperature:	no data available
рН	no data available
Viscosity (coefficient of viscosity)	no data available
Dynamic viscosity	no data available
Solubilities	Ethanol, acetone: soluble. Reacts violently with water
n-Octanol/water partition coefficient:(log Pow)	no data available
Vapour pressure	no data available
Specific Gravity / Relative density	0.785
Vapour density	no data available
Particle characteristics	no data available

# Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available Chemical stability May be altered by light. Decomposed by the absorption of moisture. **Hazardous reactions** None under normal processing Conditions to avoid Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark, Moisture Incompatible materials Strong oxidizing agents, Water Hazardous decomposition products Carbon monooxide (CO), Carbon dioxide (CO2)

# Section 11: TOXICOLOGICAL INFORMATION

Skin irritation/corrosion Serious eye damage/ irritation Respiratory or skin sensitization Reproductive cell mutagenicity Carcinogenicity

**Reproductive toxicity** STOT-single exposure STOT-repeated exposure Aspiration hazard

no data available

no data available no data available no data available no data available no data available

no data available no data available no data available no data available

# Section 12: ECOLOGICAL INFORMATION

Ecotoxicity	no data available
Other data	no data available
Persistence and degradability Bioaccumulative potential Mobility in soil Hazard to the ozone layer	No information available No information available No information available No information available

# Section 13: DISPOSAL CONSIDERATIONS

#### Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations. Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

# Section 14: TRANSPORT INFORMATION

ADR/RID UN number Proper shipping name: UN classfication Subsidiary hazard class Packing group Marine pollutant	UN3206 Alkali metal alcoholates, self-heating, corrosive, n.o.s. (Sodium t-Butoxide) 4.2 8 III Not applicable
IMDG	
UN number	UN3206
Proper shipping name:	Alkali metal alcoholates, self-heating, corrosive, n.o.s. (Sodium t-Butoxide)
UN classfication	4.2
Subsidiary hazard class	8
Packing group	III
Marine pollutant (Sea)	Not applicable
Transport in bulk according to	
Annex II of MARPOL 73/78 and	
the IBC Code	
	1102200
UN number	UN3206 Alkoli matal alaphalatan palf hasting parragiya n a.a. (Sadium t Putavida)
Proper shipping name: UN classfication	Alkali metal alcoholates, self-heating, corrosive, n.o.s. (Sodium t-Butoxide) 4.2
Subsidiary hazard class	8
Packing group	
Environmentally Hazardous	Not applicable
Substance	· · · · · · · · · · · · · · · · · · ·

# Section 15: REGULATORY INFORMATION

Japanese regulations	
Fire Service Act	Category II, inflammable solids, dangerous grade 3
Poisonous and Deleterious	Not applicable
Substances Control Law	
Industrial Safety and Health Ac	t Not applicable
Industrial Safety and Health Act (	[2024.4.1~] Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)
<u>2024~)</u>	
Regulations for the carriage	Flammable Solids - Spontaneously Combustible Solids (Ordinance Art.3, Ministry of
and storage of dangerous	Transportation Ordinance Regarding Transport by Ship and Storage, Attached Table 1)

goods in ship Civil Aeronautics Law	Flammable Solids - Spontaneously Combustible Solids (Ordinance Art.194, MITL Nortification for Air Transportation of Explosives etc , Attached Table 1)
Pollutant Release and Transfer Register Law (2023.4.1-)	Not applicable
Export Trade Control Order	Not applicable

# Section 16: OTHER INFORMATION

Key literature references and sources for data etc.	NITE: National Institute of Technology and Evaluation (JAPAN) http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS Dictionary of Synthetic Oraganic Chemistry, SSOCJ, Koudansha Scientific Co.Ltd. Chemical Dictionary, Kyouritsu Publishing Co., Ltd. etc
Record of SDS revisions	The following contents were revised. Regulatory information

#### Record of SDS revisions Disclaimer

The following contents were revised. Regulatory information.

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. \*JIS: Japanese Industrial Standards

### End of Safety Data Sheet